No. 25094901 (Last updated 04.01.2023)



CCF Pricing Head Office CCF LTD South Park Industrial Estate 17 NEWDOWN ROAD SCUNTHORPE Lincolnshire DN17 2TX

A/c No. 15060474

Project details
Cale Cross
Johns Street
Newcastle NE1 6SU

Beech Design & Build
Bridgewater House / MANCHESTER M1 6LT
Bee Interiors

Unit 5, Graydine Court / HULL HU3 2BG

Project Start Date July 2021
Project End Date 28.02.2023
Agreement Start Date January 2023

Cale Cross, Beech, Newcastle

All Support is calculated against our current price list, with the duration based on the start and end dates shown above. All service premiums will be at standard terms unless otherwise shown.

Support number MUST be quoted when placing orders with Knauf Customer Services for support showing additional discounts off invoice & when claiming credits for support on proof of delivery.

Please check project support document and in the case of any query, please contact Customer Administrator at the Sittingbourne office.

Product Description	Off Invoice discount (for directs)	Pence of Support (for ex yard)	Unit of Measure
UK: Plaster Acc			
Betokontakt 20 kg	Std. Terms	Nil	PC
UK: Std Wallboard			
9.5 Wallboard 900	Std. Terms	0.29	M2
9.5 Wallboard 1200	Std. Terms	0.25	M2
12.5 Wallboard 900	Std. Terms	0.29	M2
12.5 Wallboard 1200	Std. Terms	0.25	M2
15 Wallboard 900	Std. Terms	0.34	M2
15 Wallboard 1200	65.260%	0.59	M2
UK: Baseboard			
9.5 Baseboard 900	Std. Terms	Nil	M2
UK: Plank			
19 Plank 600	Std. Terms	0.53	M2
UK: Vapour Panel			
12.5 Vapour Panel 900	Std. Terms	0.32	M2
12.5 Vapour Panel 1200	Std. Terms	0.28	M2
15 Vapour Panel 1200	61.690%	0.78	M2
UK: Soundshield/Plus			
12.5 Sound Panel 1200	Std. Terms	0.37	M2
12.5 Soundshield Plus 1200	63.740%	1.09	M2
15 Soundshield Plus 1200	67.050%	1.74	M2
UK: Moisture Panel			

No. 25094901 (Last updated 04.01.2023)



	O# Lead	Dense	
Product Description	Off Invoice discount (for directs)	Pence of Support (for ex yard)	Unit of Measure
12.5 Moisture Panel 1200	57.570%	0.59	M2
15.0 Moisture Panel 1200	61.410%	1.20	M2
UK: Performance Plus			
12.5 Performance Plus 1200	61.930%	1.43	M2
15.0 Performance Plus 1200	65.360%	2.26	M2
UK: Fire Panel			
12.5 Fire Panel 1200	Std. Terms	0.32	M2
15 Fire Panel 1200	Std. Terms	0.40	M2
UK: Coreboard	F7 0400/	4.40	Mo
19 Core Board 600	57.810%	1.40	M2
UK: Laminates22 Thermal Laminate	Ctd Tarma	0.20	MO
30 Thermal Laminate	Std. Terms Std. Terms	0.28	M2
	Std. Terms	0.31	M2
40 Thermal Laminate 50 Thermal Laminate	Std. Terms	0.38	M2
	Std. Terms	0.45	M2
22 Thermal Vapour Panel	Std. Terms	0.34 0.38	M2 M2
30 Thermal Vapour Panel	Std. Terms	0.36	M2
40 Thermal Vapour Panel XPS Laminate Plus 27	Std. Terms	0.44	M2
XPS Laminate Plus 35	Std. Terms	0.50	M2
XPS Laminate Plus 40	Std. Terms	0.63	M2
XPS Laminate Plus 45	Std. Terms	0.69	M2
XPS Laminate Plus 55	Std. Terms	0.79	M2
35 PIR Laminate	Std. Terms	1.41	M2
50 PIR Laminate	Std. Terms	1.56	M2
65 PIR Laminate	Std. Terms		M2
75 PIR Laminate	Std. Terms	1.86	M2
UK: Jointing Mats	Old. Formo	1.00	1412
Fill and Finish 30 Premium 10 kg	Std. Terms	Nil	PC
Fill and Finish 60 Premium 10 kg	Std. Terms	Nil	PC
Joint Filler Premium 10 kg	Std. Terms	Nil	PC
Joint Filler Premium 20 kg	Std. Terms	Nil	PC
Joint Cement Premium	Std. Terms	Nil	PC
Uniflott 25 kg	Std. Terms	Nil	PC
Joint Tape	Std. Terms	Nil	PAC
UK: Drywall Acc			
Wallboard Primer	Std. Terms	Nil	PC
Fibre Tape 90 m	Std. Terms	Nil	PC
Drywall Angle Bead 2.4m	Std. Terms	Nil	М
Drywall Angle Bead 3.0 m	Std. Terms	Nil	М
Corner Flex Tape	Std. Terms	Nil	PAC
Drywall Edge Bead 12.5 mm	Std. Terms	Nil	M
Drywall Edge Bead 15 mm	Std. Terms	Nil	M
· · · · · ·			

No. 25094901 (Last updated 04.01.2023)



Product Description	Off Invoice discount (for directs)	Pence of Support (for ex yard)	Unit of Measure
Movement Control Joint	Std. Terms	Nil	М
UK: Putty Pads			
Putty Pads 170mm x 170mm	33.740%	0.47	PC
Putty Pads 230mm x 170mm	33.750%	0.86	PC
Deflection Head Fire Seal (20)	Std. Terms	2.69	PC
Deflection Head Fire Seal W6 (20)	Std. Terms	2.69	PC
Deflection Head Fire Seal W7 (20)	Std. Terms	2.69	PC
Deflection Head Fire Seal WS (20)	Std. Terms	3.15	PC
UK: Bonding Compound			
Bonding Compound 25 kg	Std. Terms	Nil	PC
UK: Drywall Fixings			
Drywall Screws 25 mm	Std. Terms	0.61	PAC
Drywall Screws 32 mm	Std. Terms	0.74	PAC
Drywall Screws 38 mm	Std. Terms	0.81	PAC
Drywall Screws 42 mm	Std. Terms	0.91	PAC
Drywall Screws 50 mm	Std. Terms	0.67	PAC
Drywall Screws 60 mm	Std. Terms	0.71	PAC
Drywall Screws 75 mm	Std. Terms	1.07	PAC
Collated Drywall Screws 25mm	Std. Terms	1.09	PAC
Collated Drywall Screws 35mm	Std. Terms	1.49	PAC
Collated Drywall Screws 45mm	Std. Terms	1.70	PAC
Jackpoint Screws 25 mm	Std. Terms	1.03	PAC
Jackpoint Screws 35 mm	Std. Terms	1.32	PAC
Jackpoint Screws 42 mm	Std. Terms	1.54	PAC
Jackpoint Screws 55 mm	Std. Terms	1.88	PAC
Drywall Wood Screws 38 mm	Std. Terms	1.06	PAC
Drywall Wood Screws 42 mm	Std. Terms	1.11	PAC
Performance Plus Screws 25mm	Std. Terms	1.01	PAC
Performance Plus Screws 35mm	Std. Terms	1.23	PAC
Performance Plus Screws 45mm	Std. Terms	1.66	PAC
Collated Perf Plus Screws 25mm	Std. Terms	1.81	PAC
Collated Perf Plus Screws 35mm	Std. Terms	2.18	PAC
Collated Perf Plus Screws 45mm	Std. Terms	2.94	PAC
Wafer-Head Jackpoint Screw	Std. Terms	1.70	PAC
Nailable Plug 6/35 mm	Std. Terms	1.07	PAC
Nailable Plug 8/80 mm	Std. Terms	0.83	PAC
Nailable Plug 8/100 mm	Std. Terms	1.24	PAC
Wafer-Head Self Tapping 14mm	Std. Terms	1.70	PAC
UK: C Stud & U Chnl			
50mm C Stud 0.55g	54.730%	0.32	M
60mm C Stud 0.55g	54.660%	0.44	M
70mm C Stud 0.55g	54.900%	0.42	M
92mm C Stud 0.55g	54.870%	0.56	M

No. 25094901 (Last updated 04.01.2023)



Product Description	Off Invoice discount (for directs)	Pence of Support (for ex yard)	Unit of Measure
146mm C Stud 0.55g	54.760%	0.76	М
70mm C Stud 0.7g	54.760%	0.83	M
92mm C Stud 0.7g	54.730%	0.92	M
146mm C Stud 0.7g	54.730%	1.10	M
50mm Acoustic C Stud 0.6g	54.680%	0.51	M
70mm Acoustic C Stud 0.6g	54.700%	0.71	M
MW Stud	54.780%	1.08	M
52 U Channel 0.55g	54.860%	0.32	M
62 U Channel 0.55g	54.750%	0.38	M
72 U Channel 0.55g	54.890%	0.38	M
94 U Channel 0.55g	54.890%	0.50	M
148 U Channel 0.55g	54.840%	0.60	M
52 DF U Channel 0.6g	54.850%	0.62	M
72 DF U Channel 0.6g	54.760%	0.67	M
52 DF U Channel 0.7g	54.810%	0.98	M
62 DF U Channel 0.7g	54.790%	1.02	M
72 DF U Channel 0.7g	54.830%	1.05	M
94 DF U Channel 0.7g	54.820%	1.22	M
148 DF U Channel 0.7g	54.790%	1.40	M
UW Runner 100/40/06 4000	54.730%	0.83	M
20 U Channel Perimeter Support 0.55g	54.740%	0.26	M
UK: I Stud			
50mm I Stud 0.55g	49.680%	0.51	M
60mm I Stud 0.55g	49.680%	0.50	M
60mm I Stud 0.7g	49.760%	0.60	M
70mm I Stud 0.7g	49.760%	0.69	M
92mm I Stud 0.9g	49.760%	0.78	M
146mm I Stud 0.9g	49.730%	1.20	M
Staggered Stud Clip 60 mm	49.760%	5.91	PAC
Staggered Stud Clip 92 mm	49.760%	9.16	PAC
UK: Ceiling&Wall Lin			
C Channel	49.620%	0.27	M
Channel Intersection Connector	49.760%	12.05	PAC
C Channel Connector	49.750%	8.09	PAC
Universal Bracket	49.760%	13.28	PAC
Soffit Cleats	49.740%	2.43	PAC
Strap Hanger	49.760%	1.83	PC
Connecting Clips	49.760%	9.07	PAC
Ceiling Channel	49.760%	0.21	M
Perimeter Channel	49.490%	0.14	M
Primary Support Channel	49.590%	0.22	M
Nut And Bolt	49.760%	0.98	PAC
CD U Channel	49.610%	0.25	M

No. 25094901 (Last updated 04.01.2023)



	0".	- ·	<u> </u>
Product Description	Off Invoice discount (for directs)	Pence of Support (for ex yard)	Unit of Measure
UK: Shaftwall	·		
60mm C T Stud 0.92g	49.760%	1.19	М
92mm C T Stud 0.92g	49.730%	1.42	M
146mm C T Stud 0.92g	49.760%	1.78	M
62mm J Channel 0.92g	49.760%	0.89	M
94mm J Channel 0.92g	49.720%	1.06	M
148mm J Channel 0.92g	49.730%	1.39	M
Core Board Channel	49.590%	0.23	M
UK: Metal Acc			
Resilient Bar	49.760%	0.30	M
Flat Fixing Plate 70mm	49.760%	0.27	M
Fixing Channel	49.670%	0.45	M
Angle Section (25 X 25)	49.540%	0.18	M
Angle Section (25 X 50)	49.620%	0.29	M
Fixing Clip	49.760%	11.00	PAC
UK: Aquapanel			
12.5 Aquapanel Outdoor 900	Std. Terms	Nil	M2
12.5 Aquapanel Indoor 900	Std. Terms	Nil	M2
6 Aquapanel Floor Tile Underlay 900 1200	Std. Terms	Nil	M2
UK: Sheetrock			
Dallas B1 External Bead 2600	Std. Terms	Nil	PAC
Dallas B1 External Bead 3000	Std. Terms	Nil	PAC
Las Vegas B2 Internal Bead	Std. Terms	0.27	PAC
Las Vegas B2 Internal Bead 3000mm	Std. Terms	0.34	PAC
Flexible Metal Tape	Std. Terms	Nil	PAC
UK: RM Jointing Mats			
Fill and Finish 20kg	Std. Terms	Nil	PC
Fill and Finish Light 5kg	Std. Terms	Nil	PC
Fill and Finish Light 20kg	Std. Terms	Nil	PC

Sales Representative Jonathan Kirk Jonathan.Kirk@knauf.com +44 (7771) 806014





What is it?

Knauf Deflection Head Fire Seal is used at the deflection head detail of drywall partition systems to provide an effective fire and acoustic barrier. Maximum deflection allowance 25mm downward.

Designed for indoor use in dry conditions.

For more information, contact Technical Service:

Tel: 0800 030 4135
Email: technical@knauf.co.uk
www.knauf.co.uk



What are the benefits?

- Simplification of build
 Eliminates the need for cut fillets, mastics and sealants.
- Time saving Improved productivity from faster installation.
- Improved quality assurance Simple solution — visible result.
- Waste reduction
 Offcuts can be used on next section of track. Easy disposal of any residual product through normal waste channels.
- Improved Health and Safety
 Elimination of dust when cutting fillets.
 Reduction of weight to be
 lifted overhead during installation.

Build for the world we live in