

PRAKTIKUM BASIS DATA

MODUL 04

JURNAL



**Universitas
Telkom**

Oleh:

Rahmadanis Danang Kumala

103122400066

PROGRAM STUDI S1 REKAYASA PERANGKAT LUNAK


DIREKTORAT KAMPUS PURWOKERTO

UNIVERSITAS TELKOM

2026

JURNAL

1. Menampilkan theater, tanggal mulai, dan lama tayang film “Habibie Ainun 3”



The screenshot shows a SQL query editor window titled "JURNAL MODUL 04" with a "Query Builder" tab selected. The query is as follows:

```
SELECT
    j.ID_THEATER,
    f.JUDUL,
    j.PERIODE_START,
    (j.PERIODE_END - j.PERIODE_START) AS LAMA_TAYANG
FROM FILM f
JOIN JADWAL j
ON f.ID_FILM = j.ID_FILM
WHERE f.JUDUL = 'Habibie Ainun 3';
```

Below the query editor, the "Query Result" window displays the results of the query. It shows 4 rows of data, with columns: ID_THEATER, JUDUL, PERIODE_START, and LAMA_TAYANG. The status bar indicates "All Rows Fetched: 4 in 0.087 seconds".

	ID_THEATER	JUDUL	PERIODE_START	LAMA_TAYANG
1	Teater 1	Habibie Ainun 3	07-01-2019	181
2	Teater 2	Habibie Ainun 3	07-01-2019	181
3	Teater 3	Habibie Ainun 3	07-01-2019	181
4	Teater 1	Habibie Ainun 3	07-01-2019	181

2. Kategori harga murah / normal / mahal

```
SELECT
j.ID_THEATER,
f.JUDUL,

CASE
WHEN j.ID_THEATER = 'TH001' THEN 'VIP'
WHEN j.ID_THEATER = 'TH002' THEN 'REGULER'
ELSE 'EKONOMI'
END AS KELAS,

CASE
WHEN j.ID_THEATER = 'TH001' THEN 80000
WHEN j.ID_THEATER = 'TH002' THEN 60000
ELSE 40000
END AS HARGA,

CASE
WHEN
CASE
WHEN j.ID_THEATER = 'TH001' THEN 80000
WHEN j.ID_THEATER = 'TH002' THEN 60000
ELSE 40000
END < 50000
THEN 'Murah'
WHEN
CASE
WHEN j.ID_THEATER = 'TH001' THEN 80000
WHEN j.ID_THEATER = 'TH002' THEN 60000
ELSE 40000
END > 75000
THEN 'Mahal'

ELSE 'Normal'
END AS KATEGORI_HARGA
FROM FILM f
JOIN JADWAL j
ON f.ID_FILM = j.ID_FILM;
```

ID_THEATER	JUDUL	KELAS	HARGA	KATEGORI_HARGA
1 Teater 1	Keluarga Cemara	EKONOMI	40000	Murah
2 Teater 1	Keluarga Cemara	EKONOMI	40000	Murah
3 Teater 1	Habibie Ainun 3	EKONOMI	40000	Murah
4 Teater 2	Keluarga Cemara	EKONOMI	40000	Murah
5 Teater 2	Taufiq	EKONOMI	40000	Murah
6 Teater 2	Habibie Ainun 3	EKONOMI	40000	Murah
7 Teater 2	Buya Hamka	EKONOMI	40000	Murah
8 Teater 3	Habibie Ainun 3	EKONOMI	40000	Murah
9 Teater 1	Keluarga Cemara	EKONOMI	40000	Murah
10 Teater 1	Habibie Ainun 3	EKONOMI	40000	Murah

3. Diskon 10% untuk member umur ≤ 32

```
SELECT
    m.ID_MEMBER,

    CASE
        WHEN j.ID_THEATER = 'TH001' THEN 80000
        WHEN j.ID_THEATER = 'TH002' THEN 60000
        ELSE 40000
    END AS HARGA_AWAL,

    FLOOR(MONTHS_BETWEEN(SYSDATE, m.TGL_LAHIR) / 12) AS UMUR,

    CASE
        WHEN FLOOR(MONTHS_BETWEEN(SYSDATE, m.TGL_LAHIR) / 12) <= 32
        THEN
            (CASE
                WHEN j.ID_THEATER = 'TH001' THEN 80000
                WHEN j.ID_THEATER = 'TH002' THEN 60000
                ELSE 40000
            END) * 0.9
        ELSE
            CASE
                WHEN j.ID_THEATER = 'TH001' THEN 80000
                WHEN j.ID_THEATER = 'TH002' THEN 60000
                ELSE 40000
            END
        END AS HARGA_SETELAH_DISKON

    FROM MEMBER m
    JOIN TRANSAKSI t
    ON m.ID_MEMBER = t.ID_MEMBER

    JOIN JADWAL j
    ON t.ID_JADWAL = j.ID_JADWAL


    ORDER BY FLOOR(MONTHS_BETWEEN(SYSDATE, m.TGL_LAHIR) / 12);
```

Script Output x

Task completed in 0.099 seconds

ID_MEM	HARGA_AWAL	UMUR	HARGA_SETELAH_DISKON
MM0119	40000	35	40000
MM0111	40000	36	40000
MM0120	40000	37	40000
MM0116	40000	38	40000
MM0115	40000	39	40000
MM0117	40000	40	40000
MM0118	40000	40	40000
MM0112	40000	41	40000
MM0113	40000	42	40000
MM0114	40000	44	40000

4. Menampilkan member dan film dengan durasi ≥ 100 menit serta digit terakhir nomor HP = 8



The screenshot shows a database query builder interface. The top window is titled "JURNAL MODUL 04" and contains a query editor with the following SQL code:

```
SELECT
    m.ID_MEMBER,
    m.NAMA,
    f.JUDUL
FROM MEMBER m

JOIN TRANSAKSI t
ON m.ID_MEMBER = t.ID_MEMBER

JOIN JADWAL j
ON t.ID_JADWAL = j.ID_JADWAL


JOIN FILM f
ON j.ID_FILM = f.ID_FILM

WHERE f.DURASI >= 100
AND TO_NUMBER(SUBSTR(m.NO_HP, -1)) = 8;
```

The bottom window, titled "Query Result", shows the results of the query. It indicates that all rows were fetched in 0.028 seconds. The results are displayed in a table with three columns: ID_MEMBER, NAMA, and JUDUL.

ID_MEMBER	NAMA	JUDUL
1 MM0114	Rahmi	Keluarga Cemara
2 MM0116	Rusli	Keluarga Cemara

5. Diskon 70% film “Keluarga Cemara” mulai 19 Desember 2019



The screenshot displays a SQL query in a query builder interface. The query is designed to calculate a 70% discount on movie tickets for the film "Keluarga Cemara" starting from December 19, 2019. The query selects the member ID, film ID, theater ID, original price, and the price after the discount. The result shows four rows of data for theater 1.

```
SELECT
    t.ID_MEMBER,
    f.ID_FILM,
    j.ID_THEATER,

    CASE
        WHEN j.ID_THEATER = 'Teater 1' THEN 80000
        WHEN j.ID_THEATER = 'Teater 2' THEN 60000
        ELSE 40000
    END AS HARGA_ASLI,

    CASE
        WHEN j.ID_THEATER = 'Teater 1' THEN 80000 * 0.3
        WHEN j.ID_THEATER = 'Teater 2' THEN 60000 * 0.3
        ELSE 40000 * 0.3
    END AS HARGA_SETELAH_DISKON

FROM TRANSAKSI t

JOIN JADWAL j
ON t.ID_JADWAL = j.ID_JADWAL

JOIN FILM f
ON j.ID_FILM = f.ID_FILM

WHERE f.JUDUL = 'Keluarga Cemara';
```

Query Result: x

SQL | All Rows Fetched: 4 in 0.019 seconds

ID_MEMBER	ID_FILM	ID_THEATER	HARGA_ASLI	HARGA_SETELAH_DISKON
1 MM0111	F0101	Teater 1	80000	24000
2 MM0114	F0101	Teater 1	80000	24000
3 MM0116	F0101	Teater 1	80000	24000
4 MM0118	F0101	Teater 1	80000	24000