



Patient ID : 
69A5E859B552

Age / Gender : 58 Years / Female
Order Status : Final

Ref. By : Self
Report Date : 09-03-2026

Ready: 0 | Interim: 0 | Pending: 0 | Total: 1

REPORT AVAILABILITY SUMMARY

Test Details	Report Status
Renal Function test (RFT / KFT), Serum Clinical Chemistry • Serum	Ready
----- Summary Page -----	



Patient ID :

Patient Name : Mrs. Ganga Devi

Age / Gender : 58 Years / Female

Order Status : Final

Ref. By : Self

Report Date : 09-03-2026

Test(s) Out of Reference Range - [1 Test(s)]

Renal Function test (RFT / KFT), Serum (Clinical Chemistry)

Parameter Name	Observed Value	Reference Range
Creatinine	↑ 1.2 mg/dl	0.6 - 1.1
Sodium (Na)	↓ 131 mmol/L	136 - 142
Potassium (K)	↓ 3.0 mmol/L	3.8 - 5.0

----- Detailed Summary Page -----

Patient Registered on : 09-03-2026, 11:15 AM

Report Generated on : 09-03-2026, 11:32 AM

Tests with Abnormal Parameters : 1

Total Abnormal Parameters : 3



Patient ID : 

Patient Name : Mrs. Ganga Devi

Age / Gender : 58 Years / Female

Order Status : Final

Ref. By : Self

Report Date : 09-03-2026

Sample Collected at : Pt. J.N.M Medical college
Medical College, Raipur, Raipur, Chhattisgarh, 490001

Sample Processed at : Dhritlahare Diagnostics & Pathology
, Raipur, Raipur, Chhattisgarh, 492001

Clinical Chemistry

Investigation	Results	Unit	Bio. Ref. Inter-val	Method
Renal Function test (RFT / KFT), Serum				
Creatinine	↑ 1.2	mg/dl	0.6 - 1.1	Jaffes Kinetic
Urea Serum	22	mg/dl	10 - 40	Urease UV
Blood Urea Nitrogen (BUN) to Creatinine Ratio	18.3 : 1	mg/dl	10:1 - 20:1	Calculated
Sodium (Na)	↓ 131	mmol/L	136 - 142	ISE
Potassium (K)	↓ 3.0	mmol/L	3.8 - 5.0	ISE

>= 90, (G1)– Normal kidney function if no other evidence of kidney disease> 60–89, (G2) – May be normal unless other signs of kidney damage are present> 45–59, (G3a) – Kidney damage likely; monitor and manage risk factors> 30–44, (G3b) – Moderate kidney disease; increased risk of complications> 15–29, (G4) – Severe kidney damage; preparation for renal replacement therapy> Less than 15 (G5) – Kidney failure (ESRD), Kidney failure; dialysis or transplant usually required

RFT/KFT Interpretation

Parameter	Low Value Interpretation	High Value Interpretation
Blood Urea	- Liver dysfunction, Malnutrition>	- Kidney dysfunction, Dehydration, GI bleeding>
Serum Creatinine	- Muscle wasting, Low protein diet>	- AKD/CKD, Rhabdomyolysis>
Uric Acid	- Wilson's disease, SIADH, Fanconi syndrome>	- Gout, Renal dysfunction, Leukemia/Cancer>
Sodium	- SIADH, Addison's disease, heart failure	- Dehydration, diabetes insipidus
Potassium	- Diuretics, vomiting, diarrhea	- Renal failure, acidosis, drugs (ACEi)
Chloride	- Vomiting, metabolic alkalosis	- Dehydration, renal tubular acidosis
Albumin	- Nephrotic syndrome, Liver disease, Malnutrition- Usually not high unless due to dehydration	

Associated Test: Calcium, Phosphorus, Vitamin D(25-OH), CBC, HbA1c, Lipid profile, Blood glucose.

Reference:

1. Henry's clinical diagnosis and management by laboratory method, 24th Edition, page no. 1623.e19, 1623.e20
2. The Harriet Lane Handbook 23rd Edition, Page no. 738, 741, 742
3. Kit Insert

****This is an amended report. Reason: For Re-Confirmation Of Values**

----- End of Report -----

IMPORTANT INSTRUCTIONS

Test results depend on the specimen quality and need clinical correlation by the referring physician. Delays in report delivery may occur; apologies for any inconvenience. Additional analyses at extra cost require prompt follow-up. Results may vary between labs and aren't valid for Medico legal purposes. Reports are computer-validated and don't need a physical signature. Contact the lab for unexpected results.

Patient Registered on : 09-03-2026, 11:15 AM

Sample Collected on : 09-03-2026, 11:15 AM

Test Released on : 09-03-2026, 11:24 AM

Sample ID : 69AE5E859B9F6

Sample Type : Serum

Dr. Hemawati Dhritlahare
MD (Medicine, Gold Medalist), PhD (Cardiology)