











Memory Counters Over Whole-Tensor G_C — softmax_bias on MI300A (Tuolumne)
2 independently profiled layout mappings; target 1024x256; stratified over all components




Memory Counters Over Whole-Tensor G_C — softmax_bias on MI300A (Tuolumne)
2 independently profiled layout mappings; target 1024x256; stratified over all components







Memory Counters Over Whole-Tensor G_C — softmax_bias on MI300A (Tuolumne)
2 independently profiled layout mappings; target 1024x256; stratified over all components








Memory Counters Over Whole-Tensor G_C — softmax_bias on MI300A (Tuolumne)
2 independently profiled layout mappings; target 1024x256; stratified over all components







Memory Counters Over Whole-Tensor G_C — softmax_bias on MI300A (Tuolumne)
2 independently profiled layout mappings; target 1024x256; stratified over all components








Memory Counters Over Whole-Tensor G_C — softmax_bias on MI300A (Tuolumne)
2 independently profiled layout mappings; target 1024x256; stratified over all components








Memory Counters Over Whole-Tensor G_C — softmax_bias on MI300A (Tuolumne)
2 independently profiled layout mappings; target 1024x256; stratified over all components



Memory Counters Over Whole-Tensor G_C — softmax_bias on MI300A (Tuolumne)
2 independently profiled layout mappings; target 1024x256; stratified over all components



Memory Counters Over Whole-Tensor G_C — softmax_bias on MI300A (Tuolumne)
2 independently profiled layout mappings; target 1024x256; stratified over all components



Memory Counters Over Whole-Tensor G_C — softmax_bias on MI300A (Tuolumne)
2 independently profiled layout mappings; target 1024x256; stratified over all components

