




COMPORNENTS

1. Front bumper


for 2GR-FE:



COOL AIR IN TAKE DUCT SEAL




FRONT BUMPER ASSEMBLY

**CAUTION:**

The bolts and nuts must be tightened to the torque specification, as they are related to vehicle safety during a collision.

N·m (kgf·cm, ft·lbf) : Specified torque

2. Rear bumper




CAUTION:

The bolts and nuts must be tightened to the torque specification, as they are related to vehicle safety during a collision.

N·m (kgf·cm, ft.·lbf) : Specified torque


3. Instrument panel



CAUTION:


The bolts and nuts must be tightened to the torque specification, as they are related to vehicle safety during a collision.

N·m (kgf·cm, ft·lbf) : Specified torque ● Non-reusable part

**CAUTION:**

The bolts and nuts must be tightened to the torque specification, as they are related to vehicle safety during a collision.


N·m (kgf·cm, ft.·lbf) : Specified torque

**CAUTION:**

The bolts and nuts must be tightened to the torque specification, as they are related to vehicle safety during a collision.

N·m (kgf·cm, ft.·lbf) : Specified torque


4. Interior trim




CAUTION:

The bolts and nuts must be tightened to the torque specification, as they are related to vehicle safety during a collision.



N·m (kgf·cm, ft. lbf) : Specified torque



PACKAGE TRAY TRIM PANEL ASSEMBLY

for Reclining Seat Type:


PACKAGE TRAY TRIM PANEL ASSEMBLY

**for Fold Down Seat Type:****CAUTION:**



The bolts and nuts must be tightened to the torque specification, as they are related to vehicle safety during a collision.

N·m (kgf·cm, ft·lbf) : Specified torque

without Sliding Roof:




with Sliding Roof:




5. Front seat

for Manual Seat:



for Power Seat:




CAUTION:

The bolts and nuts must be tightened to the torque specification, as they are related to vehicle safety during a collision.

N·m (kgf·cm, ft·lbf) : Specified torque

6. Rear seat


for Fixed Seat Type:



CAUTION:

The bolts and nuts must be tightened to the torque specification, as they are related to vehicle safety during a collision.


N·m (kgf·cm, ft·lbf) : Specified torque

for Fold Down Seat Type:**CAUTION:**

The bolts and nuts must be tightened to the torque specification, as they are related to vehicle safety during a collision.

N·m (kgf·cm, ft.·lbf) : Specified torque

for Reclining Seat Type:

**CAUTION:**

The bolts and nuts must be tightened to the torque specification, as they are related to vehicle safety during a collision.

N·m (kgf·cm, ft·lbf) : Specified torque