

Ex-1: Tron' Khai class Circle has diagram

```
public class Circle {  
    private double radius = 1.0;  
    private String color = "red";
```

```
public Circle () {  
    {
```

```
    public Circle (double radius) {  
        this.radius = radius;
```

```
    }  
    public Circle (double radius, String color) {  
        this.radius = radius;  
        this.color = color;
```

```
    }  
    public double getRadius () {  
        return radius;
```

```
    }  
    public String get  
    public void setRadius (double radius) {  
        this.radius = radius;
```

```

    ↵
    public String getColor() {
        return color;
    }
    ↵
    public void setColor(String color) {
        this.color = color;
    }
    ↵
    public double getArea() {
        return Math.PI * radius * radius;
    }
    ↵

```

@Override

```

    public String toString() {
        return "Circle [radius = " + radius + ",\n"
            + "color = " + color + " ]";
    }
    ↵
}

```

2>

```
public class Rectangle {  
    private int length;  
    private int width;  
    public Rectangle () {  
        {  
            public Rectangle (int length, int width) {  
                this.length = length;  
                this.width = width;  
            }  
            public void setlength (int length) {  
                this.length = length;  
            }  
            public int getLength () {  
                return length;  
            }  
            public void setwidth (int width) {  
                this.width = width;  
            }  
            public int getwidth () {  
                return width;  
            }  
        }  
    }  
}
```

```
}  
public int getArea() {  
    return length * width;  
}
```

```
}  
public String toString() {  
    return "Rectangle [length = " + length + ", width = "  
        + width + "]" ;  
}
```

```
}  
}
```

3> public class Employee {

private int id;

private String firstName;

private String lastName;

private int salary;

public Employee (int id, String firstName, String
lastName, int salary) {

this.id = id;

this.firstName = firstName;

this.lastName = lastName;

this.salary = salary;

}

public int getId () {

return id;

}

public String getFirstName () {

return firstName;

}

public String getLastName () {

return lastName;

```

    }
    public String getFullName() {
        return lastName + " " + firstName;
    }
    public int getSalary() {
        return salary;
    }
    public void setSalary(int salary) {
        this.salary = salary;
    }
    public int getAnnualSalary() {
        return salary * 12;
    }
    public int upToSalary(int percent) {
        salary = salary * salary * percent / 100;
        return salary;
    }

```

@Override

```

    public String toString() {
        return "Employee [id = " + id + ", name = "
            + getFullName() + ", salary = " + salary + "]";
    }

```

KOKUYO

```

42
public class Account {
    private String id;
    private String name;
    private int balance;

    public Account (String id, String name, int balance) {
        this.id = id;
        this.name = name;
        this.balance = balance;
    }

    public String getID () {
        return id;
    }

    public String getName () {
        return name;
    }

    public int getBalance () {
        return balance;
    }

    public void credit (int amount) {

```

```

if (amount > 0) {
    balance + = amount;
} else {
    System.out.println("Số tiền nạp phải là  
số dương.");
}

```

```

public void debit (int amount) {
    if (amount <= balance && amount > 0) {
        balance - = amount;
    } else {
        System.out.println("Số tiền toán đang thiếu  
còn.");
    }
}

```

```

public void transferTo (Account account, int amount) {
    if (amount <= balance && amount > 0) {
        this.balance - = amount;
        account.balance + = amount;
    } else {
        System.out.println("Số tiền đang thiếu còn.");
    }
}

```

KOKUYO