

```

2, abstract class Shape {
    public String getColor() {
        return "màu đỏ";
    }
    public abstract void draw();
}

class Rectangle extends Shape {
    @Override
    public void draw() {
        System.out.println("Vẽ hình chữ nhật"
            + getColor());
    }
}

class Triangle extends Shape {
    @Override
    public void draw() {
        System.out.println("Vẽ hình tam giác"
            + getColor());
    }
}

public class ShapeApp ShapeApp {

```

NĂM

DỊCH VỤ CAO
CHO SẢN PHẨM CHÍNH HÃNG

☎ 1800 6218

GEFORCE
RTX

```
public static void main (String[] args) {  
    Shape h1 = new Rectangle ();  
    Shape h2 = new Circle ();  
    Shape h3 = new Triangle ();
```

```
    System.out.println (" --- Kết quả --- ");  
    h1.draw ();  
    h2.draw ();  
    h3.draw ();
```

```
}
```

```
}
```

3.

```
import java.util.Scanner;

public abstract class HinhThoi {
    public final float PI = 3.14f;
    public String ten;
    public float chuvi;
    public float dienTich;
    public float theTich;

    public void hienThien() {
        System.out.println("M = " + ten + " = ");
    }

    public void nhap() {
        System.out.println("Chu vi: ");
    }

    public void inDienTich() {
        System.out.println("Dien tich: ");
    }

    public void inTheTich() {
        System.out.println("The tich: ");
    }
}
```

KOKUYO

class HinhTien extends HinhHoc {
 public float bankinh;

public HinhTien () {
 ten = "Hinh Tien";

}
 public void nhapBankinh () {
 Scanner sc = new Scanner (System.in);
 System.out.print ("Nhập bankinh: "),
 bankinh = sc.nextFloat ();

}
 public void tinhChieuVi () {
 chieuVi = 2 * PI * bankinh;

}
 public void tinhDienTich () {
 dienTich = PI * bankinh * bankinh;

}
}
class HinhTru extends HinhTien {
 public float chieuCao;

public HinhTru () {

```

        ten = "Hinh Thu";
    }

    public void nhapChieuCao () {
        Scanner sc = new Scanner (System.in);
        System.out.print ("Nhập chiều cao: ");
        chieuCao = sc.nextFloat ();
    }

    public void tinhTheTich () {
        tinhDienTich ();
        TheTich = dienTich * chieuCao;
    }
}

class HinhChuNhat extends HinhHoc {
    public float dai;
    public float rong;
    public HinhChuNhat () {
        ten = "Hình chữ Nhật";
    }

    public void nhapChieuDai () {
        Scanner sc = new Scanner (System.in);

```

```
System.out.print("Nhập chiều rộng: ");  
rong = sc.nextFloat();  
}
```

```
public void tinhChieuVi() {  
    chieuVi = (dai + rong) * 2;  
}
```

```
public void tinhDienTich() {  
    dienTich = dai * rong;  
}
```

```
{  
    class HinhVuong extends HinhChuNhat {  
        public HinhVuong() {  
            ten = "Hình vuông";  
        }  
    }  
}
```

```
public void nhapCanh() {
```

```
    Scanner sc = new Scanner(System.in);
```

```
    System.out.print("Nhập độ dài cạnh: ");
```

```
    dai = rong = sc.nextFloat();  
}
```

```

public class Main {
    public static void main (String [] args) {
        HinhThoi ht = new HinhThoi ();
        ht.xuatTen ();
        ht.nhapBanKinh ();
        ht.tinhChuVi ();
        ht.tinhDienTich ();
        ht.inChuVi ();
        ht.inDienTich ();
    }
}

```

```


HinhThoi hth = new HinhThoi ();
hth.xuatTen ();
hth.nhapBanKinh ();
hth.nhapChuVi ();
hth.tinhTheTich ();
hth.inTheTich ();

```

```

HinhVuong hv = new HinhVuong ();
hv.xuatTen ();
hv.nhapCanh ();
hv.tinhChuVi ();

```



4.

```

public abstract class Person {
    private String name;
    private String address;
    public Person(String name, String address) {
        this.name = name;
        this.address = address;
    }

    public void setName(String name) {
        this.name = name;
    }
    public String getName() {
        return name;
    }
    public void setAddress(String address) {
        this.address = address;
    }
    public String getAddress() {
        return address;
    }
    public abstract void display();
}

public class Employee extends Person {
    private int salary;
    public Employee(String name, String address, int salary) {
        super(name, address);
        this.salary = salary;
    }
    @Override
    public void display() {
        System.out.println("--- Employee Info ---");
        System.out.println("Name: " + getName());
        System.out.println("Address: " + getAddress());
        System.out.println("Salary: " + salary);
    }
}

```

```

        System.out.println("Salary: " + salary);
    }
}

public class Customer extends Person {
    private int balance;
    public Customer(String name, String address, int balance) {
        super(name, address);
        this.balance = balance;
    }
    @Override
    public void display() {
        System.out.println("--- Customer Info ---");
        System.out.println("Name: " + getName());
        System.out.println("Address: " + getAddress());
        System.out.println("Balance: " + balance);
    }
}

public class Main {
    public static void main(String[] args) {
        Person employee = new Employee("Nguyễn Văn A", "Hà Nội", 15000000);
        employee.display();
        System.out.println();
        Person customer = new Customer("Trần Thị B", "TP. Hồ Chí Minh", 5000000);
        customer.display();
    }
}

```