

39 Git Commands YOU MUST KNOW!



swipe →



Basic Commands

1. [git init](#) Initialize a new Git repository in current directory
[git init](#)
2. [git clone](#) Copies a remote repository to the local machine
[git clone https://github.com/user/repo.git](#)
3. [git status](#) Displays the state of the working directory & staging area
[git status](#)
4. [git add](#) Adds changes to the staging area
[git add file.txt](#)
5. [git commit](#) Records changes to the repository
[git commit -m "Initial commit"](#)



Basic Commands

6. [git config](#) Configures user settings, such as name & email
[git config --global user.name "Your Name"](#)
7. [git log](#) Shows the commit history
[git log](#)
8. [git show](#) Displays detailed information about a specific commit
[git show <commit-hash>](#)
9. [git diff](#) Shows changes between commits, the working directory, & the staging area
[git diff](#)
10. [git reset](#) Unstages changes or resets commits
[git reset HEAD file.txt](#)



Branching & Merging



11. [git branch](#) Lists or creates a new branch
[git branch feature-branch](#)
12. [git checkout](#) Switches between branches or restores files
[git checkout feature-branch](#)
13. [git switch](#) Switches branches
[git switch feature-branch](#)
14. [git merge](#) Combines changes from one branch into another
[git merge feature-branch](#)
15. [git rebase](#) Moves or combines commits from one branch onto another
[git rebase main](#)
16. [git cherry-pick](#) Applies specific commits from one branch to another
[git cherry-pick <commit-hash>](#)



Remote Repositories

17. [git remote](#) Manages remote repository connections
[git remote add origin https://github.com/user/repo.git](#)
18. [git push](#) Sends changes to a remote repository
[git push origin main](#)
19. [git pull](#) Fetches & merges changes from a remote repository
[git pull origin main](#)
20. [git fetch](#) Downloads changes from a remote repository without merging
[git fetch origin](#)
21. [git remote -v](#) Lists the URLs of remote repositories
[git remote -v](#)



Stashing & Cleaning



- 22. [git stash](#) Save uncommitted changes
[git stash](#)
- 23. [git stash pop](#) Applies & removes stashed changes
[git stash pop](#)
- 24. [git stash list](#) Lists all stashes
[git stash list](#)
- 25. [git clean](#) Removes untracked files
[git clean -f](#)



Tagging

- 26. [git tag](#) Creates a tag for a commit
[git tag -a v1.0 -m "Version 1.0"](#)
- 27. [git tag -d](#) Deletes a tag
[git tag -d v1.0](#)
- 28. [git push --tags](#) Pushes tags to remote repository
[git push origin --tags](#)



Advanced Commands

- 29. [git bisect](#) Finds commit that introduced a bug
[git bisect start](#)
- 30. [git blame](#) Shows which commit & author modified each line of a file
[git blame file.txt](#)
- 31. [git reflog](#) Logs changes to branch tips
[git reflog](#)
- 32. [git sub module](#) Manages external repositories as submodules
[git submodule add](#)
<https://github.com/user/repo.git>
- 33. [git archive](#) Creates an archive of repo files
[git archive --format=zip HEAD > archive.zip](#)
- 34. [git gc](#) Cleans & optimizes the repository
[git gc](#)




GitHub-Specific Commands

- 35. [gh auth login](#) Logs into GitHub via the command line
[gh auth login](#)
- 36. [gh repo clone](#) Clones a GitHub repository
[gh repo clone user/repo](#)
- 37. [gh issue list](#) Lists issues in a GitHub repository
[gh issue list](#)
- 38. [gh pr create](#) Creates a pull request on GitHub
[gh pr create --title "New Feature" --body "Description of the feature"](#)
- 39. [gh repo create](#) Creates a new GitHub repository
[gh repo create my-repo](#)

Save this for later,
and **follow me** for more!



SAVE



FOLLOW