

```
In [1]: from notebook_native_agent import start_agent

start_agent()
```

⚡ Notebook agent active

provider: openai

auto-execute: on

fallback: off

LLM cell classifier: off

Notebook Native Agent

Write Python normally, or write a natural-language request in a cell. The agent shares the live notebook context, proposes code, and can safely auto-run approved cases.

Try a natural-language cell like:

- show me a funny fractal

copy
- plot: z = sin(x) * cos(y) (use plotly)

copy
- I have this: tips.csv

copy

How it works

- 1 **Write Python normally** — every executed cell updates the shared notebook memory.
- 2 **Write plain English** — the router converts natural-language cells into agent requests.
- 3 **Review or auto-run** — generated code is previewed, tracked, and executed only when allowed by policy.

Strict mode

Real model/config required for code generation. Demo fallback is disabled.

```
In [2]: show me a funny graph
```

Notebook Native Agent

What I understood

Show a playful, funny graph in the notebook.

Proposed solution

Create a self-contained humorous matplotlib chart with made-up data, since no existing dataset was provided. I use a small helper function so it is easy to rerun or tweak, and explicitly display the plot with plt.show().

Code preview

[copy](#)

```
import matplotlib.pyplot as plt

def plot_funny_graph() -> None:
    """Draw a lighthearted chart with intentionally silly data."""
    hours = [6, 7, 8, 9, 10, 11, 12]
    productivity = [2, 4, 7, 5, 3, 1, 0]
    snacks_eaten = [0, 1, 1, 2, 3, 5, 8]

    plt.figure(figsize=(9, 5))
    plt.plot(hours, productivity, marker="o", linewidth=2.5, label="Actual productivity")
    plt.plot(hours, snacks_eaten, marker="s", linestyle="--", linewidth=2, label="Snacks consumed")

    plt.title("A Totally Scientific Study of Working From Home")
    plt.xlabel("Hours since opening the laptop")
    plt.ylabel("Units of questionable achievement")
    plt.xticks(hours)
    plt.grid(alpha=0.25)
    plt.legend()

    plt.annotate("Peak performance!", xy=(8, 7), xytext=(8.7, 7.8),
        arrowprops={"arrowstyle": "->", "lw": 1.5})
    plt.annotate("Entered snack spiral", xy=(12, 8), xytext=(9.6, 9.2),
        arrowprops={"arrowstyle": "->", "lw": 1.5})
    plt.text(6.1, 0.4, "Coffee not shown to scale", fontsize=10, style="italic")

    plt.tight_layout()
    plt.show()

plot_funny_graph()
```

Execution

auto-execute via gpt-5.4


Selected context

No prior notebook context looked necessary.

Safety notes

- Looks like an in-memory inspection or plotting task.

A Totally Scientific Study of Working From Home



In []: