

Daniela CSS DINNER

CSS Diner

Share

Select the meals for names that contain 'obb'

You did it!
You rock at CSS.

CSS Editor

style.css

HTML Viewer

table.html

```
1 type in a CSS selector
2 {
3   /* Styles would go here. */
4 }
5
6 /*
7  Type a number to skip to a level.
8  Ex = "5" for level 5
9  */
10
11
12
13
14
15
16
```

```
1 <div class="table">
2   <bento for="robbie">
3     <apple />
4   </bento>
5   <bento for="timmy">
6     <pickle />
7   </bento>
8   <bento for="bobby">
9     <orange />
10  </bento>
11 </div>
12
13
14
15
16
```

Level 32 of 32 ✓

Attribute Wildcard Selector

Select all elements with an attribute value that contains specific characters anywhere

[attribute*="value"]

A useful selector if you can identify a common pattern in things like `class`, `href` or `src` attributes.

Examples

`img[src*="/thumbnails/"]` selects all image elements that show images from the "thumbnails" folder.

`[class*="heading"]` selects all elements with "heading" in their class, like `class="main-heading"` and `class="sub-heading"`

ENG
US
8:31 AM
Friday
10/14/2022

Choose a level



- ✓ 1 A
- ✓ 2 A
- ✓ 3 #id
- ✓ 4 A B
- ✓ 5 #id A
- ✓ 6 .classname
- ✓ 7 A.className
- ✓ 8 Put your back into it!
- ✓ 9 A, B
- ✓ 10 *
- ✓ 11 A *
- ✓ 12 A + B
- ✓ 13 A ~ B
- ✓ 14 A > B
- ✓ 15 :first-child
- ✓ 16 :only-child
- ✓ 17 :last-child
- ✓ 18 :nth-child(A)
- ✓ 19 :nth-last-child(A)
- ✓ 20 :first-of-type
- ✓ 21 :nth-of-type(A)
- ✓ 22 :nth-of-type(An+B)
- ✓ 23 :only-of-type
- ✓ 24 :last-of-type
- ✓ 25 :empty



ENG
US

8:32 AM
Friday
10/14/2022



FLEXBOX FROGGY

Nivel 1 de 24

Bienvenido a Flexbox Froggy, un juego donde ayudarás a Froggy y a sus amigos escribiendo código CSS. Guía a esta rana hacia la hoja de lirio en la derecha, usando la propiedad `justify-content`, la cual alinea elementos horizontalmente y acepta los siguientes valores:

- `flex-start`: Alinea elementos al lado izquierdo del contenedor.
- `flex-end`: Alinea elementos al lado derecho del contenedor.
- `center`: Alinea elementos en el centro del contenedor.
- `space-between`: Muestra elementos con la misma distancia entre ellos.
- `space-around`: Muestra elementos con la misma separación alrededor de ellos.



Por ejemplo, `justify-content: flex-end;` moverá la rana a la derecha.

```
1 #pond {
2   display: flex;
3   justify-content: flex-end;
4 }
5
6
7
8
9
10
```


Siguiente

Flexbox Froggy es una creación de [Codecademy](#) • [GitHub](#) • [Twitter](#) • [Settings](#)

Want to learn CSS grid? Play [Grid Garden](#).







```
<div></div>
<style>
  *{
    background:#5d3a3a;
    margin:0;
  }
  div {
    width: 200px;
    height: 200px;
```

```
background: #b5e0ba;
}
</style>
```

CSSBattle / Battle #1 / #1. Simply Square

Learn CSS ? User

EDITOR CTRL + SHIFT + E 587 characters OUTPUT Slide & Compare Diff TARGET 400px x 300px

```
1 <div></div>
2 <style>
3 *{
4   background:#5d3a3a;
5   margin:0;
6 }
7 div {
8   width: 200px;
9   height: 200px;
10  background: #b5e0ba;
11 }
12 </style>
13
14 <!-- OBJECTIVE -->
15 <!-- Write HTML/CSS in this editor and replicate
16    the given target image in the least code possible.
17    What you write here, renders as it is -->
18
19 <!-- SCORING -->
20 <!-- The score is calculated based on the number of
21    characters you use (this comment included :P) and
```

Plugins PRO My Solutions Submit (Ctrl+ENTER)

YOUR SCORE

Last Score: Submit to get score
High Score: 601.49 (587 chars)

Leaderboard Challenge

COLORS TO USE CTRL + SHIFT + C

#5D3A3A #B5E0BA

TARGET SPONSOR

Your (free) weekly dose

© 2022 CSSBattle Upgrade to PRO · Tips & Tricks · Learn CSS · Blog · FAQs · Community · About · Sponsor · Privacy & Terms

```
<div id="contenedor1">
<div class="A"></div>
<div class="A"></div>

</div>
```

```
<div id="contenedor2">
<div class="A"></div>
<div class="A"></div>

</div>
<style>
*{
  margin:0;
  padding:0;
  background:#62374e;
}
#contenedor1 {
  width:300;
  height:50;
  margin:50;
  display:flex;
  justify-content:space-between;
}
#contenedor2 {
  width:300;
  height:50;
  margin-top:100;
  margin-left:50;
  display:flex;
  justify-content:space-between;
}
.A{
  width:50;
  height:50;
  background: #fdc57b;
```

}

CSSBattle / Battle #1 / #2. Carrom

Learn CSS

User

EDITOR CTRL + SHIFT + E 990 characters

OUTPUT Slide & Compare Diff

TARGET 400px x 300px

```
34 width:50;
35 height:50;
36 background: #f5c57b;
37
38
39
40 </style>
41
42 <!-- OBJECTIVE -->
43 <!-- Write HTML/CSS in this editor and replicate
44 the given target image in the least code possible.
45 What you write here, renders as it is -->
46
47 <!-- SCORING -->
48 <!-- The score is calculated based on the number of
49 characters you use (this comment included :P) and
50 how close you replicate the image. Read the FAQs
51 (https://cssbattle.dev/faqs) for more info. -->
52
53 <!-- IMPORTANT: remove the comments before
54 submitting -->
```

Plugins PRO My Solutions Submit (Ctrl+ENTER)

YOUR SCORE


Last Score: Submit to get score
High Score: 600.1 (872 chars)

Leaderboard Challenge

COLORS TO USE CTRL + SHIFT + C

#62374E #FDC57B

TARGET SPONSOR



© 2022 CSSBattle Upgrade to PRO · Tips & Tricks · Learn CSS · Blog · FAQs · Community · About · Sponsor · Privacy & Terms

4:19 PM Friday 10/14/2022


```
<div class="cuadrado"></div>
<div class="circulo"></div>
<div class="circulo2"></div>
<div class="circulo3"></div>
```



```
<style>
*{
  background:#6592CF;
  margin:0;
}
#contenedor{

}
.cuadrado {
  width: 300px;
  height: 150px;
  background:#243D83 ;
  margin-top:75;
  margin-left:50;
}
.circulo {
  margin-top:-200;
  margin-left:75;
  width: 250px;
  height: 250px;
  -moz-border-radius: 50%;
  -webkit-border-radius: 50%;
  border-radius: 50%;
  background: #6592CF;
}
.circulo2 {
  margin-top:-200;
  margin-left:125;
  width: 150px;
  height: 150px;
  -moz-border-radius: 50%;
  -webkit-border-radius: 50%;
```

```
border-radius: 50%;  
background: #243D83;  
}  
  .circulo3 {  
margin-top:-100;  
margin-left:175;  
width: 50px;  
height: 50px;  
-moz-border-radius: 50%;  
-webkit-border-radius: 50%;  
border-radius: 50%;  
background: #EEB850;  
}  
</style>
```



```
<div id="container1">
  <div class="semi-circulo"></div>
  <div class="rectangulo"></div>
</div>
<div id="container2">
  <div class="rectangulo"></div>
  <div class="semi-circulo2"></div>
  <div class="rectangulo2"></div>
  <div class="semi-circulo22"></div>
```

```
</div>
<style>
*{
  background:#62306D;
  margin:0;
}
#container1 {
  width: 100px;
  height: 100px;
  margin-top:50;
  margin-left:150;
}
#container2 {
  width: 300px;
  height: 100px;
  margin-top;;
  margin-left:50;
}
.semi-circulo{
  background:#F7EC7D;
  width: 100px;
  height: 50px;
  border: 0;
  -moz-border-radius: 100px 100px 0 0;
  -webkit-border-radius: 100px 100px 0 0;
  border-radius: 100px 100px 0 0;
}
.semi-circulo2{
  background:#F7EC7D;
  width: 100px;
  height: 50px;
  border: 0;
```

```
border-radius: 0 0px 100px 100px;  
}
```

```
.rectangulo{  
width:100px;  
height:50px;  
background:#F7EC7D;  
}
```

```
.semi-circulo22{  
background:#F7EC7D;  
width: 100px;  
height: 50px;  
border: 0;  
border-radius: 0 0px 100px 100px;  
margin-left:200;  
}
```

```
.rectangulo2{  
margin-top:-100;  
margin-left:200;  
width:100px;  
height:50px;  
background:#F7EC7D;  
}
```

```
</style>
```

EDITOR CTRL + SHIFT + E

1653 characters

OUTPUT

Slide & Compare Diff

TARGET

400px x 300px

```
1 <div id="container1">
2   <div class="semi-circulo"></div>
3   <div class="rectangulo"></div>
4 </div>
5 <div id="container2">
6   <div class="rectangulo"></div>
7   <div class="semi-circulo2"></div>
8   <div class="rectangulo2"></div>
9   <div class="semi-circulo22"></div>
10 </div>
11 <style>
12 *{
13   background:#62306D;
14   margin:0;
15 }
16 #container1 {
17   width: 100px;
18   height: 100px;
19   margin-top:50;
20   margin-left:150;
```

Plugins PRO

My Solutions

Submit (Ctrl+ENTER)

YOUR SCORE

Last Score: Submit to get score
High Score: 600 (1653 chars)

Leaderboard

Challenge

COLORS TO USE CTRL + SHIFT + C

#62306D #F7EC7D

TARGET SPONSOR



CSSBattle / Battle #1 / #5. Acid Rain

Learn CSS ? User

EDITOR CTRL + SHIFT + E1613 characters

OUTPUTSlide & CompareDiff

TARGET400px x 300px

```
5   </div>
6   </div>
7
8   <div id="container2">
9     <div class="cuadrado2">
10    </div>
11    <div class="circulo3">
12    </div>
13    <div class="cuadrado1">
14    </div>
15  </div>
16
17  <style>
18    *{
19      background:#0B2429;
20      margin:0;
```

Bryan

Bryan

YOUR SCORE

Last Score: 304.79 (85.4% match)
High Score: 304.79 (1633 chars)

LeaderboardChallenge

COLORS TO USE CTRL + SHIFT + C

#0B2429#F3AC3C#998235

TARGET SPONSOR

Your (free) weekly dose

Plugins PROMy SolutionsSubmit (Ctrl+ENTER)

© 2022 CSSBattle Upgrade to PRO · Tips & Tricks · Learn CSS · Blog · FAQs · Community · About · Sponsor · Privacy & Terms

```
<div id="contenedor">
  <div class="uno">
  </div>
  <div class="dos">
  </div>
  <div class="tres">
  </div>
</div>
```

```
<style>
  *{
    background:#E3516E;
    margin:0;
  }

#contenedor{
  margin-top:50px;
  margin-left:100px;
  width: 200px;
  height: 200px;
  background: #E3516E;
  display:flex;
  flex-wrap:wrap;
}

.uno {
  width: 100px;
  height: 100px;
  background: #51B5A9;
  border-radius: 100% 0 0 0;
}

.dos {
  width: 100px;
  height: 100px;
  background: #FADE8B;
  border-radius: 0 100% 0 0;
}

.tres {
  width: 100px;
  height: 100px;
```



```
background: #F7F3D7;
border-radius: 0 0 0 100%;
}
```

CSSBattle

Battle #1

#6. Missing Slice

Learn CSS

?

User

EDITOR

CTRL + SHIFT + E

1093 characters

OUTPUT

☒ Slide & Compare

☐ Diff

TARGET

400px x 300px

```
1 <div id="contenedor">
2   <div class="uno">
3     </div>
4   <div class="dos">
5     </div>
6   <div class="tres">
7     </div>
8 </div>
9
10
11 <style>
12   *{
13     background:#E3516E;
14     margin:0;
15   }
16
17 #contenedor{
18   margin-top:50px;
19   margin-left:100px;
20   width: 200px;
21   height: 200px;
```

Plugins

PRO

My Solutions

Submit (Ctrl+ENTER)

YOUR SCORE

Last Score:

Submit to get score

High Score: -

Leaderboard

COLORS TO USE

CTRL + SHIFT + C

#E3516E

#F7F3D7

#51B5A9

#FADE8B

TARGET SPONSOR

© 2022 CSSBattle

Upgrade to

PRO

·

Tips & Tricks

·

Learn CSS

·

Blog

·

FAQs

·

Community

·

About

·

Sponsor

·

Privacy & Terms

·

·

·

```
<div id="contenedor" >
<div id="contenedor1">
  <div class="uno">
  </div>
  <div class="dos">
  </div>
  <div class="tres">
  </div>
</div>
<div id="contenedor2">
  <div class="uno1">
  </div>
  <div class="dos2">
  </div>
  <div class="tres3">
  </div>
</div>
<div id="contenedor3">
  <div class="uno11">
  </div>
  <div class="dos22">
  </div>
  <div class="tres33">
  </div>
  <div class="cuatro">
  </div>
</div>
</div>
```

```
<style>
*{
```

```
margin:0;
style:"position: relative";
}
```

```
#contenedor{
width: 400px;
height: 300px;
background:#0B2429;
display:flex;
flex-wrap:wrap;
position: relative;
}
```

```
#contenedor1{
position: absolute;
z-index:1;
margin-top:75px;
margin-left:75px;
width: 250px;
height: 150px;
display:flex;
flex-wrap:wrap;
}
```

```
.uno {
width: 100px;
height: 100px;
background: #1A4341;
border-radius: 100% 0 0 0;
}
```

```
.dos {
width: 150px;
height: 20px;
```

```
background: #1A4341;

}

.tres {
  width: 100px;
  height: 50px;
  background: #1A4341;

}

#contenedor2{
  position: absolute;
  z-index:2;
  margin-top:75px;
  margin-left:125px;
  width: 200px;
  height: 150px;
  display:flex;
  flex-wrap:wrap;
}

.uno1 {
  width: 100px;
  height: 100px;
  background: #998235;
  border-radius: 100% 0 0 0;
}

.dos2 {
  width: 50px;
  height: 100px;
  background: #998235;

}
```

```
.tres3 {
  width: 100px;
  height: 50px;
  background: #998235;}
#contenedor3{
  position: absolute;
  z-index:3;
  margin-top:75px;
  margin-left:175px;
  width: 150px;
  height: 150px;
  display:flex;
  flex-wrap:wrap;
}
.uno11 {
  width: 100px;
  height: 100px;
  background: #F3AC3C;
  border-radius: 100% 0 0 0;
}
.dos22 {
  width: 50px;
  height: 50px;
  background: #F3AC3C;

}
.tres33 {
  width: 50px;
  height: 50px;
  background: #F3AC3C;}
.cuatro {
  margin-top:-50px;
```

```
width: 100px;
height: 100px;
background: #F3AC3C;
border-radius: 0 0 100% 0;
</style>
</style>
```

CSSBattle / Battle #1 / #7. Leafy Trail Learn CSS User

EDITOR CTRL + SHIFT + E 2558 characters **OUTPUT** ☒ Slide & Compare ☐ Diff **TARGET** 400px x 300px

```
1 <div id="contenedor" >
2 <div id="contenedor1">
3   <div class="uno">
4   </div>
5   <div class="dos">
6   </div>
7   <div class="tres">
8   </div>
9 </div>
10 <div id="contenedor2">
11 <div class="uno1">
12 </div>
13 <div class="dos2">
14 </div>
15 <div class="tres3">
16 </div>
17 </div>
18 <div id="contenedor3">
19 <div class="uno11">
20 </div>
21 <div class="dos22">
```

YOUR SCORE

Last Score: **Submit to get score**
High Score: -

Leaderboard

COLORS TO USE CTRL + SHIFT + C

- #0B2429
- #F3AC3C
- #998235
- #1A4341

TARGET SPONSOR

© 2022 CSSBattle [Upgrade to PRO](#) · [Tips & Tricks](#) · [Learn CSS](#) · [Blog](#) · [FAQs](#) · [Community](#) · [About](#) · [Sponsor](#) · [Privacy & Terms](#) · [Twitter](#) · [Email](#)

```
<div id="contenedor">
  <div id="contenedor1">
    <div id="t1">
```

```
<div class="c">
</div>
<div class="r">
</div>
</div>
<div id="s1">
  <div class="r1">
  </div>
  <div class="c1">
  </div>
</div>
<div id="t1">
  <div class="c">
  </div>
  <div class="r">
  </div>
</div>
<div id="s1">
  <div class="r1">
  </div>
  <div class="c1">
  </div>
</div>
<div id="t1">
  <div class="c">
  </div>
  <div class="r">
  </div>
</div>
<div id="s1">
  <div class="r1">
  </div>
```

```
<div class="c1">
  </div>
</div>
<div id="t1">
  <div class="c">
    </div>
    <div class="r">
      </div>
    </div>
  </div>
  <div class="circulo">
    </div>
<div id="contenedor3">
</div>
</div>
<style>
  *{
    margin:0;
    background: #6592CF;
  }
#contenedor{
  margin-top:50;
  margin-left:130;
  width: 140px;
  height: 250px;
  background:#6592CF;
  display:flex;
  flex-wrap:wrap;
}
#contenedor1{
  width: 140px;
  height: 110px;
```



```
background:#0605;
display:flex;
flex-wrap:wrap;
}
.circulo{
width: 140px;
height:90px;
background: #060F55;
border-radius: 0 0 100px 100px;

}
#contenedor3{
margin-left:60;
width: 20px;
height: 60;
background: #060F55;
}
#t1{
width: 20px;
height: 110px;
}
#s1{
background: #060F55;
}
.c{
width: 20px;
height: 20px;
border-radius: 100px 100px 0 0 ;
background: #060F55;
}
.r{
width: 20px;
```

```
height: 100px;
background: #060F55;
}
.r1{
width: 20px;
height: 100px;
background: #6592CF;
}
.c1{
width: 20px;
height: 10px;
border-radius: 0 0 100px 100px ;
background:#6592CF ;
}
</style>
```

EDITOR CTRL + SHIFT + E

2252 characters

OUTPUT

☒ Slide & Compare ☐ Diff

TARGET

400px x 300px

```
1 <div id="contenedor">
2   <div id="contenedor1">
3     <div id="t1">
4       <div class="c">
5       </div>
6       <div class="r">
7       </div>
8     </div>
9     <div id="s1">
10      <div class="r1">
11      </div>
12      <div class="c1">
13      </div>
14    </div>
15    <div id="t1">
16      <div class="c">
17      </div>
18      <div class="r">
19      </div>
20    </div>
21  </div>
```

Plugins PRO

My Solutions

Submit (Ctrl+ENTER)



YOUR SCORE

Last Score: 600 (100% match)
High Score: 600 (2252 chars)

Leaderboard

Challenge

COLORS TO USE CTRL + SHIFT + C

☒ #6592CF ☐ #060F55

TARGET SPONSOR




Your (free)
weekly dose

```
<div id="rect">
  <div class="fondo">
    </div>
  </div>
<div id="rombo1">
</div>
<div id="rombo">
</div>
<div id="rombo2">
</div>
<div id="circulo">
</div>
<style>
*{
  background:#222730;
  margin:0;
}
#rect {
  position: absolute;
  z-index:1;
  margin-top:75px;
  width: 400px;
  height: 150px;
  display:flex;
  flex-wrap:wrap;
  background:#4CAAB3;

}
#rombo1 {
  position: absolute;
  z-index:2;
  margin-left:55;
```

```
margin-top:75;
width: 150px;
height: 150px;
background: #222730;
-webkit-transform: rotate(45deg);
-moz-transform: rotate(45deg);
-ms-transform: rotate(45deg);
-o-transform: rotate(45deg);
transform: rotate(45deg);
}
#rombo {
    position: absolute;
    z-index:3;
margin-left:125;
margin-top:75;
width: 150px;
height: 150px;
background: #4CAAB3;
-webkit-transform: rotate(45deg);
-moz-transform: rotate(45deg);
-ms-transform: rotate(45deg);
-o-transform: rotate(45deg);
transform: rotate(45deg);
}
#rombo2 {
    position: absolute;
    z-index:2;
margin-left:195;
margin-top:75;
width: 150px;
height: 150px;
background: #222730;
```

```
-webkit-transform: rotate(45deg);
-moz-transform: rotate(45deg);
-ms-transform: rotate(45deg);
-o-transform: rotate(45deg);
transform: rotate(45deg);
}
#circulo{
    position: absolute;
margin-left:175;
margin-top:125;
    z-index:4;
background:#393E46;
width: 50px;
height: 50px;
border-radius: 100px 100px 100px 100px ;
}
.fondo{
background:#222730;
width: 200px;
margin-left:100;
}
</style>
```



```
<div id="fondo">
  <div id="externo">
    <div class="v">
    </div>
    <div class="h">
    </div>
  </div>
  <div id="externo2">
    <div id="arriba">
      <div class="cm">
```

```
<div class="cr">
</div>
</div>
<div id="abajo">
<div class="ce">
<div class="cn">
</div>
</div>
<div class="ce">
<div class="cn">
</div>
</div>
</div>
</div>
<style>
*{
margin:0;
}
#fondo{
width: 400px;
height: 300px;
position: relative;
background:#62306D;
}
#externo {
position: absolute;
z-index:1;
margin-top:50;
margin-left:50;
width: 300px;
```



```
height: 250px;
display: flex;
flex-direction: column;
align-items: center;
}
#externo2 {
position: absolute;
z-index: 2;
margin-top: 50;
margin-left: 50;
width: 300px;
height: 200px;
display: flex;
flex-direction: column;
align-items: center;
}
.v{
width: 100;
height: 150;
background: #F7EC7D;
border-radius: 100px 100px 0 0;
}
.h{
width: 300;
height: 100;
background: #F7EC7D;
}
#arriba{
width: 300;
height: 100;
display: flex;
justify-content: center;
```

```
}  
#abajo{  
  width:300;  
  height:100;  
  display:flex;  
  justify-content:space-between;  
}  
.ce{  
  width:100;  
  height:100;  
  background: #AA445F;  
  border-radius: 50%;  
  display:flex;  
  align-items:center;  
  justify-content:center;  
}  
.cn{  
  width:60;  
  height:60;  
  background: #E38F66;  
  border-radius: 50%;  
  align-self:center;  
}  
.cm{  
  width:100;  
  height:100;  
  background: #E38F66;  
  border-radius: 50%;  
  display:flex;  
  align-items:center;  
  justify-content:center;
```

```
}  
.cr{  
  width:60;  
  height:60;  
  background: #AA445F;  
  border-radius: 50%;  
  align-self:center;  
}  
</style>
```

(X) CSSBattle / Battle #1 / #10. Cloaked Spirits

Learn CSS


User

EDITOR CTRL + SHIFT + E2160 characters

OUTPUTSlide & CompareDiff

TARGET400px x 300px

```
109 width:60;
110 height:60;
111 background: #AA445F;
112 border-radius: 50%;
113 align-self:center;
114 }
115 </style>
116
117 <!-- OBJECTIVE -->
118 <!-- Write HTML/CSS in this editor and replicate
the given target image in the least code possible.
What you write here, renders as it is -->
119
120 <!-- SCORING -->
121 <!-- The score is calculated based on the number
of characters you use (this comment included :P)
and how close you replicate the image. Read the
FAQS (https://cssbattle.dev/faqs) for more info. -->
122
123 <!-- IMPORTANT: remove the comments before
```



YOUR SCORE

Last Score: 600 (100% match)

High Score: 600 (2160 chars)

LeaderboardChallenge

COLORS TO USE CTRL + SHIFT + C


#62306D

#F7EC7D

#AA445F

#E38F66

TARGET SPONSOR



Plugins PROMy SolutionsSubmit (Ctrl+ENTER)

© 2022 CSSBattle Upgrade to PRO · Tips & Tricks · Learn CSS · Blog · FAQs · Community · About · Sponsor · Privacy & Terms

```
height: 140px;
```

```
z-index: 2;
margin-top:80;
margin-left:130;
}
.uno{
display:flex;
flex-direction:column;
justify-content:flex-end;
}
```

```
.cr{
width:50;
height:50;
background: #84271C;
border-radius: 50%;
display:flex;
align-items:center;
justify-content:center;
border-radius: 50%;
}
```

```
.cn{
width:100;
height:100;
background: #191210;
border-radius: 50%;
display:flex;
align-items:center;
justify-content:center;
border-radius: 50%;
}
```

```
.circulo{
width:140;
```

```
height:140;
background: #ECA03D;
border-radius: 50%;
display:flex;
align-items:center;
justify-content:center;
}
.ct{
width:100;
height:50;
background: #ECA03D;
border-radius: 50%;
display:flex;
margin-top:20;
justify-content:center;
border-radius: 100px 100px 0 0 ;
}
.cb{
margin-bottom:20;
width:100;
height:50;
background: #ECA03D;
border-radius: 50%;
display:flex;
justify-content:center;
border-radius: 0 0 100px 100px;
}
.cib{
margin-bottom:50;
width:60;
height:60;
background: #191210;
```

```
border-radius: 50%;  
align-self:center;  
}  
.cit{  
margin-top:50;  
width:60;  
height:60;  
background: #191210;  
border-radius: 50%;  
align-self:center;  
}  
</style>
```

CSSBattle / Battle #1 / #11. Eye of Sauron

Learn CSS

?

User


EDITOR CTRL + SHIFT + E2388 characters

OUTPUTSlide & CompareDiff

TARGET400px x 300px

```
48 height: 140px;
49 z-index: 2;
50 margin-top: 80;
51 margin-left: 130;
52 }
53 .uno{
54   display: flex;
55   flex-direction: column;
56   justify-content: flex-end;
57 }
58
59 .cr{
60   width: 50;
61   height: 50;
62   background: #84271C;
63   border-radius: 50%;
64   display: flex;
65   align-items: center;
66   justify-content: center;
67   border-radius: 50%;
68 }
```

Plugins PROMy SolutionsSubmit (Ctrl+ENTER)



YOUR SCORE

Last Score: 600 (100% match)

High Score: 600 (2388 chars)

LeaderboardChallenge


COLORS TO USE CTRL + SHIFT + C

#191210

#ECA03D

#84271C

TARGET SPONSOR

Your (free) weekly dose

© 2022 CSSBattle Upgrade to PRO

Tips & Tricks

Learn CSS

Blog

FAQs

Community

About

Sponsor

Privacy & Terms

```
<div id="externo">
  <div id="internoa">
    <div class="tapita">
    </div>
    <div class="circulo2">
      <div class="circuloInternoEx">
      </div>
    </div>
  </div>
</div>
```

```
</div>
</div>
<div id="internob">
  <div class="circulo">
    <div class="circuloInternoln">
      </div>
    </div>
    <div class="circulo">
      <div class="circuloInternoln">
        </div>
      </div>
    </div>
  </div>
</div>
<div>
<style>
*{
  background:#F5D6B4;
  margin:0;
}
#externo {
  margin-top:100;
  margin-left:70;
  position:relative;
  display:flex;
  flex-direction:column;
  width: 260px;
  height: 100px;
  justify-content:space-between;

}
#internoa{
  width:260;
```



```
height:50;
display:flex;
justify-content:space-between;
align-items:flex-end;
}
#internob{
width:260;
height:50;
display:flex;
justify-content:space-between;
}
#uno{
z-index:1;
position:absolute;
width:100;
height:100;
display:flex;
flex-direction:column;
justify-content:flex-end;
}
#dos{
margin-left:75;
position:absolute;
z-index:1;
width:100;
height:100;
}

#tres{
position:absolute;
z-index:2;
margin-left:160;
```

```
width:100;
height:100;
display:flex;
flex-direction:column;
align-items:flex-end;
justify-content:flex-end;.
}
.tapita{
width:20;
height:10;
background:#D86F45;
border-radius: 100px 100px 0 0;
}
.circulo{
width:100;
height:50;
background:#D86F45;
border-radius:0 0 100px 100px ;
display:flex;
justify-content:center;
align-items:flex-start;
}
.circuloInternoIn{
width:60;
height:30;
background:#F5D6B4;
border-radius:0 0 100px 100px ;
}
.circuloInternoEx{
width:60;
height:30;
```

```
background:#F5D6B4;
border-radius:100px 100px 0 0 ;
}
.circulo2{
width:100;
height:50;
background:#D86F45;
border-radius:100px 100px 0 0 ;
display:flex;
justify-content:center;
align-items:flex-end;
}
}
```

EDITOR CTRL + SHIFT + E 2522 characters

```
91 border-radius:0 0 100px 100px ;
92 display:flex;
93 justify-content:center;
94 align-items:flex-start;
95 }
96 .circuloInternoIn{
97   width:60;
98   height:30;
99   background:#F5D6B4;
100  border-radius:0 0 100px 100px ;
101 }
102 }
103 .circuloInternoEx{
104   width:60;
105   height:30;
106   background:#F5D6B4;
107   border-radius:100px 100px 0 0 ;
108 }
109 .circulo2{
110   width:100;
111   height:50;
```

Plugins PRO My Solutions Submit (Ctrl+ENTER)

OUTPUT Slide & Compare Diff



YOUR SCORE

Last Score: 600 (100% match)
High Score: 600 (2522 chars)

Leaderboard Challenge

TARGET 400px x 300px



COLORS TO USE CTRL + SHIFT + C

#F5D6B4 #D86F45

TARGET SPONSOR



System tray area with icons for file explorer, browser, and other applications. Includes a clock showing 10:19 PM Monday 10/17/2022 and a network status indicator.

GRID GARDEN

◀ Nivel 28 de 28 ▶

¡Has ganado! Por el poder de CSS Grid, has sido capaz de cultivar suficientes zanahorias para que Froggy pueda cocinar su mundialmente famosa tarta de 20 zanahorias. Qué, ¿esperabas a algún amigo diferente?

Si has disfrutado de Grid Garden, échale un vistazo a [Flexbox Froggy](#) para aprender otra nueva característica de diseño en CSS. También puedes mantenerte al día de mis otros proyectos en [mi blog](#) o [Twitter](#).


¿Quieres apoyar Grid Garden? Prueba los mejores cursos de diseño web y programación ofrecidos por [Treehouse](#). ¡Y comparte Grid Garden con tus amigos y familia!




Flexbox Froggy



Nth Cart



Disarray



Code Crunchers

