

Test Cases: ParaBank application

For the test cases description, even if intended to be manual and likely to be stored in some manual test repo, I decided to use Gherkin, to be behavior driven and easy to automate in the future (as each Gherkin sentence could correspond with an actual step defined in our automation framework).

1. User onboarding

Objective: Verify that a new user can be created

Technical Reasoning: Having a user is a pre-requisite in any upcoming test related to transactions. We could rely on an already registered user, and have as a pre-requisite this user account registered, but due to Parabank flakiness and data persistence I decided to put this one first. In a different more reliable app, we could avoid registering a user every time, and just use already created accounts for QA testing.

Feature: Fund Transfers

Scenario: Register a new user with valid data and verify default account state

- **Given** I click on left menu Register link
- **Then** registration form is displayed
- **When** the user submits the registration form with valid data
- **Then** Account created message is displayed
- **And** the Log Out link is displayed in left menu

Technical Notes:

- **Cleanup:** Not needed, as we will be using this user for upcoming tests. As a side note, if we want to check only the registration flow, and our app allows us to delete the user, we could do so to avoid rubbish data on our test environment.

2. Account transfer

Objective: Verify that a user can transfer money between two accounts

Technical Reasoning: A critical flow in our app which involves user account balance, which also allows us to check account details.

Pre-requisites: We will need a user account with two accounts, and enough balance to perform a transfer.

Feature: Fund Transfers

Scenario: Transfer funds between internal accounts and verify balances

- **Given** I log in with TransferTest user
- **And** I navigate to Accounts Overview
- **And** I write down each account current balance
- **And** I navigate to Transfer Funds
- **When** I fill amount input with a valid amount
- **And** I select user first Account on From Account
- **And** I select user second Account on To Account
- **And** I click on transfer
- **Then** I see transfer complete message
- **And** I see a message with the amount transferred, and user accounts
- **When** I navigate to Accounts overview
- **Then** correct balance is displayed in each account

Technical Notes:

- **Cleanup:** We could transfer back the money from account B to A to ensure we can always perform the exact same steps (I.e.: if this test were to be automated)

3. Bill Pay

Objective: Verify that a user can pay a bill to a different account.

Technical Reasoning: A critical flow in our app which involves user account balance, involving two different customer / accounts.

Pre-requisites: We will need two user accounts, first one with enough balance to perform a bill pay. Also we should know both users' balance beforehand.

Feature: Bill Pay

Scenario: Pay a bill and verify balance updates for both payer and payee

- **Given** I log in with BillPayer user
- **And** I navigate to Bill Pay
- **When** I fill BillPayee user data correctly
- **And** I fill amount field with a valid amount
- **And** I select a valid user account with enough balance
- **And** I click on Send Payment
- **Then** I see Bill Payment complete message
- **And** I see a message with the amount transferred, and users' accounts
- **When** I navigate to Accounts overview

- **Then** correct balance is displayed in BillPayer account
- **Given** I log in with BillPayee user
- **When** I navigate to Accounts overview
- **Then** correct balance is displayed in BillPayee account

Technical Notes:

- **Cleanup:** We could transfer back the money from account B to A to ensure we can always perform the exact same steps (i.e.: if this test were to be automated)