
Exercises: Entity Relations

This document defines the **exercise assignments** for the <u>"Databases Advanced – EF Core" course @ Software</u> University.

1. Student System

Your task is to create a database for the **Student System**, using the **EF Core Code First** approach. It should look like this:



Constraints

Your namespaces should be:

- P01_StudentSystem for your Startup class, if you have one
- P01 StudentSystem.Data for your DbContext
- P01_StudentSystem.Data.Models for your models

Your models should be:

- **StudentSystemContext** your DbContext
- Student:
 - StudentId
 - Name (up to 100 characters, unicode)
 - o PhoneNumber (exactly 10 characters, not unicode, not required)
 - o RegisteredOn
 - Birthday (not required)



© Software University Foundation. This work is licensed under the CC-BY-NC-SA license.

ollow us:















Course:

- Courseld
- Name (up to 80 characters, unicode)
- o Description (unicode, not required)
- StartDate
- EndDate
- Price

• Resource:

- ResourceId
- Name (up to 50 characters, unicode)
- Url (not unicode)
- o ResourceType (enum can be Video, Presentation, Document or Other)
- Courseld

• Homework:

- HomeworkId
- Content (string, linking to a file, not unicode)
- ContentType (enum can be Application, Pdf or Zip)
- SubmissionTime
- StudentId
- o Courseld
- StudentCourse mapping class between Students and Courses

Table relations:

- One student can have many CourseEnrollments
- One student can have many HomeworkSubmissions
- One course can have many StudentsEnrolled
- One course can have many Resources
- One course can have many HomeworkSubmissions

You will need a constructor, accepting DbContextOptions to test your solution in Judge!

2. Seed Some Data in the Database

Write a **seed method** that fills the database with sample data.

Fill a few students, courses, resources and homework submissions.

Bonus

Create a console application that reads information about courses and students.

Football Betting

Your task is to create a database for a **Football Bookmaker System**, using the **Code First** approach. It should look like this:



© Software University Foundation. This work is licensed under the CC-BY-NC-SA license.

Follow us: 😚
















Constraints

Your namespaces should be:

- P03_FootballBetting for your Startup class, if you have one
- P03 FootballBetting.Data for your DbContext
- P03_FootballBetting.Data.Models for your models

Your models should be:

- **FootballBettingContext** your DbContext
- Team Teamld, Name, LogoUrl, Initials (JUV, LIV, ARS...), Budget, PrimaryKitColorId, SecondaryKitColorId, TownId
- Color ColorId, Name
- Town Townld, Name, Countryld
- Country Countryld, Name
- Player PlayerId, Name, SquadNumber, TeamId, PositionId, IsInjured
- Position PositionId, Name
- PlayerStatistic GameId, PlayerId, ScoredGoals, Assists, MinutesPlayed
- Game Gameld, HomeTeamId, AwayTeamId, HomeTeamGoals, AwayTeamGoals, DateTime, HomeTeamBetRate, AwayTeamBetRate, DrawBetRate, Result)
- Bet Betld, Amount, Prediction, DateTime, Userld, Gameld
- User Userld, Username, Password, Email, Name, Balance

Table relationships:

- A Team has one PrimaryKitColor and one SecondaryKitColor
- A Color has many PrimaryKitTeams and many SecondaryKitTeams



© Software University Foundation. This work is licensed under the CC-BY-NC-SA license.













- A Team residents in one Town
- A Town can host several Teams
- A Game has one HomeTeam and one AwayTeam and a Team can have many HomeGames and many AwayGames
- A Town can be placed in one Country and a Country can have many Towns
- A Player can play for one Team and one Team can have many Players
- A Player can play at one Position and one Position can be played by many Players
- One Player can play in many Games and in each Game, many Players take part (both collections must be named PlayerStatistics)
- Many Bets can be placed on one Game, but a Bet can be only on one Game
- Each bet for given game must have **Prediction** result
- A Bet can be placed by only one User and one User can place many Bets

Separate the models, data and client into different layers (projects).



© <u>Software University Foundation</u>. This work is licensed under the <u>CC-BY-NC-SA</u> license.

Follow us: 😚











