

Gitea Server Setup Guide

Standard installation and configuration procedure

Purpose Install Gitea, prepare its local folders, complete the initial server configuration, apply post-setup settings, create the administrator account, add the help repository, and create a web shortcut.

1. Download Gitea

Download the latest free version of Gitea from the official Gitea website:

[Open the Gitea Download Page](#)

2. Prepare the Gitea Environment

1

Run the environment setup batch file

Run the included batch file to prepare the Gitea environment.

```
1-Gitea-Enviroment-Setup.bat
```

2

Move the Gitea executable

After the batch file finishes, move the downloaded Gitea server .exe into the folder below.

```
C:\Gitea
```

3

Rename and launch Gitea

Rename the downloaded executable to gitea.exe, then run it from C:\Gitea.

```
gitea.exe
```

```
C:\Gitea\gitea.exe
```

3. Complete the Initial Configuration

When Gitea opens the Initial Configuration page, use the recommended settings shown below.

Initial Configuration

If you run Gitea inside Docker, please read the [documentation](#) before changing any settings.

Database Settings

Gitea requires MySQL, PostgreSQL, MSSQL, SQLite3 or TIDB (MySQL protocol).

Database Type *

Path *

File path for the SQLite3 database.
Enter an absolute path if you run Gitea as a service.

General Settings

Site Title *

You can enter your company name here.

Repository Root Path *

Remote Git repositories will be saved to this directory.

Git LFS Root Path

Files tracked by Git LFS will be stored in this directory. Leave empty to disable.

Run As Username

The operating system username that Gitea runs as, it must have write access to the data paths. This value is auto-detected and cannot be changed here. To use a different user, restart Gitea under that account.

Server Domain *

Domain or host address for the server.

SSH Server Port

Port number your SSH server listens on. Leave empty to disable.

Gitea HTTP Listen Port *

Port number the Gitea web server will listen on.

Gitea Base URL *

Base address for HTTP(S) clone URLs and email notifications.

Log Path *

Log files will be written to this directory.

Recommended Initial Configuration Settings

Database Type	SQLite3
Path	C:\Gitea
Repository Root Path	C:\Gitea\repositories
Git LFS Root Path	C:\Gitea\lfs
Server Domain	Enter the IP address of the computer hosting Gitea. Example: 192.168.1.1
SSH Server Port	22
Gitea HTTP Listen Port	3000
Gitea Base URL	http://SERVER-IP:3000/
Log Path	C:\Gitea\logs
Run As Username	Leave the Windows account that Gitea is running under.

Complete the installation after checking the settings.

4. Apply Post-Setup Settings

Run the included post-setup batch file:

```
2-Gitea-PostSetup-Settings.bat
```

What it applies The additional Gitea settings, including a larger file upload allowance and the preferred default branch name.

5. Create the Admin Account

- Start Gitea and create the first administrator account.
- Create and securely save the administrator username and password.

6. Create the Help Repository

Create a repository named:

```
Gitea-Help-Documents
```

Repository visibility Make sure the repository is PUBLIC.

After the repository is created, run:

```
3-Gitea-Help-Banner.bat
```

This configures the Gitea help banner.

7. Create a Web Shortcut

To create a shortcut for quickly opening the Gitea server, run:

```
4-Create-Gitea-Web-Shortcut.bat
```

Setup Complete

Final order Use the checklist below to confirm the full setup was completed in sequence.

1. Download Gitea.
2. Run 1-Gitea-Environment-Setup.bat.
3. Move the Gitea .exe to C:\Gitea and rename it gitea.exe.
4. Run gitea.exe and complete Initial Configuration.
5. Run 2-Gitea-PostSetup-Settings.bat.
6. Create the administrator account.
7. Create the public Gitea-Help-Documents repository.
8. Run 3-Gitea-Help-Banner.bat.
9. Run 4-Create-Gitea-Web-Shortcut.bat.