

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
CHEMISTRY									
CHEMISTRY									
CHEMISTRY									
CHEMISTRY									
CHEMISTRY									
ALANINE AMINOTRANSFERASE									
ALANINE AMINOTRANSFERASE									
ALANINE AMINOTRANSFERASE									
ALANINE AMINOTRANSFERASE									
ALANINE AMINOTRANSFERASE									
Bsln	86	17.6 (9.22)		82	18.0 (8.72)		84	19.2 (10.05)	
Wk 2	83	18.0 (12.53)	0.2 (7.90)	80	20.9 (10.55)	2.8 (8.18)	78	21.0 (8.87)	1.6 (6.83)
Wk 4	79	18.7 (12.91)	0.7 (8.66)	72	17.5 (7.66)	-0.7 (5.08)	72	21.3 (9.51)	2.1 (7.08)
Wk 6	73	17.0 (9.92)	-0.3 (7.78)	62	17.0 (7.98)	-0.8 (4.87)	66	21.2 (9.49)	1.6 (6.11)
Wk 8	72	16.7 (9.34)	-1.1 (5.05)	60	17.6 (7.86)	0.2 (5.45)	56	22.8 (17.49)	3.2 (17.24)
Wk 12	67	18.0 (9.16)	0.0 (8.07)	51	18.5 (12.68)	0.1 (9.27)	50	21.0 (10.18)	0.7 (8.74)
Wk 16	68	17.1 (7.39)	-0.8 (7.94)	42	17.3 (7.51)	0.7 (5.80)	37	19.6 (7.61)	-0.3 (7.58)
Wk 20	65	16.1 (6.56)	-1.9 (7.49)	30	16.7 (6.33)	0.9 (4.77)	31	19.6 (6.82)	-0.3 (8.63)
Wk 24	57	17.9 (15.61)	-0.3 (16.62)	26	18.2 (9.17)	1.6 (5.66)	30	21.0 (8.70)	0.2 (8.25)

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
Wk 26	57	16.0 (5.98)	-2.1 (7.70)	25	17.8 (9.51)	1.5 (6.26)	27	18.9 (7.02)	-2.0 (7.01)
End[1]	84	18.1 (16.74)	0.4 (15.40)	82	18.3 (8.26)	0.3 (7.25)	80	19.5 (7.44)	0.1 (8.08)
Alanine Aminotransferase (U/L) change from previous visit, relative to normal range									
Alanine Aminotransferase (U/L) change from previous visit, relative to normal range									
Alanine Aminotransferase (U/L) change from previous visit, relative to normal range									
Alanine Aminotransferase (U/L) change from previous visit, relative to normal range									
Alanine Aminotransferase (U/L) change from previous visit, relative to normal range									
Bsln	86			82			84		
Wk 2	83	0.0 (0.60)		80	0.2 (0.53)		78	0.1 (0.43)	
Wk 4	79	0.0 (0.39)		72	-0.2 (0.48)		72	0.0 (0.39)	
Wk 6	73	0.0 (0.56)		62	0.0 (0.37)		66	-0.1 (0.45)	
Wk 8	72	-0.1 (0.42)		60	0.1 (0.38)		56	0.1 (1.18)	
Wk 12	67	0.1 (0.43)		51	0.0 (0.74)		50	-0.2 (1.38)	
Wk 16	68	-0.1 (0.48)		42	-0.1 (0.74)		37	-0.1 (0.45)	
Wk 20	65	0.0 (0.38)		30	0.1 (0.36)		31	0.0 (0.34)	
Wk 24	57	0.1 (1.19)		26	0.0 (0.26)		30	0.0 (0.31)	

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
Wk 26	57	-0.1 (1.07)		25	0.0 (0.26)		27	-0.2 (0.28)	
End[1]	84	0.1 (1.00)		82	0.0 (0.49)		80	-0.1 (1.09)	
ALBUMIN									
ALBUMIN									
ALBUMIN									
ALBUMIN									
ALBUMIN									
Bsln	86	39.8 (2.81)		82	39.8 (2.56)		84	40.3 (2.84)	
Wk 2	83	38.9 (3.11)	-1.0 (2.49)	80	38.7 (3.17)	-1.1 (2.71)	78	38.9 (2.76)	-1.4 (2.59)
Wk 4	79	38.8 (3.29)	-1.0 (2.69)	72	38.6 (2.80)	-1.2 (2.66)	72	39.1 (3.05)	-1.3 (2.70)
Wk 6	73	39.1 (2.56)	-1.0 (2.25)	62	38.4 (2.60)	-1.2 (2.49)	66	39.5 (2.76)	-1.0 (2.60)
Wk 8	72	39.8 (3.51)	-0.4 (2.70)	60	39.1 (2.93)	-0.5 (2.73)	56	39.8 (2.33)	-0.9 (2.21)
Wk 12	67	39.5 (3.49)	-0.5 (2.31)	51	38.9 (2.18)	-0.9 (2.19)	50	39.8 (2.45)	-0.6 (2.77)
Wk 16	68	40.4 (3.02)	0.4 (2.45)	42	39.1 (2.98)	-0.4 (2.78)	37	39.9 (1.92)	-0.7 (2.76)
Wk 20	65	39.6 (3.47)	-0.5 (2.86)	30	38.6 (2.66)	-1.2 (2.55)	31	39.6 (1.85)	-1.4 (2.86)
Wk 24	57	39.7 (3.34)	-0.2 (2.88)	26	40.4 (2.52)	0.4 (2.40)	30	40.5 (2.10)	-0.5 (2.65)
Wk 26	57	39.8 (3.02)	0.0 (2.26)	25	39.2 (2.39)	-1.0 (2.85)	27	40.0 (2.26)	-1.2 (2.78)
End[1]	84	39.6 (3.32)	-0.2 (2.69)	82	39.2 (2.97)	-0.5 (2.64)	80	39.8 (2.48)	-0.5 (2.64)

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

		Placebo			Xanomeline Low			Xanomeline High		
		Placebo			Xanomeline Low			Xanomeline High		
		Placebo			Xanomeline Low			Xanomeline High		
Visit	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N
Albumin (g/L) change from previous visit, relative to normal range										
Albumin (g/L) change from previous visit, relative to normal range										
Albumin (g/L) change from previous visit, relative to normal range										
Albumin (g/L) change from previous visit, relative to normal range										
Albumin (g/L) change from previous visit, relative to normal range										
Bsln	86			82			84			
Wk 2	83	-0.2 (0.41)		80	-0.2 (0.48)		78	-0.2 (0.44)		
Wk 4	79	0.0 (0.39)		72	0.0 (0.44)		72	0.0 (0.45)		
Wk 6	73	0.0 (0.42)		62	0.0 (0.37)		66	0.1 (0.47)		
Wk 8	72	0.1 (0.39)		60	0.1 (0.48)		56	0.0 (0.44)		
Wk 12	67	0.0 (0.40)		51	-0.1 (0.47)		50	0.0 (0.38)		
Wk 16	68	0.2 (0.46)		42	0.1 (0.40)		37	0.0 (0.46)		
Wk 20	65	-0.1 (0.51)		30	-0.1 (0.44)		31	-0.1 (0.33)		
Wk 24	57	0.1 (0.52)		26	0.2 (0.37)		30	0.2 (0.31)		
Wk 26	57	0.0 (0.42)		25	-0.2 (0.36)		27	-0.1 (0.45)		
End[1]	84	0.1 (0.48)		82	0.0 (0.44)		80	0.0 (0.43)		

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Placebo				Xanomeline Low				Xanomeline High			
Placebo				Xanomeline Low				Xanomeline High			
Placebo				Xanomeline Low				Xanomeline High			
Visit	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)		
ALKALINE PHOSPHATASE											
ALKALINE PHOSPHATASE											
ALKALINE PHOSPHATASE											
ALKALINE PHOSPHATASE											
ALKALINE PHOSPHATASE											
Bsln	86	77.7 (58.11)		81	73.3 (20.72)		83	71.0 (38.85)			
Wk 2	84	77.7 (69.50)	0.1 (15.51)	80	73.0 (21.87)	0.3 (10.25)	78	72.2 (40.22)	-0.1 (8.09)		
Wk 4	82	78.0 (69.43)	0.4 (14.16)	72	73.2 (23.17)	-0.3 (11.12)	72	71.3 (40.65)	-0.7 (6.88)		
Wk 6	75	68.4 (21.53)	-0.4 (10.40)	64	72.7 (23.15)	-1.0 (10.83)	67	71.5 (43.40)	-0.2 (12.65)		
Wk 8	73	70.0 (27.15)	0.0 (10.67)	60	72.9 (23.84)	0.5 (14.09)	56	74.0 (45.60)	0.8 (13.54)		
Wk 12	67	72.1 (32.73)	1.8 (17.18)	52	69.5 (20.55)	-1.5 (9.41)	50	71.9 (46.65)	-1.7 (8.53)		
Wk 16	68	70.6 (29.49)	0.3 (16.98)	42	69.5 (19.43)	-1.7 (8.61)	37	74.7 (54.78)	-1.4 (8.29)		
Wk 20	65	72.6 (37.41)	1.9 (25.77)	31	70.6 (22.20)	-2.2 (9.90)	31	73.5 (55.23)	-2.7 (8.35)		
Wk 24	56	80.6 (68.06)	10.1 (58.71)	27	72.0 (21.80)	-0.4 (8.93)	30	64.4 (17.63)	-2.4 (7.44)		
Wk 26	57	81.0 (79.33)	10.1 (72.41)	25	68.6 (21.08)	-4.1 (10.74)	27	61.9 (16.60)	-3.9 (7.65)		
End[1]	84	84.6 (84.86)	7.1 (49.37)	82	71.6 (23.80)	-1.1 (13.09)	80	70.2 (37.91)	-1.6 (12.00)		

Alkaline Phosphatase (U/L) change from previous visit, relative to normal range

Alkaline Phosphatase (U/L) change from previous visit, relative to normal range

Alkaline Phosphatase (U/L) change from previous visit, relative to

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

		Placebo			Xanomeline Low			Xanomeline High		
		Placebo			Xanomeline Low			Xanomeline High		
		Placebo			Xanomeline Low			Xanomeline High		
Visit	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	
normal range										
Alkaline Phosphatase (U/L) change from previous visit, relative to normal range										
Alkaline Phosphatase (U/L) change from previous visit, relative to normal range										
Bsln	86			81			83			
Wk 2	84	0.0 (0.40)		80	0.0 (0.27)		78	0.0 (0.22)		
Wk 4	82	0.0 (0.21)		72	0.0 (0.25)		72	0.0 (0.18)		
Wk 6	75	0.0 (0.23)		64	0.0 (0.20)		67	0.0 (0.32)		
Wk 8	73	0.0 (0.20)		60	0.0 (0.24)		56	0.0 (0.30)		
Wk 12	67	0.0 (0.37)		52	0.0 (0.21)		50	-0.1 (0.27)		
Wk 16	68	0.0 (0.34)		42	0.0 (0.25)		37	0.0 (0.21)		
Wk 20	65	0.0 (0.41)		31	0.0 (0.24)		31	0.0 (0.18)		
Wk 24	56	0.2 (0.84)		27	0.1 (0.18)		30	0.0 (0.21)		
Wk 26	57	0.0 (0.51)		25	-0.1 (0.17)		27	0.0 (0.19)		
End[1]	84	0.1 (0.70)		82	0.0 (0.30)		80	0.0 (0.32)		

ASPARTATE AMINOTRANSFERASE
ASPARTATE AMINOTRANSFERASE
ASPARTATE AMINOTRANSFERASE
ASPARTATE AMINOTRANSFERASE
ASPARTATE AMINOTRANSFERASE

[1] Last observed value while on treatment (prior to or at Week 24)
Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Placebo				Xanomeline Low			Xanomeline High		
Placebo				Xanomeline Low			Xanomeline High		
Placebo				Xanomeline Low			Xanomeline High		
Visit	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)
Bsln	86	23.2 (7.50)		82	23.4 (8.24)		84	23.1 (6.61)	
Wk 2	83	23.6 (12.35)	0.2 (8.96)	80	24.7 (8.06)	1.6 (6.53)	78	23.4 (5.20)	0.4 (5.63)
Wk 4	79	23.9 (14.93)	0.5 (11.33)	72	22.3 (6.75)	−1.4 (6.40)	72	23.8 (5.85)	0.6 (5.75)
Wk 6	73	22.0 (6.40)	−0.9 (6.38)	62	22.1 (6.11)	−0.4 (4.19)	66	24.1 (7.84)	0.4 (6.10)
Wk 8	72	22.3 (7.05)	−1.1 (4.84)	60	22.7 (5.95)	0.3 (4.02)	56	25.7 (13.33)	1.6 (13.98)
Wk 12	67	22.8 (7.64)	−0.6 (7.06)	51	24.2 (15.87)	1.5 (12.39)	50	23.3 (6.11)	−1.2 (6.26)
Wk 16	68	22.8 (6.42)	−0.6 (6.43)	42	22.4 (10.34)	0.6 (7.62)	37	23.1 (5.78)	−0.7 (4.17)
Wk 20	65	21.9 (5.90)	−1.6 (6.07)	30	20.7 (5.74)	0.4 (4.60)	31	24.0 (6.90)	−0.3 (6.18)
Wk 24	57	25.2 (21.02)	1.2 (20.43)	26	22.4 (10.78)	2.1 (6.58)	30	24.4 (7.29)	−0.2 (5.48)
Wk 26	57	21.5 (6.99)	−2.5 (7.29)	25	22.1 (11.85)	1.4 (7.69)	27	21.6 (5.71)	−3.1 (4.17)
End[1]	84	25.1 (21.33)	1.8 (19.03)	82	23.2 (8.21)	−0.3 (8.06)	80	22.7 (6.13)	−0.4 (6.36)

Aspartate Aminotransferase (U/L) change from previous visit, relative to normal range

Aspartate Aminotransferase (U/L) change from previous visit, relative to normal range

Aspartate Aminotransferase (U/L) change from previous visit, relative to normal range

Aspartate Aminotransferase (U/L) change from previous visit, relative to normal range

Aspartate Aminotransferase (U/L) change from previous visit, relative to normal range

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

		Placebo			Xanomeline Low			Xanomeline High		
		Placebo	Placebo	Placebo	Xanomeline Low	Xanomeline Low	Xanomeline Low	Xanomeline High	Xanomeline High	Xanomeline High
Visit	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N
Bsln	86			82			84			
Wk 2	83	0.0 (0.72)		80	0.1 (0.53)		78	0.0 (0.46)		
Wk 4	79	0.0 (0.50)		72	-0.2 (0.54)		72	0.0 (0.36)		
Wk 6	73	0.0 (0.52)		62	0.0 (0.34)		66	0.0 (0.60)		
Wk 8	72	0.0 (0.37)		60	0.0 (0.32)		56	0.1 (1.10)		
Wk 12	67	0.0 (0.37)		51	0.1 (1.04)		50	-0.2 (1.14)		
Wk 16	68	0.0 (0.40)		42	-0.2 (0.78)		37	0.0 (0.37)		
Wk 20	65	-0.1 (0.32)		30	0.1 (0.35)		31	0.0 (0.32)		
Wk 24	57	0.2 (1.56)		26	0.0 (0.28)		30	0.0 (0.34)		
Wk 26	57	-0.3 (1.47)		25	0.0 (0.30)		27	-0.3 (0.35)		
End[1]	84	0.2 (1.30)		82	-0.1 (0.57)		80	-0.1 (0.95)		
BILIRUBIN										
BILIRUBIN										
BILIRUBIN										
BILIRUBIN										
BILIRUBIN										
Bsln	86	9.7 (3.96)		82	9.4 (4.01)		84	11.0 (5.35)		
Wk 2	83	10.8 (12.26)	1.1 (10.29)	80	9.4 (4.16)	0.0 (3.08)	78	10.4 (3.94)	-0.6 (3.62)	
Wk 4	79	11.1 (13.57)	1.4 (11.65)	72	9.2 (3.84)	-0.3 (2.70)	72	10.9 (5.62)	-0.3 (3.07)	

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
Wk 6	73	9.6 (3.78)	0.1 (2.88)	62	9.5 (4.03)	0.0 (2.99)	66	10.9 (4.89)	-0.6 (3.18)
Wk 8	72	9.4 (3.89)	-0.4 (3.43)	60	9.6 (4.72)	0.5 (3.11)	56	10.8 (5.21)	-0.7 (3.21)
Wk 12	67	9.5 (3.56)	-0.1 (2.83)	51	8.8 (4.15)	0.1 (2.64)	50	11.5 (6.16)	-0.3 (4.78)
Wk 16	68	10.0 (3.63)	0.2 (2.68)	42	8.8 (3.91)	0.4 (2.14)	37	11.6 (4.89)	-0.7 (4.28)
Wk 20	65	10.1 (5.19)	0.3 (3.58)	30	8.8 (4.51)	0.3 (2.82)	31	11.8 (8.69)	-0.2 (6.41)
Wk 24	57	9.4 (3.39)	0.1 (2.75)	26	10.1 (4.44)	1.1 (2.84)	30	12.3 (6.52)	-0.6 (2.89)
Wk 26	57	10.0 (4.73)	0.4 (3.57)	25	10.2 (6.21)	1.4 (3.44)	27	12.2 (6.82)	-0.6 (5.31)
End[1]	84	11.2 (13.42)	1.4 (11.28)	82	9.8 (4.29)	0.5 (3.08)	80	11.1 (5.36)	0.0 (3.16)

Bilirubin (umol/L) change from previous visit, relative to normal range

Bilirubin (umol/L) change from previous visit, relative to normal range

Bilirubin (umol/L) change from previous visit, relative to normal range

Bilirubin (umol/L) change from previous visit, relative to normal range

Bilirubin (umol/L) change from previous visit, relative to normal range

Bsln	86		82		84
Wk 2	83	0.1 (1.15)	80	0.0 (0.36)	78 -0.1 (0.42)
Wk 4	79	0.0 (0.37)	72	0.0 (0.30)	72 0.0 (0.35)

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Placebo				Xanomeline Low				Xanomeline High			
Placebo				Xanomeline Low				Xanomeline High			
Placebo				Xanomeline Low				Xanomeline High			
Visit	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)
Wk 6	73	0.0 (0.33)		62	0.0 (0.25)		66	0.0 (0.34)			
Wk 8	72	0.0 (0.33)		60	0.0 (0.29)		56	0.0 (0.34)			
Wk 12	67	0.0 (0.36)		51	0.0 (0.34)		50	0.1 (0.36)			
Wk 16	68	0.0 (0.29)		42	0.0 (0.25)		37	0.0 (0.52)			
Wk 20	65	0.0 (0.39)		30	0.0 (0.28)		31	0.1 (0.61)			
Wk 24	57	0.0 (0.36)		26	0.1 (0.29)		30	0.0 (0.67)			
Wk 26	57	0.0 (0.39)		25	0.0 (0.34)		27	0.0 (0.45)			
End[1]	84	0.0 (0.36)		82	0.1 (0.37)		80	0.0 (0.49)			
Blood Urea Nitrogen (mmol/L) change from previous visit, relative to normal range											
Blood Urea Nitrogen (mmol/L) change from previous visit, relative to normal range											
Blood Urea Nitrogen (mmol/L) change from previous visit, relative to normal range											
Blood Urea Nitrogen (mmol/L) change from previous visit, relative to normal range											
Blood Urea Nitrogen (mmol/L) change from previous visit, relative to normal range											
Bsln	86			82			84				
Wk 2	84	0.1 (0.33)		80	0.1 (0.43)		78	0.1 (0.38)			
Wk 4	82	0.0 (0.30)		72	0.0 (0.35)		72	0.0 (0.35)			

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
Wk 6	75	0.1 (0.28)		64	0.0 (0.36)		67	0.0 (0.33)	
Wk 8	73	-0.1 (0.33)		60	0.0 (0.31)		56	-0.1 (0.31)	
Wk 12	67	0.1 (0.29)		52	0.0 (0.26)		50	0.0 (0.30)	
Wk 16	68	0.0 (0.33)		42	0.0 (0.38)		37	0.0 (0.42)	
Wk 20	66	0.0 (0.31)		31	-0.1 (0.36)		31	0.0 (0.41)	
Wk 24	57	0.0 (0.30)		27	0.1 (0.39)		30	-0.1 (0.37)	
Wk 26	57	0.0 (0.34)		25	0.0 (0.29)		27	0.1 (0.33)	
End[1]	84	0.0 (0.31)		82	0.1 (0.37)		80	-0.1 (0.40)	
CALCIUM									
CALCIUM									
CALCIUM									
CALCIUM									
CALCIUM									
Bsln	86	2.3 (0.09)		82	2.3 (0.11)		84	2.3 (0.10)	
Wk 2	84	2.3 (0.09)	0.0 (0.10)	80	2.3 (0.12)	0.0 (0.10)	78	2.3 (0.11)	0.0 (0.11)
Wk 4	82	2.3 (0.09)	0.0 (0.09)	72	2.3 (0.10)	0.0 (0.08)	72	2.3 (0.10)	0.0 (0.10)
Wk 6	75	2.3 (0.09)	0.0 (0.10)	64	2.3 (0.10)	0.0 (0.08)	67	2.3 (0.09)	0.0 (0.10)
Wk 8	73	2.3 (0.09)	0.0 (0.09)	60	2.3 (0.12)	0.0 (0.09)	56	2.3 (0.12)	0.0 (0.11)
Wk 12	67	2.3 (0.09)	0.0 (0.08)	52	2.3 (0.10)	0.0 (0.07)	50	2.3 (0.09)	0.0 (0.09)

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Placebo				Xanomeline Low				Xanomeline High			
Placebo				Xanomeline Low				Xanomeline High			
Placebo				Xanomeline Low				Xanomeline High			
Visit	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)		
Wk 16	68	2.3 (0.10)	0.0 (0.11)	42	2.3 (0.11)	0.0 (0.08)	37	2.3 (0.11)	0.0 (0.12)		
Wk 20	66	2.3 (0.09)	0.0 (0.09)	31	2.3 (0.10)	0.0 (0.09)	31	2.3 (0.08)	0.0 (0.09)		
Wk 24	57	2.3 (0.09)	−0.1 (0.10)	27	2.3 (0.11)	0.0 (0.12)	30	2.3 (0.10)	−0.1 (0.12)		
Wk 26	57	2.3 (0.10)	0.0 (0.10)	25	2.3 (0.10)	0.0 (0.08)	27	2.3 (0.09)	0.0 (0.10)		
End[1]	84	2.3 (0.09)	0.0 (0.10)	82	2.3 (0.10)	0.0 (0.10)	80	2.3 (0.10)	0.0 (0.11)		

Calcium (mmol/L) change from previous visit, relative to normal range

Calcium (mmol/L) change from previous visit, relative to normal range

Calcium (mmol/L) change from previous visit, relative to normal range

Calcium (mmol/L) change from previous visit, relative to normal range

Calcium (mmol/L) change from previous visit, relative to normal range

Bsln	86			82			84		
Wk 2	84	−0.1 (0.39)		80	0.0 (0.43)		78	−0.1 (0.44)	
Wk 4	82	0.0 (0.34)		72	−0.1 (0.40)		72	0.0 (0.44)	
Wk 6	75	0.1 (0.36)		64	0.0 (0.38)		67	0.0 (0.39)	
Wk 8	73	0.0 (0.40)		60	0.0 (0.37)		56	0.0 (0.45)	
Wk 12	67	0.0 (0.39)		52	−0.1 (0.31)		50	0.0 (0.33)	

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo			N	Xanomeline Low			N	Xanomeline High		
		Mean (SD)	Change from Bsln Mean (SD)	Placebo		Mean (SD)	Change from Bsln Mean (SD)	Xanomeline Low		Mean (SD)	Change from Bsln Mean (SD)	Xanomeline High
Wk 16	68	0.0 (0.42)			42	0.0 (0.34)			37	0.0 (0.39)		
Wk 20	66	-0.1 (0.43)			31	0.0 (0.35)			31	-0.1 (0.38)		
Wk 24	57	0.0 (0.34)			27	0.1 (0.39)			30	0.0 (0.36)		
Wk 26	57	0.0 (0.38)			25	-0.1 (0.42)			27	0.0 (0.38)		
End[1]	84	0.0 (0.36)			82	0.0 (0.39)			80	0.0 (0.38)		
CHLORIDE												
CHLORIDE												
CHLORIDE												
CHLORIDE												
CHLORIDE												
Bsln	86	105.7 (3.19)			82	105.8 (3.25)			83	105.4 (3.33)		
Wk 2	84	106.0 (3.12)	0.3 (3.40)		80	105.6 (3.12)	0.0 (3.44)		77	104.4 (3.49)	-0.8 (3.88)	
Wk 4	82	105.6 (3.53)	-0.1 (4.24)		72	105.5 (2.88)	-0.3 (3.72)		72	105.0 (3.46)	-0.4 (3.94)	
Wk 6	75	105.5 (3.14)	-0.1 (3.61)		64	106.3 (3.07)	0.6 (3.78)		67	105.3 (3.09)	-0.3 (3.47)	
Wk 8	73	106.0 (3.34)	0.3 (3.52)		60	105.6 (3.01)	-0.2 (3.47)		56	105.2 (3.57)	-0.1 (3.71)	
Wk 12	67	105.3 (2.93)	-0.3 (3.75)		52	105.7 (3.21)	-0.4 (3.63)		49	105.2 (2.40)	-0.1 (2.64)	
Wk 16	68	105.5 (3.16)	0.0 (3.57)		42	106.2 (2.93)	0.2 (3.17)		37	105.9 (2.66)	0.6 (2.54)	
Wk 20	65	106.0 (3.68)	0.6 (4.13)		31	106.3 (2.75)	-0.1 (2.41)		31	105.4 (3.03)	-0.2 (3.69)	
Wk 24	57	105.5 (3.14)	-0.1 (3.82)		27	105.3 (2.52)	-1.2 (2.95)		30	105.3 (3.21)	-0.1 (3.06)	

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Placebo				Xanomeline Low				Xanomeline High			
Placebo				Xanomeline Low				Xanomeline High			
Placebo				Xanomeline Low				Xanomeline High			
Visit	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)		
Wk 26	57	106.2 (2.58)	0.8 (3.33)	25	105.7 (2.35)	-0.5 (2.72)	27	105.7 (3.44)	0.4 (2.92)		
End[1]	84	105.6 (3.42)	-0.1 (3.86)	82	105.5 (3.37)	-0.1 (3.31)	80	105.0 (3.20)	-0.5 (3.17)		
Chloride (mmol/L) change from previous visit, relative to normal range											
Chloride (mmol/L) change from previous visit, relative to normal range											
Chloride (mmol/L) change from previous visit, relative to normal range											
Chloride (mmol/L) change from previous visit, relative to normal range											
Chloride (mmol/L) change from previous visit, relative to normal range											
Bsln	86			82			83				
Wk 2	84	0.0 (0.37)		80	0.0 (0.38)		77	-0.1 (0.43)			
Wk 4	82	0.0 (0.39)		72	0.0 (0.38)		72	0.0 (0.40)			
Wk 6	75	0.0 (0.41)		64	0.1 (0.37)		67	0.0 (0.40)			
Wk 8	73	0.0 (0.40)		60	-0.1 (0.36)		56	0.0 (0.45)			
Wk 12	67	-0.1 (0.38)		52	0.0 (0.41)		49	0.0 (0.35)			
Wk 16	68	0.0 (0.37)		42	0.1 (0.44)		37	0.1 (0.31)			
Wk 20	65	0.1 (0.38)		31	0.0 (0.30)		31	-0.1 (0.38)			
Wk 24	57	-0.1 (0.41)		27	-0.1 (0.37)		30	0.0 (0.31)			

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Placebo				Xanomeline Low				Xanomeline High			
Placebo				Xanomeline Low				Xanomeline High			
Placebo				Xanomeline Low				Xanomeline High			
Visit	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)		
Wk 26	57	0.1 (0.36)		25	0.1 (0.38)		27	0.1 (0.31)			
End[1]	84	0.0 (0.44)		82	0.0 (0.40)		80	0.0 (0.33)			
CHOLESTEROL											
CHOLESTEROL											
CHOLESTEROL											
CHOLESTEROL											
CHOLESTEROL											
Bsln	86	5.8 (1.07)		82	5.7 (1.00)		84	5.8 (1.02)			
Wk 2	84	5.6 (1.02)	−0.1 (0.54)	80	5.6 (0.92)	−0.1 (0.50)	78	5.6 (0.93)	−0.2 (0.53)		
Wk 4	82	5.5 (0.94)	−0.2 (0.57)	72	5.5 (0.97)	−0.2 (0.49)	72	5.5 (1.00)	−0.3 (0.51)		
Wk 6	75	5.6 (0.95)	−0.1 (0.67)	64	5.4 (0.95)	−0.2 (0.55)	67	5.5 (0.91)	−0.3 (0.64)		
Wk 8	73	5.5 (1.02)	−0.2 (0.71)	60	5.5 (0.96)	−0.2 (0.49)	56	5.5 (0.94)	−0.3 (0.54)		
Wk 12	67	5.5 (0.92)	−0.2 (0.57)	52	5.3 (0.90)	−0.3 (0.47)	50	5.4 (0.91)	−0.3 (0.63)		
Wk 16	68	5.6 (0.98)	−0.1 (0.58)	42	5.3 (1.00)	−0.3 (0.48)	37	5.4 (0.94)	−0.2 (0.55)		
Wk 20	66	5.5 (0.94)	−0.2 (0.68)	31	5.2 (0.86)	−0.4 (0.46)	31	5.3 (0.85)	−0.3 (0.49)		
Wk 24	57	5.5 (1.01)	−0.3 (0.68)	27	5.4 (0.94)	−0.2 (0.65)	30	5.3 (0.89)	−0.3 (0.50)		
Wk 26	57	5.5 (0.94)	−0.3 (0.62)	25	5.2 (0.76)	−0.4 (0.64)	27	5.4 (0.90)	−0.2 (0.81)		
End[1]	84	5.5 (1.02)	−0.3 (0.76)	82	5.4 (0.96)	−0.3 (0.56)	80	5.4 (0.89)	−0.4 (0.60)		

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Placebo				Xanomeline Low				Xanomeline High			
Placebo				Xanomeline Low				Xanomeline High			
Placebo				Xanomeline Low				Xanomeline High			
Visit	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)
Cholesterol (mmol/L) change from previous visit, relative to normal range											
Cholesterol (mmol/L) change from previous visit, relative to normal range											
Cholesterol (mmol/L) change from previous visit, relative to normal range											
Cholesterol (mmol/L) change from previous visit, relative to normal range											
Cholesterol (mmol/L) change from previous visit, relative to normal range											
Bsln	86			82			84				
Wk 2	84	-0.1 (0.29)		80	-0.1 (0.27)		78	-0.1 (0.30)			
Wk 4	82	-0.1 (0.25)		72	-0.1 (0.27)		72	0.0 (0.27)			
Wk 6	75	0.0 (0.26)		64	0.0 (0.26)		67	0.0 (0.33)			
Wk 8	73	0.0 (0.30)		60	0.0 (0.26)		56	0.0 (0.29)			
Wk 12	67	0.0 (0.32)		52	0.0 (0.21)		50	0.0 (0.26)			
Wk 16	68	0.1 (0.26)		42	0.0 (0.25)		37	0.0 (0.26)			
Wk 20	66	-0.1 (0.32)		31	-0.1 (0.21)		31	0.0 (0.27)			
Wk 24	57	0.0 (0.31)		27	0.1 (0.29)		30	0.0 (0.19)			
Wk 26	57	0.0 (0.26)		25	-0.1 (0.26)		27	0.0 (0.28)			
End[1]	84	0.0 (0.31)		82	0.0 (0.30)		80	0.0 (0.25)			

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
CREATINE KINASE									
CREATINE KINASE									
CREATINE KINASE									
CREATINE KINASE									
CREATINE KINASE									
Bsln	86	86.9 (43.71)		82	100.6 (68.87)		84	104.0 (71.75)	
Wk 2	83	90.3 (66.11)	2.4 (57.72)	80	106.1 (83.92)	6.0 (84.97)	78	93.8 (53.19)	-12.0 (52.92)
Wk 4	79	96.9 (124.45)	8.3 (116.54)	72	93.2 (51.67)	-7.8 (55.54)	72	100.6 (58.39)	-4.8 (53.80)
Wk 6	73	88.0 (42.36)	-0.3 (40.55)	62	89.0 (44.29)	-13.7 (59.25)	66	123.5 (227.36)	17.8 (187.17)
Wk 8	72	93.8 (45.84)	1.2 (46.26)	60	90.0 (39.16)	-8.3 (61.09)	56	91.8 (52.25)	-9.3 (59.25)
Wk 12	67	101.8 (78.66)	8.9 (67.77)	51	94.7 (53.59)	-7.2 (65.59)	50	96.6 (60.55)	-2.8 (66.47)
Wk 16	68	104.9 (66.37)	12.7 (52.13)	42	97.5 (56.39)	-6.9 (72.02)	37	86.1 (47.70)	-1.6 (24.32)
Wk 20	65	93.8 (46.56)	1.0 (42.07)	30	111.6 (137.04)	21.5 (136.75)	31	97.5 (68.57)	6.0 (28.57)
Wk 24	57	127.4 (207.98)	32.6 (200.00)	26	83.6 (38.60)	0.8 (21.99)	30	90.9 (53.97)	-1.1 (23.40)
Wk 26	57	94.1 (51.03)	2.0 (46.93)	25	69.9 (23.70)	-15.0 (17.45)	27	93.0 (59.94)	1.4 (43.90)
End[1]	84	112.6 (173.34)	24.6 (165.91)	82	98.2 (61.12)	-1.9 (67.09)	80	95.1 (56.32)	-9.9 (60.94)

Creatine Kinase (U/L) change from previous visit, relative to normal range

Creatine Kinase (U/L) change from previous visit, relative to normal range

Creatine Kinase (U/L) change from previous visit, relative to

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

		Placebo			Xanomeline Low			Xanomeline High		
		Placebo			Xanomeline Low			Xanomeline High		
		Placebo			Xanomeline Low			Xanomeline High		
Visit	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N
normal range										
Creatine Kinase (U/L) change from previous visit, relative to normal range										
Creatine Kinase (U/L) change from previous visit, relative to normal range										
Bsln	86			82			84			
Wk 2	83	0.0 (0.75)		80	0.1 (1.09)		78	-0.1 (0.62)		
Wk 4	79	0.0 (1.46)		72	-0.2 (0.93)		72	0.1 (0.46)		
Wk 6	73	-0.1 (1.40)		62	-0.1 (0.35)		66	0.2 (2.55)		
Wk 8	72	0.0 (0.48)		60	0.1 (0.29)		56	-0.3 (2.70)		
Wk 12	67	0.1 (0.84)		51	0.0 (0.44)		50	0.1 (0.70)		
Wk 16	68	0.0 (0.80)		42	0.1 (0.32)		37	-0.2 (0.64)		
Wk 20	65	-0.1 (0.52)		30	0.3 (1.80)		31	0.1 (0.39)		
Wk 24	57	0.4 (2.63)		26	-0.3 (1.66)		30	-0.1 (0.35)		
Wk 26	57	-0.1 (0.71)		25	-0.2 (0.25)		27	0.0 (0.52)		
End[1]	84	0.3 (2.17)		82	-0.1 (1.06)		80	-0.1 (0.72)		

CREATININE
CREATININE
CREATININE
CREATININE
CREATININE

[1] Last observed value while on treatment (prior to or at Week 24)
Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
Bsln	86	97.7 (17.78)		82	103.5 (20.01)		84	103.7 (19.37)	
Wk 2	84	99.0 (17.51)	1.4 (8.06)	80	106.2 (21.26)	2.3 (10.51)	78	106.3 (21.18)	2.8 (9.50)
Wk 4	82	98.6 (18.56)	1.1 (11.40)	72	105.1 (19.83)	2.0 (8.13)	72	105.8 (20.66)	2.6 (10.43)
Wk 6	75	101.7 (18.46)	3.3 (12.14)	64	104.4 (19.85)	1.7 (9.31)	67	105.8 (20.87)	3.2 (9.94)
Wk 8	73	99.1 (16.07)	0.0 (9.88)	60	104.3 (21.27)	1.8 (7.54)	56	106.1 (22.24)	3.2 (9.14)
Wk 12	67	101.5 (16.53)	2.4 (9.68)	52	101.8 (17.72)	1.8 (7.99)	50	108.2 (20.48)	5.8 (10.95)
Wk 16	68	100.4 (16.43)	1.2 (10.57)	42	98.5 (16.63)	-1.3 (9.29)	37	102.5 (17.86)	2.2 (9.18)
Wk 20	66	100.3 (17.92)	1.3 (11.31)	31	97.2 (17.23)	-1.8 (8.17)	31	103.5 (19.66)	3.1 (11.76)
Wk 24	57	99.3 (15.85)	0.8 (11.37)	27	99.2 (16.14)	1.7 (7.08)	30	100.2 (19.61)	-0.6 (10.36)
Wk 26	57	100.0 (18.46)	2.0 (9.30)	25	99.7 (18.84)	2.9 (8.10)	27	101.8 (18.73)	0.3 (8.31)
End[1]	84	98.5 (16.13)	0.8 (10.77)	82	105.6 (19.79)	1.8 (8.60)	80	104.6 (20.50)	1.4 (10.38)

Creatinine (umol/L) change from previous visit, relative to normal range
Creatinine (umol/L) change from previous visit, relative to normal range
Creatinine (umol/L) change from previous visit, relative to normal range
Creatinine (umol/L) change from previous visit, relative to normal range
Creatinine (umol/L) change from previous visit, relative to normal range

[1] Last observed value while on treatment (prior to or at Week 24)
Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

		Placebo			Xanomeline Low			Xanomeline High		
		Placebo			Xanomeline Low			Xanomeline High		
		Placebo			Xanomeline Low			Xanomeline High		
Visit	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N
Bsln	86			82			84			
Wk 2	84	0.0 (0.27)		80	0.1 (0.34)		78	0.1 (0.30)		
Wk 4	82	0.0 (0.34)		72	0.0 (0.29)		72	0.0 (0.30)		
Wk 6	75	0.1 (0.40)		64	0.0 (0.28)		67	0.0 (0.33)		
Wk 8	73	-0.1 (0.31)		60	0.0 (0.30)		56	0.0 (0.30)		
Wk 12	67	0.1 (0.30)		52	0.0 (0.26)		50	0.1 (0.34)		
Wk 16	68	0.0 (0.29)		42	-0.1 (0.29)		37	-0.1 (0.32)		
Wk 20	66	0.0 (0.29)		31	0.1 (0.22)		31	0.0 (0.35)		
Wk 24	57	0.0 (0.33)		27	0.1 (0.30)		30	-0.1 (0.29)		
Wk 26	57	0.0 (0.30)		25	0.0 (0.30)		27	0.1 (0.31)		
End[1]	84	0.0 (0.31)		82	0.1 (0.32)		80	0.0 (0.31)		
GAMMA GLUTAMYL TRANSFERASE										
GAMMA GLUTAMYL TRANSFERASE										
GAMMA GLUTAMYL TRANSFERASE										
GAMMA GLUTAMYL TRANSFERASE										
GAMMA GLUTAMYL TRANSFERASE										
Bsln	86	24.9 (49.75)		82	22.2 (15.57)		84	22.8 (17.71)		
Wk 2	84	24.2 (47.03)	-0.8 (5.52)	80	22.6 (15.52)	0.2 (9.48)	78	23.7 (18.17)	0.6 (8.96)	
Wk 4	82	24.5 (48.68)	-0.8 (5.69)	72	21.8 (13.82)	-1.1 (7.51)	72	23.3 (16.08)	0.1 (9.29)	

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
Wk 6	75	19.9 (15.55)	0.3 (6.11)	64	21.9 (13.72)	-0.6 (6.88)	67	21.6 (13.48)	-0.5 (6.74)
Wk 8	73	20.6 (16.38)	0.1 (6.76)	60	23.6 (15.55)	1.1 (11.36)	56	26.8 (29.96)	4.0 (24.63)
Wk 12	67	21.4 (15.04)	0.5 (5.70)	52	21.9 (13.97)	-0.7 (8.80)	50	24.7 (21.26)	1.2 (8.19)
Wk 16	68	20.8 (13.00)	-0.1 (5.65)	42	22.8 (14.86)	-0.1 (6.38)	37	23.9 (17.79)	-1.3 (6.16)
Wk 20	66	20.4 (13.90)	-0.5 (5.42)	31	24.1 (17.52)	-0.4 (5.90)	31	22.2 (11.28)	-0.5 (5.98)
Wk 24	57	22.0 (16.68)	0.5 (10.90)	27	23.7 (14.75)	0.5 (7.28)	30	25.5 (22.64)	-0.9 (6.48)
Wk 26	57	21.4 (13.91)	-0.4 (7.08)	25	22.0 (15.31)	-1.0 (8.44)	27	23.4 (18.73)	-3.4 (7.97)
End[1]	84	25.7 (48.78)	0.7 (9.60)	82	22.4 (14.03)	0.3 (10.36)	80	22.3 (15.66)	-0.6 (9.81)

Gamma Glutamyl Transferase (U/L) change from previous visit,
relative to normal range

Gamma Glutamyl Transferase (U/L) change from previous visit,
relative to normal range

Gamma Glutamyl Transferase (U/L) change from previous visit,
relative to normal range

Gamma Glutamyl Transferase (U/L) change from previous visit,
relative to normal range

Gamma Glutamyl Transferase (U/L) change from previous visit,
relative to normal range

Bsln	86		82		84
Wk 2	84	0.0 (0.25)	80	0.0 (0.42)	78 0.0 (0.43)
Wk 4	82	0.0 (0.14)	72	-0.1 (0.27)	72 0.0 (0.31)

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo			N	Xanomeline Low			N	Xanomeline High		
		Mean (SD)	Change from Bsln Mean (SD)			Mean (SD)	Change from Bsln Mean (SD)			Mean (SD)	Change from Bsln Mean (SD)	
Wk 6	75	0.1 (0.39)			64	0.0 (0.30)			67	-0.1 (0.27)		
Wk 8	73	0.0 (0.14)			60	0.1 (0.40)			56	0.2 (1.08)		
Wk 12	67	0.0 (0.27)			52	-0.1 (0.37)			50	-0.2 (0.98)		
Wk 16	68	0.0 (0.28)			42	0.0 (0.28)			37	-0.1 (0.40)		
Wk 20	66	0.0 (0.22)			31	0.0 (0.19)			31	0.1 (0.17)		
Wk 24	57	0.1 (0.47)			27	0.0 (0.22)			30	0.0 (0.26)		
Wk 26	57	-0.1 (0.33)			25	-0.1 (0.17)			27	-0.1 (0.30)		
End[1]	84	0.1 (0.40)			82	0.0 (0.37)			80	-0.1 (0.80)		
GLUCOSE												
GLUCOSE												
GLUCOSE												
GLUCOSE												
GLUCOSE												
Bsln	86	5.6 (2.14)			82	5.4 (0.94)			84	5.4 (1.34)		
Wk 2	83	5.6 (1.87)	0.0 (1.37)		80	5.6 (1.75)	0.1 (1.50)		78	6.1 (2.92)	0.7 (2.06)	
Wk 4	79	5.6 (1.87)	0.0 (1.55)		71	5.4 (1.41)	-0.1 (1.09)		72	5.9 (1.84)	0.4 (1.25)	
Wk 6	73	5.7 (2.22)	0.1 (1.37)		62	5.3 (1.34)	-0.1 (1.12)		66	6.0 (2.80)	0.5 (2.20)	
Wk 8	72	5.5 (1.35)	-0.1 (2.09)		59	5.5 (1.76)	0.1 (1.34)		56	5.8 (2.15)	0.2 (1.68)	
Wk 12	67	6.1 (1.97)	0.4 (1.97)		51	5.9 (3.18)	0.4 (2.78)		49	6.0 (2.28)	0.4 (1.64)	

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Placebo				Xanomeline Low				Xanomeline High			
Placebo				Xanomeline Low				Xanomeline High			
Placebo				Xanomeline Low				Xanomeline High			
Visit	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)		
Wk 16	68	5.5 (1.42)	−0.2 (1.69)	42	5.3 (0.83)	−0.2 (0.89)	37	5.9 (2.30)	0.2 (1.74)		
Wk 20	65	5.8 (1.50)	0.1 (2.08)	30	5.7 (1.73)	0.1 (1.39)	31	5.8 (1.61)	0.2 (1.47)		
Wk 24	57	5.7 (1.83)	−0.1 (2.68)	26	5.7 (1.26)	0.2 (0.82)	30	6.0 (1.92)	0.5 (1.94)		
Wk 26	57	5.8 (1.85)	0.0 (1.60)	25	5.5 (1.72)	0.1 (1.35)	27	5.6 (1.01)	0.1 (1.66)		
End[1]	84	5.6 (1.61)	0.0 (2.26)	82	5.4 (1.07)	−0.1 (1.03)	80	5.9 (2.15)	0.5 (1.62)		
Glucose (mmol/L) change from previous visit, relative to normal range											
Glucose (mmol/L) change from previous visit, relative to normal range											
Glucose (mmol/L) change from previous visit, relative to normal range											
Glucose (mmol/L) change from previous visit, relative to normal range											
Glucose (mmol/L) change from previous visit, relative to normal range											
Bsln	86			82			84				
Wk 2	83	0.0 (0.25)		80	0.0 (0.28)		78	0.1 (0.38)			
Wk 4	79	0.0 (0.24)		71	0.0 (0.25)		72	−0.1 (0.40)			
Wk 6	73	0.0 (0.25)		62	0.0 (0.20)		66	0.0 (0.45)			
Wk 8	72	0.0 (0.34)		59	0.0 (0.24)		56	−0.1 (0.37)			
Wk 12	67	0.1 (0.31)		51	0.1 (0.38)		49	0.0 (0.25)			

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
Wk 16	68	-0.1 (0.28)		42	-0.1 (0.53)		37	0.0 (0.27)	
Wk 20	65	0.0 (0.22)		30	0.1 (0.24)		31	0.1 (0.25)	
Wk 24	57	0.0 (0.31)		26	0.0 (0.27)		30	0.0 (0.31)	
Wk 26	57	0.0 (0.39)		25	0.0 (0.24)		27	-0.1 (0.31)	
End[1]	84	0.0 (0.28)		82	0.0 (0.26)		80	0.0 (0.26)	
PHOSPHATE									
PHOSPHATE									
PHOSPHATE									
PHOSPHATE									
PHOSPHATE									
Bsln	86	1.2 (0.15)		81	1.2 (0.11)		83	1.2 (0.15)	
Wk 2	84	1.2 (0.15)	0.0 (0.16)	80	1.2 (0.15)	0.0 (0.16)	78	1.2 (0.18)	0.0 (0.19)
Wk 4	82	1.1 (0.16)	0.0 (0.17)	71	1.1 (0.14)	0.0 (0.14)	72	1.2 (0.18)	0.0 (0.16)
Wk 6	75	1.2 (0.15)	0.0 (0.17)	64	1.2 (0.17)	0.0 (0.17)	67	1.2 (0.15)	0.0 (0.16)
Wk 8	73	1.1 (0.14)	0.0 (0.13)	60	1.1 (0.16)	0.0 (0.16)	56	1.2 (0.16)	0.0 (0.18)
Wk 12	67	1.2 (0.16)	0.0 (0.18)	52	1.1 (0.14)	0.0 (0.18)	50	1.1 (0.15)	0.0 (0.17)
Wk 16	68	1.1 (0.14)	0.0 (0.15)	42	1.1 (0.17)	0.0 (0.19)	37	1.2 (0.17)	0.0 (0.17)
Wk 20	65	1.2 (0.17)	0.0 (0.15)	31	1.1 (0.13)	0.0 (0.14)	31	1.2 (0.15)	0.0 (0.16)
Wk 24	56	1.2 (0.15)	0.0 (0.16)	27	1.2 (0.19)	0.1 (0.19)	30	1.1 (0.17)	0.0 (0.17)

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Placebo				Xanomeline Low				Xanomeline High			
Placebo				Xanomeline Low				Xanomeline High			
Placebo				Xanomeline Low				Xanomeline High			
Visit	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)
Wk 26	57	1.2 (0.15)	0.0 (0.18)	25	1.1 (0.17)	0.0 (0.17)	27	1.2 (0.19)	0.0 (0.20)		
End[1]	84	1.2 (0.17)	0.0 (0.18)	82	1.2 (0.17)	0.0 (0.18)	80	1.2 (0.16)	0.0 (0.17)		
Phosphate (mmol/L) change from previous visit, relative to normal range											
Phosphate (mmol/L) change from previous visit, relative to normal range											
Phosphate (mmol/L) change from previous visit, relative to normal range											
Phosphate (mmol/L) change from previous visit, relative to normal range											
Phosphate (mmol/L) change from previous visit, relative to normal range											
Bsln	86			81			83				
Wk 2	84	0.0 (0.35)		80	0.0 (0.34)		78	0.0 (0.39)			
Wk 4	82	0.0 (0.33)		71	-0.1 (0.32)		72	0.0 (0.34)			
Wk 6	75	0.1 (0.29)		64	0.1 (0.29)		67	0.0 (0.36)			
Wk 8	73	-0.1 (0.34)		60	0.0 (0.40)		56	0.0 (0.37)			
Wk 12	67	0.0 (0.31)		52	0.0 (0.35)		50	0.0 (0.37)			
Wk 16	68	0.0 (0.33)		42	0.0 (0.34)		37	0.1 (0.32)			
Wk 20	65	0.0 (0.39)		31	0.0 (0.25)		31	-0.1 (0.41)			
Wk 24	56	0.0 (0.40)		27	0.1 (0.29)		30	0.0 (0.35)			

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
Wk 26	57	0.0 (0.34)		25	-0.1 (0.26)		27	0.1 (0.45)	
End[1]	84	0.0 (0.39)		82	0.0 (0.31)		80	0.0 (0.37)	
POTASSIUM									
POTASSIUM									
POTASSIUM									
POTASSIUM									
POTASSIUM									
Bsln	86	4.3 (0.43)		81	4.3 (0.34)		82	4.3 (0.41)	
Wk 2	84	4.2 (0.41)	0.0 (0.37)	80	4.3 (0.41)	0.0 (0.38)	77	4.3 (0.40)	0.0 (0.46)
Wk 4	82	4.2 (0.37)	-0.1 (0.38)	71	4.3 (0.40)	-0.1 (0.36)	72	4.2 (0.37)	-0.1 (0.46)
Wk 6	75	4.3 (0.33)	0.0 (0.41)	64	4.3 (0.39)	-0.1 (0.41)	67	4.2 (0.32)	-0.1 (0.44)
Wk 8	73	4.2 (0.37)	-0.1 (0.43)	60	4.3 (0.39)	0.0 (0.38)	56	4.2 (0.39)	0.0 (0.50)
Wk 12	67	4.2 (0.41)	0.0 (0.46)	52	4.2 (0.42)	-0.2 (0.40)	49	4.2 (0.26)	-0.1 (0.39)
Wk 16	68	4.2 (0.41)	0.0 (0.46)	42	4.3 (0.33)	-0.1 (0.35)	37	4.3 (0.27)	0.0 (0.35)
Wk 20	64	4.3 (0.46)	0.0 (0.44)	31	4.3 (0.36)	0.0 (0.44)	31	4.3 (0.37)	0.0 (0.40)
Wk 24	56	4.3 (0.44)	0.1 (0.44)	27	4.3 (0.41)	0.0 (0.35)	30	4.2 (0.42)	0.0 (0.50)
Wk 26	57	4.2 (0.38)	0.0 (0.34)	25	4.3 (0.40)	0.0 (0.36)	27	4.3 (0.39)	0.0 (0.54)
End[1]	84	4.3 (0.43)	0.0 (0.41)	82	4.3 (0.43)	-0.1 (0.39)	80	4.2 (0.36)	-0.1 (0.47)

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Placebo				Xanomeline Low				Xanomeline High			
Placebo				Xanomeline Low				Xanomeline High			
Placebo				Xanomeline Low				Xanomeline High			
Visit	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)
Potassium (mmol/L) change from previous visit, relative to normal range											
Potassium (mmol/L) change from previous visit, relative to normal range											
Potassium (mmol/L) change from previous visit, relative to normal range											
Potassium (mmol/L) change from previous visit, relative to normal range											
Potassium (mmol/L) change from previous visit, relative to normal range											
Bsln	86			81			82				
Wk 2	84	0.0 (0.37)		80	0.0 (0.38)		77	0.0 (0.46)			
Wk 4	82	0.0 (0.29)		71	-0.1 (0.38)		72	-0.1 (0.40)			
Wk 6	75	0.1 (0.38)		64	0.0 (0.40)		67	0.0 (0.32)			
Wk 8	73	-0.1 (0.37)		60	0.0 (0.41)		56	0.0 (0.42)			
Wk 12	67	0.0 (0.36)		52	-0.2 (0.41)		49	0.0 (0.41)			
Wk 16	68	0.0 (0.48)		42	0.1 (0.33)		37	0.1 (0.34)			
Wk 20	64	0.0 (0.40)		31	0.0 (0.33)		31	0.0 (0.38)			
Wk 24	56	0.0 (0.40)		27	0.0 (0.42)		30	-0.1 (0.45)			
Wk 26	57	0.0 (0.34)		25	0.0 (0.40)		27	0.0 (0.45)			
End[1]	84	0.0 (0.40)		82	0.0 (0.43)		80	-0.1 (0.41)			

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
PROTEIN									
PROTEIN									
PROTEIN									
PROTEIN									
PROTEIN									
Bsln	86	70.5 (4.72)		82	70.4 (4.29)		84	71.0 (4.24)	
Wk 2	84	69.2 (4.93)	-1.3 (4.53)	80	69.5 (4.48)	-0.9 (3.63)	78	69.5 (4.31)	-1.6 (3.91)
Wk 4	82	69.0 (4.18)	-1.6 (3.93)	72	68.8 (4.30)	-1.5 (3.97)	72	69.8 (4.54)	-1.4 (3.90)
Wk 6	75	69.6 (3.95)	-1.2 (4.01)	64	68.8 (4.33)	-1.3 (4.17)	67	70.2 (4.28)	-1.1 (4.10)
Wk 8	73	70.5 (5.20)	-0.4 (4.35)	60	69.2 (3.95)	-0.9 (3.71)	56	70.6 (3.78)	-1.0 (3.57)
Wk 12	67	70.0 (4.28)	-0.6 (3.86)	52	69.3 (4.98)	-0.8 (3.62)	50	70.4 (3.83)	-1.0 (4.11)
Wk 16	68	71.2 (4.57)	0.4 (4.39)	42	69.3 (4.79)	-0.5 (4.27)	37	70.5 (4.93)	-1.0 (4.57)
Wk 20	66	70.0 (4.92)	-1.1 (4.53)	31	68.7 (4.82)	-1.3 (3.88)	31	69.5 (4.15)	-1.8 (4.13)
Wk 24	57	70.1 (4.33)	-0.8 (4.81)	27	70.9 (6.11)	0.7 (4.03)	30	70.7 (3.47)	-0.7 (3.83)
Wk 26	57	70.4 (4.48)	-0.5 (4.56)	25	69.4 (5.29)	-1.1 (4.26)	27	69.4 (4.89)	-2.5 (4.01)
End[1]	84	70.2 (4.26)	-0.3 (4.35)	82	70.1 (4.95)	-0.4 (3.97)	80	70.4 (3.91)	-0.7 (3.63)

Protein (g/L) change from previous visit, relative to normal range
Protein (g/L) change from previous visit, relative to normal range
Protein (g/L) change from previous visit, relative to normal range
Protein (g/L) change from previous visit, relative to normal range
Protein (g/L) change from previous visit, relative to normal range

[1] Last observed value while on treatment (prior to or at Week 24)
Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

		Placebo			Xanomeline Low			Xanomeline High		
		Placebo			Xanomeline Low			Xanomeline High		
		Placebo			Xanomeline Low			Xanomeline High		
Visit	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	
Bsln	86			82			84			
Wk 2	84	-0.1 (0.45)		80	-0.1 (0.36)		78	-0.2 (0.39)		
Wk 4	82	0.0 (0.38)		72	-0.1 (0.36)		72	0.0 (0.42)		
Wk 6	75	0.0 (0.39)		64	0.0 (0.33)		67	0.0 (0.48)		
Wk 8	73	0.1 (0.40)		60	0.1 (0.32)		56	0.0 (0.38)		
Wk 12	67	0.0 (0.42)		52	0.0 (0.32)		50	0.0 (0.35)		
Wk 16	68	0.1 (0.44)		42	0.0 (0.37)		37	0.0 (0.46)		
Wk 20	66	-0.1 (0.42)		31	-0.1 (0.35)		31	-0.1 (0.31)		
Wk 24	57	0.1 (0.45)		27	0.2 (0.38)		30	0.1 (0.28)		
Wk 26	57	0.0 (0.40)		25	-0.2 (0.40)		27	-0.1 (0.39)		
End[1]	84	0.1 (0.41)		82	0.0 (0.40)		80	0.0 (0.39)		
SODIUM										
SODIUM										
SODIUM										
SODIUM										
SODIUM										
Bsln	86	140.3 (2.74)		82	140.0 (2.61)		83	140.0 (3.11)		
Wk 2	84	140.4 (2.62)	0.0 (3.35)	80	139.6 (2.47)	-0.3 (2.86)	77	139.1 (2.74)	-0.6 (2.87)	
Wk 4	82	139.9 (2.74)	-0.4 (3.58)	72	140.1 (2.40)	0.2 (3.16)	72	139.7 (2.75)	-0.3 (3.39)	

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Placebo				Xanomeline Low				Xanomeline High			
Placebo				Xanomeline Low				Xanomeline High			
Placebo				Xanomeline Low				Xanomeline High			
Visit	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)		
Wk 6	75	140.3 (2.58)	0.0 (3.08)	64	140.6 (2.69)	0.8 (3.25)	67	140.1 (2.61)	-0.2 (3.23)		
Wk 8	73	140.7 (2.48)	0.4 (3.33)	60	140.4 (2.58)	0.6 (3.33)	56	140.5 (3.15)	0.3 (3.79)		
Wk 12	67	140.4 (2.39)	0.2 (2.98)	52	141.1 (2.77)	1.1 (3.06)	49	140.2 (2.39)	-0.1 (2.79)		
Wk 16	68	141.1 (2.37)	0.9 (3.10)	42	141.0 (2.62)	1.2 (2.93)	37	141.6 (2.96)	1.4 (3.18)		
Wk 20	65	141.2 (2.53)	1.1 (3.01)	31	141.4 (2.53)	1.6 (3.42)	31	141.8 (3.87)	1.2 (3.61)		
Wk 24	57	141.7 (2.23)	1.6 (3.27)	27	141.5 (2.12)	1.2 (3.12)	30	141.6 (2.99)	1.0 (3.10)		
Wk 26	57	142.6 (2.25)	2.5 (2.90)	25	142.1 (2.08)	1.9 (3.13)	27	142.4 (3.07)	1.9 (3.43)		
End[1]	84	141.5 (2.74)	1.1 (3.51)	82	141.1 (2.65)	1.3 (3.09)	80	140.5 (3.22)	0.5 (3.50)		
Sodium (mmol/L) change from previous visit, relative to normal range											
Sodium (mmol/L) change from previous visit, relative to normal range											
Sodium (mmol/L) change from previous visit, relative to normal range											
Sodium (mmol/L) change from previous visit, relative to normal range											
Sodium (mmol/L) change from previous visit, relative to normal range											
Bsln	86			82			83				
Wk 2	84	0.0 (0.67)		80	-0.1 (0.56)		77	-0.1 (0.56)			
Wk 4	82	-0.1 (0.52)		72	0.1 (0.59)		72	0.1 (0.63)			

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo			N	Xanomeline Low			N	Xanomeline High		
		Mean (SD)	Change from Bsln Mean (SD)			Mean (SD)	Change from Bsln Mean (SD)			Mean (SD)	Change from Bsln Mean (SD)	
Wk 6	75	0.1 (0.56)			64	0.1 (0.57)			67	0.1 (0.68)		
Wk 8	73	0.1 (0.56)			60	0.0 (0.57)			56	0.0 (0.61)		
Wk 12	67	0.0 (0.53)			52	0.2 (0.55)			49	0.0 (0.53)		
Wk 16	68	0.1 (0.54)			42	0.1 (0.56)			37	0.2 (0.50)		
Wk 20	65	0.0 (0.49)			31	0.0 (0.52)			31	0.0 (0.72)		
Wk 24	57	0.1 (0.60)			27	0.0 (0.47)			30	−0.1 (0.77)		
Wk 26	57	0.2 (0.57)			25	0.1 (0.60)			27	0.2 (0.45)		
End[1]	84	0.1 (0.59)			82	0.1 (0.56)			80	0.1 (0.71)		
URATE												
URATE												
URATE												
URATE												
URATE												
Bsln	86	285.0 (74.45)			82	300.7 (77.78)			84	302.2 (78.01)		
Wk 2	84	284.0 (68.72)	−1.8 (50.16)		80	305.8 (74.25)	1.0 (40.56)		78	301.7 (81.96)	−2.7 (33.85)	
Wk 4	82	285.6 (69.22)	−0.6 (35.59)		72	299.5 (79.44)	−3.7 (38.80)		72	291.4 (79.28)	−9.5 (42.17)	
Wk 6	75	288.0 (68.73)	−1.1 (38.24)		64	298.1 (74.46)	−6.2 (30.89)		67	291.6 (74.82)	−9.8 (34.48)	
Wk 8	73	285.6 (65.63)	−5.1 (36.28)		60	290.9 (71.15)	−15.6 (30.49)		56	291.6 (76.76)	−11.2 (35.13)	
Wk 12	67	291.1 (70.07)	3.2 (40.20)		52	290.3 (63.20)	−11.5 (31.83)		50	294.2 (78.84)	−9.0 (36.29)	

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
Wk 16	68	285.8 (68.72)	−3.6 (41.33)	42	288.8 (58.78)	−12.9 (39.98)	37	284.1 (80.47)	−19.9 (36.13)
Wk 20	66	301.9 (73.43)	12.1 (40.18)	31	279.7 (58.71)	−16.5 (44.34)	31	295.1 (85.89)	−9.6 (43.81)
Wk 24	57	293.5 (73.47)	4.6 (42.98)	27	274.9 (57.72)	−19.2 (31.26)	30	288.5 (88.37)	−19.4 (50.03)
Wk 26	57	291.9 (74.43)	5.1 (44.39)	25	279.3 (60.01)	−13.6 (39.12)	27	301.1 (86.31)	−12.6 (47.68)
End[1]	84	290.5 (73.86)	4.7 (46.43)	82	298.3 (80.54)	−3.1 (37.11)	80	292.4 (80.83)	−10.5 (42.35)

Urate (umol/L) change from previous visit, relative to normal range

Urate (umol/L) change from previous visit, relative to normal range

Urate (umol/L) change from previous visit, relative to normal range

Urate (umol/L) change from previous visit, relative to normal range

Urate (umol/L) change from previous visit, relative to normal range

Bsln	86		82		84
Wk 2	84	0.0 (0.33)	80	0.0 (0.27)	78 0.0 (0.23)
Wk 4	82	0.0 (0.26)	72	0.0 (0.26)	72 0.0 (0.25)
Wk 6	75	0.0 (0.22)	64	0.0 (0.24)	67 0.0 (0.23)
Wk 8	73	0.0 (0.22)	60	−0.1 (0.21)	56 0.0 (0.19)
Wk 12	67	0.0 (0.23)	52	0.0 (0.17)	50 0.0 (0.18)

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo			N	Xanomeline Low			N	Xanomeline High		
		Mean (SD)	Change from Bsln Mean (SD)			Mean (SD)	Change from Bsln Mean (SD)			Mean (SD)	Change from Bsln Mean (SD)	
Wk 16	68	-0.1 (0.22)			42	0.0 (0.24)			37	-0.1 (0.18)		
Wk 20	66	0.1 (0.28)			31	0.0 (0.24)			31	0.1 (0.21)		
Wk 24	57	0.0 (0.25)			27	0.0 (0.22)			30	0.0 (0.23)		
Wk 26	57	0.0 (0.26)			25	0.1 (0.19)			27	0.1 (0.23)		
End[1]	84	0.0 (0.25)			82	0.0 (0.26)			80	0.0 (0.24)		
UREA NITROGEN												
UREA NITROGEN												
UREA NITROGEN												
UREA NITROGEN												
UREA NITROGEN												
Bsln	86	5.5 (1.39)			82	6.4 (1.97)			84	5.8 (1.88)		
Wk 2	84	5.8 (1.51)	0.3 (1.17)		80	6.6 (1.82)	0.3 (1.53)		78	6.0 (2.06)	0.3 (1.36)	
Wk 4	82	5.9 (1.47)	0.3 (1.11)		72	6.4 (1.63)	0.0 (1.37)		72	5.9 (1.87)	0.3 (1.30)	
Wk 6	75	6.1 (1.42)	0.5 (1.16)		64	6.4 (1.76)	-0.1 (1.32)		67	6.0 (2.06)	0.3 (1.43)	
Wk 8	73	5.6 (1.58)	0.0 (1.22)		60	6.3 (1.92)	0.0 (0.95)		56	5.9 (1.93)	0.1 (1.25)	
Wk 12	67	5.9 (1.61)	0.2 (1.24)		52	6.2 (1.49)	0.0 (1.45)		50	5.9 (1.76)	0.1 (1.50)	
Wk 16	68	5.8 (1.60)	0.2 (1.28)		42	6.0 (1.62)	-0.2 (1.25)		37	5.7 (1.92)	0.2 (1.29)	
Wk 20	66	5.8 (1.53)	0.1 (1.28)		31	5.6 (1.57)	-0.6 (1.39)		31	5.9 (2.25)	0.2 (1.50)	
Wk 24	57	5.9 (1.32)	0.3 (1.24)		27	6.0 (2.07)	0.0 (1.37)		30	5.3 (1.92)	-0.3 (1.37)	

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
Wk 26	57	6.1 (1.62)	0.4 (1.36)	25	5.7 (1.93)	-0.3 (1.14)	27	5.9 (2.47)	0.3 (1.40)
End[1]	84	5.9 (1.38)	0.3 (1.20)	82	6.6 (1.95)	0.2 (1.37)	80	5.7 (1.97)	0.0 (1.57)

HEMATOLOGY
HEMATOLOGY
HEMATOLOGY
HEMATOLOGY
HEMATOLOGY

Anisocytes change from previous visit, relative to normal range
Anisocytes change from previous visit, relative to normal range
Anisocytes change from previous visit, relative to normal range
Anisocytes change from previous visit, relative to normal range
Anisocytes change from previous visit, relative to normal range

Bsln	7	3	7
Wk 2	6	9	5
Wk 4	9	9	4
Wk 6	7	5	7
Wk 8	7	2	3
Wk 12	9	3	2
Wk 16	4	9	6

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo			N	Xanomeline Low			N	Xanomeline High		
		Mean (SD)	Change from Bsln Mean (SD)	Placebo		Mean (SD)	Change from Bsln Mean (SD)	Xanomeline Low		Mean (SD)	Change from Bsln Mean (SD)	Xanomeline High
Wk 20	5				2				4			
Wk 24	3				1				3			
Wk 26	5				4				4			
End[1]	27				21				16			
BASOPHILS												
BASOPHILS												
BASOPHILS												
BASOPHILS												
BASOPHILS												
Bsln	85	0.1 (0.04)			81	0.1 (0.03)			81	0.1 (0.02)		
Wk 2	83	0.0 (0.02)	0.0 (0.03)		80	0.1 (0.03)	0.0 (0.03)		80	0.0 (0.03)	0.0 (0.02)	
Wk 4	79	0.0 (0.02)	0.0 (0.03)		71	0.0 (0.03)	0.0 (0.03)		71	0.0 (0.02)	0.0 (0.02)	
Wk 6	73	0.0 (0.03)	0.0 (0.03)		62	0.0 (0.03)	0.0 (0.03)		64	0.1 (0.03)	0.0 (0.03)	
Wk 8	72	0.0 (0.02)	0.0 (0.03)		59	0.1 (0.02)	0.0 (0.04)		56	0.1 (0.03)	0.0 (0.02)	
Wk 12	66	0.0 (0.02)	0.0 (0.04)		50	0.0 (0.02)	0.0 (0.03)		50	0.1 (0.03)	0.0 (0.02)	
Wk 16	68	0.0 (0.03)	0.0 (0.04)		42	0.0 (0.02)	0.0 (0.03)		37	0.1 (0.03)	0.0 (0.02)	
Wk 20	65	0.0 (0.03)	0.0 (0.03)		30	0.0 (0.02)	0.0 (0.03)		31	0.0 (0.02)	0.0 (0.03)	
Wk 24	58	0.0 (0.03)	0.0 (0.03)		25	0.0 (0.03)	0.0 (0.02)		30	0.1 (0.02)	0.0 (0.02)	
Wk 26	57	0.0 (0.02)	0.0 (0.03)		25	0.0 (0.03)	0.0 (0.02)		27	0.1 (0.03)	0.0 (0.03)	

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
End[1]	84	0.0 (0.03)	0.0 (0.03)	82	0.0 (0.03)	0.0 (0.03)	81	0.1 (0.02)	0.0 (0.02)
Basophils (GI/L) change from previous visit, relative to normal range									
Basophils (GI/L) change from previous visit, relative to normal range									
Basophils (GI/L) change from previous visit, relative to normal range									
Basophils (GI/L) change from previous visit, relative to normal range									
Basophils (GI/L) change from previous visit, relative to normal range									
Bsln	85			81			81		
Wk 2	83	-0.1 (0.30)		80	0.0 (0.30)		80	0.0 (0.22)	
Wk 4	79	-0.1 (0.22)		71	0.0 (0.24)		71	0.0 (0.18)	
Wk 6	73	0.0 (0.23)		62	0.0 (0.21)		64	0.1 (0.21)	
Wk 8	72	0.0 (0.23)		59	0.0 (0.22)		56	0.0 (0.21)	
Wk 12	66	0.0 (0.23)		50	-0.1 (0.20)		50	0.0 (0.18)	
Wk 16	68	0.0 (0.23)		42	0.0 (0.16)		37	0.0 (0.22)	
Wk 20	65	0.0 (0.27)		30	0.0 (0.21)		31	0.0 (0.34)	
Wk 24	58	0.0 (0.19)		25	0.1 (0.21)		30	0.1 (0.25)	
Wk 26	57	0.0 (0.21)		25	0.0 (0.17)		27	0.0 (0.23)	

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
End[1]	84	0.0 (0.25)		82	0.0 (0.21)		81	0.0 (0.23)	
EOSINOPHILS									
EOSINOPHILS									
EOSINOPHILS									
EOSINOPHILS									
EOSINOPHILS									
Bsln	85	0.1 (0.12)		81	0.1 (0.12)		81	0.1 (0.10)	
Wk 2	83	0.1 (0.10)	0.0 (0.09)	80	0.2 (0.17)	0.0 (0.14)	80	0.1 (0.11)	0.0 (0.07)
Wk 4	79	0.1 (0.13)	0.0 (0.09)	71	0.2 (0.14)	0.0 (0.11)	71	0.2 (0.15)	0.0 (0.13)
Wk 6	73	0.1 (0.13)	0.0 (0.11)	62	0.2 (0.21)	0.1 (0.16)	64	0.2 (0.28)	0.1 (0.25)
Wk 8	72	0.1 (0.10)	0.0 (0.10)	59	0.3 (0.26)	0.2 (0.23)	56	0.2 (0.25)	0.1 (0.19)
Wk 12	66	0.1 (0.09)	0.0 (0.11)	50	0.3 (0.21)	0.1 (0.19)	50	0.2 (0.17)	0.1 (0.14)
Wk 16	68	0.1 (0.08)	0.0 (0.10)	42	0.2 (0.16)	0.1 (0.13)	37	0.2 (0.21)	0.1 (0.17)
Wk 20	65	0.1 (0.08)	0.0 (0.10)	30	0.2 (0.19)	0.1 (0.16)	31	0.1 (0.11)	0.0 (0.12)
Wk 24	58	0.1 (0.08)	0.0 (0.09)	25	0.2 (0.14)	0.0 (0.12)	30	0.2 (0.15)	0.0 (0.13)
Wk 26	57	0.1 (0.10)	0.0 (0.11)	25	0.2 (0.15)	0.0 (0.13)	27	0.1 (0.10)	0.0 (0.09)
End[1]	84	0.1 (0.08)	0.0 (0.10)	82	0.2 (0.17)	0.0 (0.14)	81	0.2 (0.20)	0.1 (0.18)

Eosinophils (GI/L) change from previous visit, relative to normal range

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

		Placebo			Xanomeline Low			Xanomeline High		
		Placebo			Xanomeline Low			Xanomeline High		
		Placebo			Xanomeline Low			Xanomeline High		
Visit	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N
Eosinophils (GI/L) change from previous visit, relative to normal range										
Eosinophils (GI/L) change from previous visit, relative to normal range										
Eosinophils (GI/L) change from previous visit, relative to normal range										
Eosinophils (GI/L) change from previous visit, relative to normal range										
Bsln	85			81			81			
Wk 2	83	-0.1 (0.30)		80	0.1 (0.49)		80	0.0 (0.25)		
Wk 4	79	0.0 (0.25)		71	0.0 (0.43)		71	0.1 (0.45)		
Wk 6	73	0.0 (0.34)		62	0.2 (0.44)		64	0.3 (0.58)		
Wk 8	72	0.0 (0.27)		59	0.2 (0.61)		56	0.0 (0.75)		
Wk 12	66	0.0 (0.33)		50	-0.2 (0.60)		50	0.0 (0.42)		
Wk 16	68	0.0 (0.26)		42	-0.3 (0.44)		37	-0.1 (0.38)		
Wk 20	65	0.0 (0.24)		30	0.0 (0.42)		31	-0.1 (0.44)		
Wk 24	58	0.0 (0.25)		25	0.0 (0.33)		30	0.0 (0.51)		
Wk 26	57	0.0 (0.25)		25	0.0 (0.23)		27	-0.1 (0.41)		
End[1]	84	0.0 (0.22)		82	-0.2 (0.52)		81	0.0 (0.58)		

ERY. MEAN CORPUSCULAR HB CONCENTRATION
ERY. MEAN CORPUSCULAR HB CONCENTRATION

[1] Last observed value while on treatment (prior to or at Week 24)
Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Placebo				Xanomeline Low				Xanomeline High			
Placebo				Xanomeline Low				Xanomeline High			
Placebo				Xanomeline Low				Xanomeline High			
Visit	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)		
ERY. MEAN CORPUSCULAR HB CONCENTRATION											
ERY. MEAN CORPUSCULAR HB CONCENTRATION											
ERY. MEAN CORPUSCULAR HB CONCENTRATION											
Bsln	85	20.6 (0.87)		80	20.2 (0.98)		80	20.5 (0.87)			
Wk 2	83	20.3 (0.77)	−0.3 (1.00)	80	20.3 (0.85)	0.0 (1.04)	80	20.4 (0.74)	0.0 (0.98)		
Wk 4	77	20.2 (0.78)	−0.4 (1.01)	69	20.2 (0.72)	0.0 (0.94)	70	20.5 (0.71)	−0.1 (0.90)		
Wk 6	72	20.5 (0.77)	−0.2 (0.98)	60	20.1 (0.84)	−0.2 (0.99)	65	20.4 (0.89)	−0.2 (1.00)		
Wk 8	71	20.3 (0.68)	−0.2 (0.85)	56	20.2 (0.83)	0.0 (0.92)	56	20.5 (0.76)	−0.1 (0.93)		
Wk 12	65	20.3 (0.74)	−0.3 (0.96)	49	20.3 (0.68)	0.0 (0.99)	50	20.5 (0.76)	−0.1 (1.03)		
Wk 16	68	20.2 (0.75)	−0.4 (1.02)	42	20.0 (0.82)	−0.2 (1.02)	37	20.4 (0.83)	−0.2 (1.11)		
Wk 20	64	20.3 (0.80)	−0.3 (0.94)	30	20.0 (0.85)	−0.4 (0.91)	31	20.3 (0.88)	−0.3 (1.22)		
Wk 24	58	20.1 (0.89)	−0.5 (1.01)	25	20.3 (0.91)	−0.3 (0.95)	30	20.4 (0.85)	−0.3 (1.29)		
Wk 26	56	20.3 (0.99)	−0.4 (1.16)	25	19.9 (0.94)	−0.6 (1.09)	27	20.2 (0.92)	−0.6 (1.12)		
End[1]	83	20.2 (0.85)	−0.4 (0.99)	82	20.2 (0.81)	0.0 (0.98)	81	20.4 (0.78)	−0.1 (1.08)		
ERY. MEAN CORPUSCULAR HEMOGLOBIN											
ERY. MEAN CORPUSCULAR HEMOGLOBIN											
ERY. MEAN CORPUSCULAR HEMOGLOBIN											
ERY. MEAN CORPUSCULAR HEMOGLOBIN											
ERY. MEAN CORPUSCULAR HEMOGLOBIN											
Bsln	85	1.9 (0.12)		81	1.9 (0.09)		81	1.9 (0.13)			

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Placebo				Xanomeline Low				Xanomeline High			
Placebo				Xanomeline Low				Xanomeline High			
Placebo				Xanomeline Low				Xanomeline High			
Visit	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)
Wk 2	83	1.9 (0.11)	0.0 (0.07)	80	1.9 (0.09)	0.0 (0.07)	80	1.9 (0.13)	0.0 (0.07)		
Wk 4	79	1.9 (0.12)	0.0 (0.07)	71	1.9 (0.09)	0.0 (0.07)	71	1.9 (0.13)	0.0 (0.06)		
Wk 6	73	1.9 (0.13)	0.0 (0.08)	62	1.9 (0.08)	0.0 (0.05)	65	1.9 (0.13)	0.0 (0.08)		
Wk 8	72	1.9 (0.12)	0.0 (0.06)	59	1.9 (0.09)	0.0 (0.06)	56	1.9 (0.10)	0.0 (0.07)		
Wk 12	66	1.9 (0.12)	0.0 (0.06)	50	1.9 (0.09)	0.0 (0.05)	50	1.9 (0.09)	0.0 (0.07)		
Wk 16	68	1.9 (0.12)	0.0 (0.05)	42	1.9 (0.10)	0.0 (0.07)	37	1.9 (0.11)	0.0 (0.08)		
Wk 20	65	1.9 (0.11)	0.0 (0.06)	30	1.9 (0.08)	0.0 (0.06)	31	1.9 (0.12)	0.0 (0.08)		
Wk 24	58	1.9 (0.12)	0.0 (0.06)	25	1.9 (0.09)	0.0 (0.06)	30	1.9 (0.13)	0.0 (0.09)		
Wk 26	57	1.9 (0.12)	0.0 (0.07)	25	1.9 (0.08)	0.0 (0.08)	27	1.9 (0.12)	0.0 (0.08)		
End[1]	84	1.9 (0.12)	0.0 (0.07)	82	1.9 (0.09)	0.0 (0.06)	81	1.9 (0.13)	0.0 (0.07)		
Ery. Mean Corpuscular Hemoglobin (fmol(Fe)) change from previous visit, relative to normal range											
Ery. Mean Corpuscular Hemoglobin (fmol(Fe)) change from previous visit, relative to normal range											
Ery. Mean Corpuscular Hemoglobin (fmol(Fe)) change from previous visit, relative to normal range											
Ery. Mean Corpuscular Hemoglobin (fmol(Fe)) change from previous visit, relative to normal range											
Ery. Mean Corpuscular Hemoglobin (fmol(Fe)) change from previous visit, relative to normal range											
Bsln	85			81			81				

[1] Last observed value while on treatment (prior to or at Week 24)
Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo			N	Xanomeline Low			N	Xanomeline High		
		Mean (SD)	Change from Bsln Mean (SD)			Mean (SD)	Change from Bsln Mean (SD)			Mean (SD)	Change from Bsln Mean (SD)	
Wk 2	83	0.0 (0.25)			80	0.0 (0.26)			80	0.0 (0.26)		
Wk 4	79	0.0 (0.21)			71	0.0 (0.25)			71	0.0 (0.23)		
Wk 6	73	0.0 (0.22)			62	0.0 (0.16)			65	0.0 (0.21)		
Wk 8	72	0.0 (0.20)			59	0.0 (0.21)			56	0.0 (0.21)		
Wk 12	66	0.0 (0.23)			50	0.0 (0.17)			50	0.0 (0.18)		
Wk 16	68	0.0 (0.22)			42	0.0 (0.20)			37	0.0 (0.19)		
Wk 20	65	0.0 (0.17)			30	0.0 (0.19)			31	0.0 (0.19)		
Wk 24	58	0.0 (0.16)			25	0.0 (0.20)			30	0.0 (0.27)		
Wk 26	57	0.0 (0.20)			25	0.0 (0.18)			27	0.0 (0.22)		
End[1]	84	0.0 (0.19)			82	0.0 (0.20)			81	0.0 (0.22)		
Ery. Mean Corpuscular HGB Concentration (mmol/L) change from previous visit, relative to normal rang												
Ery. Mean Corpuscular HGB Concentration (mmol/L) change from previous visit, relative to normal rang												
Ery. Mean Corpuscular HGB Concentration (mmol/L) change from previous visit, relative to normal rang												
Ery. Mean Corpuscular HGB Concentration (mmol/L) change from previous visit, relative to normal rang												
Ery. Mean Corpuscular HGB Concentration (mmol/L) change from previous visit, relative to normal rang												
Bsln	85				80				80			

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo			N	Xanomeline Low			N	Xanomeline High		
		Mean (SD)	Change from Bsln Mean (SD)	Placebo		Mean (SD)	Change from Bsln Mean (SD)	Xanomeline Low		Mean (SD)	Change from Bsln Mean (SD)	Xanomeline High
Wk 2	83	-0.1 (0.39)			80	0.0 (0.40)			80	0.0 (0.38)		
Wk 4	77	0.0 (0.30)			69	0.0 (0.35)			70	0.0 (0.33)		
Wk 6	72	0.1 (0.35)			60	0.0 (0.32)			65	0.0 (0.31)		
Wk 8	71	-0.1 (0.29)			56	0.0 (0.30)			56	0.0 (0.31)		
Wk 12	65	0.0 (0.34)			49	0.0 (0.30)			50	0.0 (0.27)		
Wk 16	68	0.0 (0.37)			42	-0.1 (0.28)			37	0.0 (0.29)		
Wk 20	64	0.0 (0.31)			30	0.0 (0.38)			31	0.0 (0.37)		
Wk 24	58	-0.1 (0.30)			25	0.1 (0.31)			30	0.0 (0.36)		
Wk 26	56	0.1 (0.37)			25	-0.1 (0.38)			27	-0.1 (0.37)		
End[1]	83	0.0 (0.33)			82	0.0 (0.35)			81	0.0 (0.35)		
ERY. MEAN CORPUSCULAR VOLUME												
ERY. MEAN CORPUSCULAR VOLUME												
ERY. MEAN CORPUSCULAR VOLUME												
ERY. MEAN CORPUSCULAR VOLUME												
ERY. MEAN CORPUSCULAR VOLUME												
Bsln	85	92.9 (5.69)			80	94.6 (4.90)			80	93.3 (5.91)		
Wk 2	83	94.1 (5.31)	1.2 (3.93)		80	94.6 (4.12)	0.2 (3.57)		80	93.4 (5.93)	0.2 (3.91)	
Wk 4	77	94.6 (5.87)	1.7 (3.47)		69	95.1 (4.22)	0.6 (3.69)		70	93.0 (5.52)	0.0 (3.69)	
Wk 6	72	94.2 (6.21)	1.3 (3.79)		60	95.2 (4.51)	0.7 (3.68)		65	94.0 (6.61)	0.6 (3.99)	

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
Wk 8	71	94.3 (5.51)	1.5 (3.27)	56	94.9 (3.97)	0.6 (3.35)	56	94.4 (4.77)	0.4 (4.03)
Wk 12	65	94.2 (5.66)	1.6 (3.81)	49	95.1 (4.17)	0.9 (3.91)	50	94.9 (4.90)	0.8 (4.20)
Wk 16	68	94.1 (6.01)	1.7 (4.07)	42	95.8 (5.17)	1.2 (4.18)	37	94.7 (6.27)	0.6 (5.05)
Wk 20	64	93.3 (5.58)	1.3 (4.14)	30	95.4 (5.43)	2.0 (3.29)	31	95.1 (5.91)	0.9 (5.12)
Wk 24	58	93.9 (5.90)	1.6 (3.85)	25	94.3 (3.85)	0.8 (3.94)	30	95.0 (5.99)	0.7 (4.97)
Wk 26	56	93.9 (6.40)	1.7 (4.48)	25	95.8 (4.33)	2.6 (3.70)	27	95.4 (6.19)	1.2 (3.93)
End[1]	83	94.4 (5.93)	1.4 (4.07)	82	95.0 (3.98)	0.6 (3.83)	81	93.8 (6.14)	0.7 (4.40)
Ery. Mean Corpuscular Volume (fL) change from previous visit, relative to normal range									
Ery. Mean Corpuscular Volume (fL) change from previous visit, relative to normal range									
Ery. Mean Corpuscular Volume (fL) change from previous visit, relative to normal range									
Ery. Mean Corpuscular Volume (fL) change from previous visit, relative to normal range									
Ery. Mean Corpuscular Volume (fL) change from previous visit, relative to normal range									
Bsln	85			80			80		
Wk 2	83	0.1 (0.39)		80	0.0 (0.36)		80	0.0 (0.39)	
Wk 4	77	0.1 (0.29)		69	0.0 (0.31)		70	0.0 (0.25)	
Wk 6	72	-0.1 (0.32)		60	0.0 (0.31)		65	0.1 (0.33)	

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
Wk 8	71	0.0 (0.32)		56	0.0 (0.32)		56	0.0 (0.31)	
Wk 12	65	0.0 (0.32)		49	0.0 (0.30)		50	0.0 (0.28)	
Wk 16	68	0.0 (0.38)		42	0.1 (0.25)		37	0.0 (0.39)	
Wk 20	64	0.0 (0.32)		30	0.0 (0.39)		31	0.0 (0.43)	
Wk 24	58	0.0 (0.35)		25	-0.1 (0.35)		30	0.0 (0.35)	
Wk 26	56	0.0 (0.33)		25	0.2 (0.36)		27	0.0 (0.35)	
End[1]	83	0.0 (0.34)		82	0.0 (0.33)		81	0.0 (0.33)	
ERYTHROCYTES									
ERYTHROCYTES									
ERYTHROCYTES									
ERYTHROCYTES									
ERYTHROCYTES									
Bsln	85	4.5 (0.45)		81	4.5 (0.42)		81	4.7 (0.47)	
Wk 2	83	4.4 (0.40)	-0.1 (0.22)	80	4.4 (0.43)	-0.1 (0.27)	80	4.6 (0.47)	-0.1 (0.22)
Wk 4	79	4.4 (0.45)	-0.1 (0.25)	71	4.4 (0.38)	-0.2 (0.30)	71	4.5 (0.49)	-0.1 (0.25)
Wk 6	73	4.4 (0.37)	-0.1 (0.24)	62	4.3 (0.38)	-0.2 (0.27)	65	4.5 (0.50)	-0.1 (0.24)
Wk 8	72	4.4 (0.41)	-0.1 (0.26)	59	4.4 (0.34)	-0.2 (0.24)	56	4.5 (0.45)	-0.1 (0.19)
Wk 12	66	4.4 (0.44)	-0.1 (0.26)	50	4.3 (0.32)	-0.2 (0.20)	50	4.6 (0.47)	-0.1 (0.27)
Wk 16	68	4.5 (0.41)	0.0 (0.27)	42	4.3 (0.36)	-0.1 (0.24)	37	4.6 (0.44)	-0.2 (0.26)

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Placebo				Xanomeline Low				Xanomeline High			
Placebo				Xanomeline Low				Xanomeline High			
Placebo				Xanomeline Low				Xanomeline High			
Visit	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)
Wk 20	65	4.5 (0.41)	−0.1 (0.30)	30	4.3 (0.32)	−0.1 (0.21)	31	4.5 (0.50)	−0.2 (0.30)		
Wk 24	58	4.4 (0.45)	−0.1 (0.23)	25	4.4 (0.38)	−0.1 (0.19)	30	4.6 (0.58)	−0.1 (0.24)		
Wk 26	57	4.4 (0.42)	0.0 (0.25)	25	4.4 (0.35)	−0.1 (0.20)	27	4.5 (0.47)	−0.2 (0.27)		
End[1]	84	4.4 (0.43)	−0.1 (0.27)	82	4.4 (0.38)	−0.2 (0.25)	81	4.6 (0.49)	−0.1 (0.22)		
Erythrocytes (TI/L) change from previous visit, relative to normal range											
Erythrocytes (TI/L) change from previous visit, relative to normal range											
Erythrocytes (TI/L) change from previous visit, relative to normal range											
Erythrocytes (TI/L) change from previous visit, relative to normal range											
Erythrocytes (TI/L) change from previous visit, relative to normal range											
Bsln	85			81			81				
Wk 2	83	−0.1 (0.27)		80	−0.1 (0.33)		80	−0.1 (0.25)			
Wk 4	79	−0.1 (0.27)		71	−0.1 (0.35)		71	0.0 (0.28)			
Wk 6	73	0.0 (0.22)		62	0.0 (0.29)		65	0.0 (0.32)			
Wk 8	72	0.0 (0.26)		59	0.0 (0.26)		56	0.0 (0.24)			
Wk 12	66	−0.1 (0.28)		50	0.0 (0.30)		50	0.0 (0.25)			
Wk 16	68	0.1 (0.33)		42	0.0 (0.28)		37	−0.1 (0.24)			

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo			N	Xanomeline Low			N	Xanomeline High		
		Mean (SD)	Change from Bsln Mean (SD)			Mean (SD)	Change from Bsln Mean (SD)			Mean (SD)	Change from Bsln Mean (SD)	
Wk 20	65	-0.1 (0.28)			30	0.0 (0.29)			31	0.0 (0.18)		
Wk 24	58	0.0 (0.31)			25	0.0 (0.28)			30	0.1 (0.32)		
Wk 26	57	0.0 (0.25)			25	0.0 (0.22)			27	-0.1 (0.29)		
End[1]	84	0.0 (0.32)			82	0.0 (0.31)			81	0.0 (0.32)		
HEMATOCRIT												
HEMATOCRIT												
HEMATOCRIT												
HEMATOCRIT												
HEMATOCRIT												
Bsln	85	0.4 (0.04)			80	0.4 (0.04)			80	0.4 (0.04)		
Wk 2	83	0.4 (0.04)	0.0 (0.03)		80	0.4 (0.04)	0.0 (0.03)		80	0.4 (0.04)	0.0 (0.03)	
Wk 4	77	0.4 (0.04)	0.0 (0.03)		69	0.4 (0.04)	0.0 (0.03)		70	0.4 (0.04)	0.0 (0.03)	
Wk 6	72	0.4 (0.04)	0.0 (0.03)		60	0.4 (0.04)	0.0 (0.03)		65	0.4 (0.04)	0.0 (0.03)	
Wk 8	71	0.4 (0.04)	0.0 (0.03)		56	0.4 (0.03)	0.0 (0.02)		56	0.4 (0.03)	0.0 (0.03)	
Wk 12	65	0.4 (0.04)	0.0 (0.03)		49	0.4 (0.03)	0.0 (0.02)		50	0.4 (0.04)	0.0 (0.03)	
Wk 16	68	0.4 (0.04)	0.0 (0.03)		42	0.4 (0.03)	0.0 (0.03)		37	0.4 (0.03)	0.0 (0.04)	
Wk 20	64	0.4 (0.04)	0.0 (0.03)		30	0.4 (0.03)	0.0 (0.02)		31	0.4 (0.04)	0.0 (0.04)	
Wk 24	58	0.4 (0.04)	0.0 (0.03)		25	0.4 (0.04)	0.0 (0.02)		30	0.4 (0.04)	0.0 (0.04)	
Wk 26	56	0.4 (0.04)	0.0 (0.03)		25	0.4 (0.04)	0.0 (0.03)		27	0.4 (0.04)	0.0 (0.03)	

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

		Placebo			Xanomeline Low			Xanomeline High		
		Placebo			Xanomeline Low			Xanomeline High		
		Placebo			Xanomeline Low			Xanomeline High		
Visit	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	
End[1]	83	0.4 (0.04)	0.0 (0.03)	82	0.4 (0.04)	0.0 (0.03)	81	0.4 (0.04)	0.0 (0.03)	
Hematocrit change from previous visit, relative to normal range										
Hematocrit change from previous visit, relative to normal range										
Hematocrit change from previous visit, relative to normal range										
Hematocrit change from previous visit, relative to normal range										
Hematocrit change from previous visit, relative to normal range										
Bsln	85			80			80			
Wk 2	83	0.0 (0.40)		80	−0.1 (0.42)		80	−0.1 (0.44)		
Wk 4	77	0.0 (0.35)		69	−0.1 (0.42)		70	0.0 (0.35)		
Wk 6	72	−0.1 (0.35)		60	0.0 (0.42)		65	0.0 (0.42)		
Wk 8	71	0.1 (0.35)		56	0.0 (0.36)		56	0.0 (0.33)		
Wk 12	65	0.0 (0.39)		49	0.0 (0.33)		50	0.0 (0.28)		
Wk 16	68	0.1 (0.43)		42	0.1 (0.38)		37	−0.1 (0.41)		
Wk 20	64	−0.1 (0.39)		30	0.0 (0.40)		31	0.0 (0.35)		
Wk 24	58	0.0 (0.43)		25	−0.1 (0.35)		30	0.1 (0.41)		
Wk 26	56	0.0 (0.34)		25	0.1 (0.34)		27	−0.1 (0.38)		
End[1]	83	0.0 (0.41)		82	−0.1 (0.38)		81	0.0 (0.41)		

HEMOGLOBIN
HEMOGLOBIN

[1] Last observed value while on treatment (prior to or at Week 24)
Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Placebo				Xanomeline Low				Xanomeline High			
Placebo				Xanomeline Low				Xanomeline High			
Placebo				Xanomeline Low				Xanomeline High			
Visit	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)		
HEMOGLOBIN											
HEMOGLOBIN											
HEMOGLOBIN											
Bsln	85	8.6 (0.83)		81	8.6 (0.77)		81	8.9 (0.78)			
Wk 2	83	8.4 (0.76)	−0.2 (0.42)	80	8.4 (0.76)	−0.2 (0.46)	80	8.7 (0.83)	−0.2 (0.42)		
Wk 4	79	8.4 (0.82)	−0.2 (0.44)	71	8.4 (0.78)	−0.3 (0.50)	71	8.6 (0.78)	−0.2 (0.45)		
Wk 6	73	8.4 (0.77)	−0.2 (0.44)	62	8.3 (0.76)	−0.3 (0.46)	65	8.6 (0.75)	−0.3 (0.44)		
Wk 8	72	8.5 (0.76)	−0.2 (0.46)	59	8.3 (0.71)	−0.3 (0.39)	56	8.7 (0.73)	−0.3 (0.39)		
Wk 12	66	8.4 (0.83)	−0.2 (0.42)	50	8.3 (0.69)	−0.3 (0.34)	50	8.8 (0.79)	−0.3 (0.42)		
Wk 16	68	8.5 (0.73)	−0.1 (0.46)	42	8.3 (0.69)	−0.2 (0.42)	37	8.7 (0.70)	−0.3 (0.47)		
Wk 20	65	8.4 (0.80)	−0.2 (0.51)	30	8.2 (0.63)	−0.2 (0.46)	31	8.7 (0.79)	−0.4 (0.46)		
Wk 24	58	8.3 (0.82)	−0.2 (0.40)	25	8.4 (0.69)	−0.2 (0.36)	30	8.9 (0.85)	−0.3 (0.36)		
Wk 26	57	8.4 (0.80)	−0.2 (0.47)	25	8.3 (0.67)	−0.3 (0.39)	27	8.7 (0.74)	−0.5 (0.39)		
End[1]	84	8.4 (0.78)	−0.2 (0.44)	82	8.4 (0.69)	−0.2 (0.44)	81	8.7 (0.79)	−0.2 (0.36)		

Hemoglobin (mmol/L) change from previous visit, relative to normal range

Hemoglobin (mmol/L) change from previous visit, relative to normal range

Hemoglobin (mmol/L) change from previous visit, relative to normal range

Hemoglobin (mmol/L) change from previous visit, relative to

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

		Placebo			Xanomeline Low			Xanomeline High		
		Placebo			Xanomeline Low			Xanomeline High		
		Placebo			Xanomeline Low			Xanomeline High		
Visit	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N
normal range										
Hemoglobin (mmol/L) change from previous visit, relative to normal range										
Bsln	85			81			81			
Wk 2	83	-0.1 (0.31)		80	-0.1 (0.34)		80	-0.2 (0.31)		
Wk 4	79	-0.1 (0.29)		71	-0.1 (0.34)		71	0.0 (0.30)		
Wk 6	73	0.0 (0.26)		62	0.0 (0.31)		65	0.0 (0.34)		
Wk 8	72	0.0 (0.27)		59	0.1 (0.29)		56	0.0 (0.28)		
Wk 12	66	-0.1 (0.30)		50	0.0 (0.31)		50	0.0 (0.30)		
Wk 16	68	0.1 (0.33)		42	0.0 (0.33)		37	-0.1 (0.27)		
Wk 20	65	0.0 (0.31)		30	0.0 (0.27)		31	0.0 (0.21)		
Wk 24	58	0.0 (0.33)		25	0.0 (0.27)		30	0.1 (0.29)		
Wk 26	57	0.0 (0.27)		25	-0.1 (0.23)		27	-0.1 (0.27)		
End[1]	84	0.0 (0.32)		82	-0.1 (0.34)		81	0.0 (0.30)		
LEUKOCYTES										
LEUKOCYTES										
LEUKOCYTES										
LEUKOCYTES										
LEUKOCYTES										
Bsln	85	6.9 (1.76)		81	6.6 (1.95)		81	6.5 (1.54)		

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
Wk 2	83	6.5 (1.55)	−0.4 (1.40)	80	6.9 (1.99)	0.2 (1.37)	80	6.5 (1.59)	−0.1 (1.18)
Wk 4	79	6.4 (1.63)	−0.4 (1.17)	71	6.8 (2.12)	0.1 (1.53)	71	6.6 (1.42)	0.1 (1.21)
Wk 6	73	6.5 (1.57)	−0.4 (1.36)	62	6.9 (1.99)	0.1 (1.14)	65	7.0 (1.84)	0.4 (1.65)
Wk 8	72	6.5 (1.70)	−0.3 (1.28)	59	7.1 (1.88)	0.3 (1.26)	56	6.9 (1.95)	0.4 (1.64)
Wk 12	66	6.3 (1.28)	−0.5 (1.09)	50	6.8 (2.03)	0.2 (0.97)	50	6.6 (1.51)	0.0 (1.21)
Wk 16	68	6.4 (1.50)	−0.5 (1.29)	42	6.6 (2.11)	0.2 (1.44)	37	6.8 (1.72)	−0.1 (1.37)
Wk 20	65	6.4 (1.77)	−0.5 (1.40)	30	6.5 (1.94)	0.1 (1.24)	31	6.6 (1.67)	−0.2 (1.21)
Wk 24	58	6.7 (1.77)	−0.2 (1.37)	25	6.3 (1.84)	0.0 (1.16)	30	6.7 (1.80)	−0.1 (1.16)
Wk 26	57	6.4 (1.47)	−0.4 (1.24)	25	6.1 (1.93)	−0.3 (1.15)	27	6.7 (1.78)	−0.2 (1.42)
End[1]	84	6.6 (1.80)	−0.2 (1.32)	82	6.8 (2.17)	0.1 (1.35)	81	6.7 (1.76)	0.2 (1.37)

Leukocytes (GI/L) change from previous visit, relative to normal range

Leukocytes (GI/L) change from previous visit, relative to normal range

Leukocytes (GI/L) change from previous visit, relative to normal range

Leukocytes (GI/L) change from previous visit, relative to normal range

Leukocytes (GI/L) change from previous visit, relative to normal range

Bsln

85

81

81

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

		Placebo			Xanomeline Low			Xanomeline High		
		Placebo			Xanomeline Low			Xanomeline High		
		Placebo			Xanomeline Low			Xanomeline High		
Visit	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	
Wk 2	83	-0.1 (0.40)		80	0.1 (0.39)		80	0.0 (0.35)		
Wk 4	79	0.0 (0.34)		71	0.0 (0.39)		71	0.0 (0.33)		
Wk 6	73	0.0 (0.34)		62	0.0 (0.45)		65	0.1 (0.40)		
Wk 8	72	0.0 (0.32)		59	0.1 (0.34)		56	0.0 (0.39)		
Wk 12	66	0.0 (0.36)		50	-0.1 (0.31)		50	-0.1 (0.39)		
Wk 16	68	0.0 (0.30)		42	0.0 (0.35)		37	0.0 (0.38)		
Wk 20	65	0.0 (0.38)		30	0.0 (0.31)		31	0.0 (0.27)		
Wk 24	58	0.1 (0.32)		25	0.1 (0.26)		30	0.0 (0.33)		
Wk 26	57	0.0 (0.33)		25	-0.1 (0.30)		27	0.0 (0.36)		
End[1]	84	0.1 (0.36)		82	0.0 (0.35)		81	0.0 (0.40)		
LYMPHOCYTES										
LYMPHOCYTES										
LYMPHOCYTES										
LYMPHOCYTES										
LYMPHOCYTES										
Bsln	85	1.8 (0.57)		81	1.8 (0.57)		81	1.7 (0.52)		
Wk 2	83	1.7 (0.50)	-0.1 (0.37)	80	1.8 (0.66)	0.0 (0.45)	80	1.7 (0.50)	0.0 (0.38)	
Wk 4	79	1.7 (0.56)	0.0 (0.38)	71	1.8 (0.67)	0.0 (0.49)	71	1.7 (0.50)	0.0 (0.44)	
Wk 6	73	1.8 (0.58)	0.0 (0.41)	62	1.9 (0.64)	0.1 (0.47)	64	1.7 (0.48)	0.0 (0.44)	

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
Wk 8	72	1.8 (0.67)	0.0 (0.44)	59	1.9 (0.65)	0.1 (0.45)	56	1.7 (0.50)	0.0 (0.36)
Wk 12	66	1.7 (0.58)	-0.1 (0.42)	50	1.8 (0.58)	-0.1 (0.45)	50	1.6 (0.47)	0.0 (0.37)
Wk 16	68	1.7 (0.58)	-0.1 (0.42)	42	1.8 (0.63)	-0.1 (0.34)	37	1.7 (0.62)	0.0 (0.41)
Wk 20	65	1.7 (0.50)	-0.1 (0.45)	30	1.7 (0.59)	-0.1 (0.50)	31	1.7 (0.59)	0.0 (0.36)
Wk 24	58	1.8 (0.65)	0.0 (0.48)	25	1.8 (0.56)	0.0 (0.37)	30	1.7 (0.56)	0.0 (0.37)
Wk 26	57	1.8 (0.59)	0.0 (0.43)	25	1.7 (0.62)	-0.1 (0.39)	27	1.8 (0.61)	0.1 (0.50)
End[1]	84	1.8 (0.59)	0.0 (0.46)	82	1.8 (0.62)	0.0 (0.46)	81	1.6 (0.54)	0.0 (0.38)

Lymphocytes (GI/L) change from previous visit, relative to normal range

Lymphocytes (GI/L) change from previous visit, relative to normal range

Lymphocytes (GI/L) change from previous visit, relative to normal range

Lymphocytes (GI/L) change from previous visit, relative to normal range

Lymphocytes (GI/L) change from previous visit, relative to normal range

Bsln	85		81		81
Wk 2	83	-0.1 (0.33)	80	0.0 (0.40)	80
Wk 4	79	0.1 (0.34)	71	0.0 (0.44)	71
Wk 6	73	0.0 (0.42)	62	0.0 (0.44)	64

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo			N	Xanomeline Low			N	Xanomeline High		
		Mean (SD)	Change from Bsln Mean (SD)			Mean (SD)	Change from Bsln Mean (SD)			Mean (SD)	Change from Bsln Mean (SD)	
Wk 8	72	0.0 (0.35)			59	0.0 (0.34)			56	0.0 (0.34)		
Wk 12	66	-0.1 (0.39)			50	-0.1 (0.33)			50	0.0 (0.26)		
Wk 16	68	0.0 (0.37)			42	0.0 (0.35)			37	0.0 (0.35)		
Wk 20	65	0.0 (0.40)			30	-0.1 (0.33)			31	0.0 (0.37)		
Wk 24	58	0.1 (0.45)			25	0.1 (0.33)			30	0.0 (0.33)		
Wk 26	57	0.0 (0.48)			25	-0.1 (0.35)			27	0.1 (0.38)		
End[1]	84	0.1 (0.43)			82	0.0 (0.44)			81	-0.1 (0.32)		

Macrocytes change from previous visit, relative to normal range
Macrocytes change from previous visit, relative to normal range
Macrocytes change from previous visit, relative to normal range
Macrocytes change from previous visit, relative to normal range
Macrocytes change from previous visit, relative to normal range

Bsln	3		4		
Wk 2	5		1		2
Wk 4	5		2		2
Wk 6	2		4		3
Wk 8	3		3		1
Wk 12	3		1		4
Wk 16	6		2		5

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

		Placebo			Xanomeline Low			Xanomeline High		
		Placebo			Xanomeline Low			Xanomeline High		
		Placebo			Xanomeline Low			Xanomeline High		
Visit	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	
Wk 20	3			4			6			
Wk 24	6			1			4			
Wk 26	7			3			4			
End[1]	21			13			14			
Microcytes change from previous visit, relative to normal range										
Microcytes change from previous visit, relative to normal range										
Microcytes change from previous visit, relative to normal range										
Microcytes change from previous visit, relative to normal range										
Microcytes change from previous visit, relative to normal range										
Wk 2							1			
Wk 6							1			
End[1]							1			
MONOCYTES										
MONOCYTES										
MONOCYTES										
MONOCYTES										
MONOCYTES										
Bsln	85	0.4 (0.15)		81	0.5 (0.16)		81	0.4 (0.12)		
Wk 2	83	0.4 (0.15)	0.0 (0.14)	80	0.5 (0.16)	0.0 (0.13)	80	0.4 (0.15)	0.0 (0.12)	
Wk 4	79	0.4 (0.12)	0.0 (0.11)	71	0.5 (0.17)	0.0 (0.15)	71	0.4 (0.13)	0.0 (0.13)	

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
Wk 6	73	0.4 (0.15)	0.0 (0.13)	62	0.5 (0.19)	0.0 (0.16)	64	0.5 (0.15)	0.0 (0.13)
Wk 8	72	0.4 (0.14)	0.0 (0.14)	59	0.5 (0.14)	0.0 (0.14)	56	0.5 (0.15)	0.0 (0.14)
Wk 12	66	0.4 (0.13)	0.0 (0.13)	50	0.5 (0.15)	0.0 (0.12)	50	0.4 (0.15)	0.0 (0.11)
Wk 16	68	0.5 (0.15)	0.0 (0.17)	42	0.5 (0.16)	0.0 (0.12)	37	0.5 (0.16)	0.0 (0.14)
Wk 20	65	0.5 (0.16)	0.0 (0.15)	30	0.5 (0.13)	0.0 (0.13)	31	0.5 (0.17)	0.0 (0.18)
Wk 24	58	0.5 (0.17)	0.0 (0.17)	25	0.5 (0.19)	0.0 (0.11)	30	0.5 (0.18)	0.0 (0.12)
Wk 26	57	0.4 (0.14)	0.0 (0.14)	25	0.4 (0.17)	0.0 (0.12)	27	0.5 (0.14)	0.0 (0.13)
End[1]	84	0.5 (0.17)	0.0 (0.17)	82	0.5 (0.17)	0.0 (0.13)	81	0.5 (0.15)	0.0 (0.12)

Monocytes (GI/L) change from previous visit, relative to normal range

Monocytes (GI/L) change from previous visit, relative to normal range

Monocytes (GI/L) change from previous visit, relative to normal range

Monocytes (GI/L) change from previous visit, relative to normal range

Monocytes (GI/L) change from previous visit, relative to normal range

Bsln	85		81		81
Wk 2	83	0.0 (0.36)	80	0.0 (0.33)	80 0.0 (0.32)
Wk 4	79	0.0 (0.31)	71	0.0 (0.31)	71 0.0 (0.30)

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo			N	Xanomeline Low			N	Xanomeline High		
		Mean (SD)	Change from Bsln Mean (SD)	Placebo		Mean (SD)	Change from Bsln Mean (SD)	Xanomeline Low		Mean (SD)	Change from Bsln Mean (SD)	Xanomeline High
Wk 6	73	0.0 (0.36)			62	0.0 (0.41)			64	0.0 (0.31)		
Wk 8	72	0.0 (0.37)			59	0.0 (0.33)			56	0.0 (0.32)		
Wk 12	66	0.0 (0.41)			50	0.0 (0.33)			50	-0.1 (0.29)		
Wk 16	68	0.1 (0.45)			42	0.0 (0.36)			37	0.1 (0.36)		
Wk 20	65	0.0 (0.46)			30	-0.1 (0.35)			31	0.0 (0.27)		
Wk 24	58	0.0 (0.41)			25	0.1 (0.35)			30	0.0 (0.37)		
Wk 26	57	-0.1 (0.36)			25	-0.1 (0.24)			27	0.0 (0.32)		
End[1]	84	0.0 (0.44)			82	0.0 (0.30)			81	0.0 (0.35)		
PLATELET												
PLATELET												
PLATELET												
PLATELET												
PLATELET												
Bsln	84	250.3 (65.52)			79	233.8 (58.58)			81	227.7 (54.74)		
Wk 2	83	246.2 (57.55)	-4.4 (36.21)		78	247.4 (59.37)	9.1 (46.36)		80	238.2 (59.77)	8.4 (31.55)	
Wk 4	78	243.8 (54.30)	-7.4 (40.04)		70	239.2 (57.80)	5.7 (39.75)		70	238.3 (49.60)	9.8 (29.21)	
Wk 6	73	250.8 (58.97)	-3.3 (36.82)		62	238.3 (55.74)	3.5 (43.39)		63	239.1 (56.79)	9.2 (37.82)	
Wk 8	72	246.0 (66.61)	-6.2 (42.35)		59	245.4 (60.21)	5.1 (46.18)		55	236.9 (70.88)	11.0 (48.13)	
Wk 12	65	241.9 (53.71)	-12.8 (42.62)		50	238.8 (49.49)	1.9 (24.69)		49	236.1 (53.03)	9.1 (34.47)	

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
Wk 16	68	241.8 (55.65)	-13.7 (43.45)	41	244.5 (57.60)	2.8 (32.93)	37	230.9 (58.00)	5.3 (25.87)
Wk 20	65	248.4 (60.70)	-8.4 (30.42)	30	240.7 (64.07)	7.3 (42.65)	30	235.1 (65.46)	2.3 (22.80)
Wk 24	57	238.8 (51.89)	-11.3 (35.06)	24	249.7 (63.44)	1.8 (33.48)	29	238.3 (67.53)	4.5 (26.74)
Wk 26	56	247.6 (60.11)	-2.7 (41.73)	25	241.3 (57.16)	-1.9 (38.84)	27	237.4 (67.14)	0.3 (26.99)
End[1]	84	241.5 (59.49)	-8.5 (35.55)	82	236.7 (63.56)	1.1 (36.31)	81	233.8 (60.79)	4.1 (35.89)

Platelet (GI/L) change from previous visit, relative to normal range

Platelet (GI/L) change from previous visit, relative to normal range

Platelet (GI/L) change from previous visit, relative to normal range

Platelet (GI/L) change from previous visit, relative to normal range

Platelet (GI/L) change from previous visit, relative to normal range

Bsln	84		79		81	
Wk 2	83	0.0 (0.28)	78	0.1 (0.35)	80	0.1 (0.24)
Wk 4	78	0.0 (0.24)	70	0.0 (0.27)	70	0.0 (0.19)
Wk 6	73	0.0 (0.26)	62	0.0 (0.21)	63	0.0 (0.22)
Wk 8	72	0.0 (0.27)	59	0.0 (0.25)	55	0.0 (0.38)
Wk 12	65	-0.1 (0.27)	50	-0.1 (0.22)	49	0.0 (0.31)

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
Wk 16	68	0.0 (0.23)		41	0.0 (0.24)		37	0.0 (0.18)	
Wk 20	65	0.0 (0.27)		30	0.0 (0.34)		30	0.0 (0.20)	
Wk 24	57	0.0 (0.19)		24	0.0 (0.21)		29	0.0 (0.21)	
Wk 26	56	0.1 (0.25)		25	0.0 (0.26)		27	0.0 (0.23)	
End[1]	84	0.0 (0.22)		82	0.0 (0.28)		81	0.0 (0.26)	

Poikilocytes change from previous visit, relative to normal range
Poikilocytes change from previous visit, relative to normal range
Poikilocytes change from previous visit, relative to normal range
Poikilocytes change from previous visit, relative to normal range
Poikilocytes change from previous visit, relative to normal range

Wk 2	1			1
End[1]	1			1

Polychromasia change from previous visit, relative to normal range
Polychromasia change from previous visit, relative to normal range
Polychromasia change from previous visit, relative to normal range
Polychromasia change from previous visit, relative to normal range
Polychromasia change from previous visit, relative to normal range

[1] Last observed value while on treatment (prior to or at Week 24)
Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo			N	Xanomeline Low			N	Xanomeline High		
		Mean (SD)	Change from Bsln Mean (SD)			Mean (SD)	Change from Bsln Mean (SD)			Mean (SD)	Change from Bsln Mean (SD)	
range												
Bsln	1				1				1			
Wk 2					1				2			
Wk 4	1				2				1			
Wk 6	1				1				1			
Wk 8	2								1			
Wk 12	2											
Wk 16					2							
Wk 20	1				1				2			
Wk 24	1								1			
Wk 26	2											
End[1]	7				7				5			

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R16:25 Thursday, September 03, 2026