

Table 14-6.02

Frequency of Normal and Abnormal (Beyond Normal Range) Laboratory Values During Treatment

	Placebo (N=86) Placebo (N=86) Placebo (N=86)			Xan. Low (N=84) Xan. Low (N=84) Xan. Low (N=84)			Xan. High (N=84) Xan. High (N=84) Xan. High (N=84)			
	Low	Normal	High	Low	Normal	High	Low	Normal	High	p-val [1]
CHEMISTRY										

ALBUMIN	16(19%)	65(77%)	3(4%)	15(18%)	66(80%)	1(1%)	5(6%)	74(92%)	1(1%)	0.042
ALKALINE PHOSPHATASE	4(5%)	72(86%)	8(10%)	2(2%)	74(90%)	6(7%)	3(4%)	73(91%)	4(5%)	0.776
ALANINE AMINOTRANSFERAS E	1(1%)	74(88%)	9(11%)	5(6%)	68(83%)	9(11%)	0	70(88%)	10(12%)	0.186
ASPARTATE AMINOTRANSFERAS E	0	74(88%)	10(12%)	0	72(88%)	10(12%)	0	72(90%)	8(10%)	0.907

Note: Percentages are based on the number of subjects with non-missing assessments (i.e., the total of the subjects in the low, normal, and high categories) within each treatment group.

Source: programs/t-14-6.02/t-14-6.02.R16:25 Thursday, September 03, 2026

Table 14-6.02
Frequency of Normal and Abnormal (Beyond Normal Range) Laboratory Values During Treatment

	Placebo (N=86) Placebo (N=86) Placebo (N=86)			Xan. Low (N=84) Xan. Low (N=84) Xan. Low (N=84)			Xan. High (N=84) Xan. High (N=84) Xan. High (N=84)			
	Low	Normal	High	Low	Normal	High	Low	Normal	High	p-val [1]
BILIRUBIN	0	78(93%)	6(7%)	0	79(98%)	2(2%)	0	75(94%)	5(6%)	0.400
UREA NITROGEN	0	75(89%)	9(11%)	0	60(73%)	22(27%)	0	68(85%)	12(15%)	0.023
CALCIUM	5(6%)	78(93%)	1(1%)	7(9%)	72(88%)	3(4%)	7(9%)	71(89%)	2(2%)	0.788
CHOLESTEROL	5(6%)	73(87%)	6(7%)	6(7%)	72(88%)	4(5%)	6(8%)	70(88%)	4(5%)	0.963
CREATINE KINASE	1(1%)	66(79%)	17(20%)	1(1%)	68(83%)	13(16%)	0	67(84%)	13(16%)	0.815
CHLORIDE	0	74(88%)	10(12%)	0	74(90%)	8(10%)	0	78(98%)	2(2%)	0.058
CREATININE	0	80(95%)	4(5%)	0	76(93%)	6(7%)	0	73(91%)	7(9%)	0.572
GAMMA GLUTAMYL TRANSFERASE	4(5%)	73(87%)	7(8%)	4(5%)	69(84%)	9(11%)	1(1%)	71(89%)	8(10%)	0.690
GLUCOSE	0	82(98%)	2(2%)	0	81(99%)	1(1%)	0	77(96%)	3(4%)	0.535

Note: Percentages are based on the number of subjects with non-missing assessments (i.e., the total of the subjects in the low, normal, and high categories) within each treatment group.

Source: programs/t-14-6.02/t-14-6.02.R16:25 Thursday, September 03, 2026

Table 14-6.02
Frequency of Normal and Abnormal (Beyond Normal Range) Laboratory Values During Treatment

	Placebo (N=86) Placebo (N=86) Placebo (N=86)			Xan. Low (N=84) Xan. Low (N=84) Xan. Low (N=84)			Xan. High (N=84) Xan. High (N=84) Xan. High (N=84)			
	Low	Normal	High	Low	Normal	High	Low	Normal	High	p-val [1]
POTASSIUM	3(4%)	80(95%)	1(1%)	3(4%)	79(96%)	0	2(2%)	78(98%)	0	1.000
SODIUM	4(5%)	75(89%)	5(6%)	3(4%)	74(90%)	5(6%)	7(9%)	62(78%)	11(14%)	0.176
PHOSPHATE	1(1%)	83(99%)	0	0	80(98%)	2(2%)	1(1%)	78(98%)	1(1%)	0.517
PROTEIN	1(1%)	76(90%)	7(8%)	2(2%)	75(91%)	5(6%)	1(1%)	77(96%)	2(2%)	0.536
URATE	3(4%)	77(92%)	4(5%)	1(1%)	75(91%)	6(7%)	4(5%)	69(86%)	7(9%)	0.564
HEMATOLOGY										

BASOPHILS	0	84(100%)	0	0	82(100%)	0	0	81(100%)	0	
EOSINOPHILS	0	84(100%)	0	0	71(87%)	11(13%)	0	74(91%)	7(9%)	0.001

Note: Percentages are based on the number of subjects with non-missing assessments (i.e., the total of the subjects in the low, normal, and high categories) within each treatment group.

Source: programs/t-14-6.02/t-14-6.02.R16:25 Thursday, September 03, 2026

Table 14-6.02
Frequency of Normal and Abnormal (Beyond Normal Range) Laboratory Values During Treatment

	Placebo (N=86) Placebo (N=86) Placebo (N=86)			Xan. Low (N=84) Xan. Low (N=84) Xan. Low (N=84)			Xan. High (N=84) Xan. High (N=84) Xan. High (N=84)			
	Low	Normal	High	Low	Normal	High	Low	Normal	High	p-val [1]
HEMATOCRIT	5(6%)	74(89%)	4(5%)	9(11%)	72(88%)	1(1%)	1(1%)	78(96%)	2(2%)	0.052
HEMOGLOBIN	14(17%)	68(81%)	2(2%)	10(12%)	72(88%)	0	5(6%)	73(90%)	3(4%)	0.092
LYMPHOCYTES	6(7%)	73(87%)	5(6%)	4(5%)	69(84%)	9(11%)	4(5%)	76(94%)	1(1%)	0.102
ERY. MEAN CORPUSCULAR HEMOGLOBIN	0	81(96%)	3(4%)	0	81(99%)	1(1%)	1(1%)	75(93%)	5(6%)	0.188
ERY. MEAN CORPUSCULAR HB CONCENTRATION	15(18%)	68(82%)	0	17(21%)	65(79%)	0	9(11%)	72(89%)	0	0.230
ERY. MEAN CORPUSCULAR VOLUME	1(1%)	53(64%)	29(35%)	0	64(78%)	18(22%)	1(1%)	64(79%)	16(20%)	0.076
MONOCYTES	2(2%)	80(95%)	2(2%)	1(1%)	77(94%)	4(5%)	0	79(98%)	2(2%)	0.626

Note: Percentages are based on the number of subjects with non-missing assessments (i.e., the total of the subjects in the low, normal, and high categories) within each treatment group.

Source: programs/t-14-6.02/t-14-6.02.R16:25 Thursday, September 03, 2026

Table 14-6.02
Frequency of Normal and Abnormal (Beyond Normal Range) Laboratory Values During Treatment

	Placebo (N=86) Placebo (N=86) Placebo (N=86)			Xan. Low (N=84) Xan. Low (N=84) Xan. Low (N=84)			Xan. High (N=84) Xan. High (N=84) Xan. High (N=84)			
	Low	Normal	High	Low	Normal	High	Low	Normal	High	p-val [1]
PLATELET	0	81(96%)	3(4%)	2(2%)	77(94%)	3(4%)	2(2%)	77(95%)	2(2%)	0.682
ERYTHROCYTES	13(15%)	71(85%)	0	18(22%)	64(78%)	0	11(14%)	68(84%)	2(2%)	0.237
LEUKOCYTES	7(8%)	73(87%)	4(5%)	6(7%)	68(83%)	8(10%)	4(5%)	74(91%)	3(4%)	0.462
	38(4%)	932(93%)	35(3%)	45(5%)	900(92%)	36(4%)	24(2%)	905(94%)	31(3%)	0.151

Note: Percentages are based on the number of subjects with non-missing assessments (i.e., the total of the subjects in the low, normal, and high categories) within each treatment group.

Source: programs/t-14-6.02/t-14-6.02.R16:25 Thursday, September 03, 2026