

Table 14-6.03

Frequency of Normal and Abnormal (Clinically Significant Change from Previous Visit) Laboratory Values During Treatment

	Placebo (N=86) Placebo (N=86) Placebo (N=86)			Xan. Low (N=84) Xan. Low (N=84) Xan. Low (N=84)			Xan. High (N=84) Xan. High (N=84) Xan. High (N=84)			
	Low	Normal	High	Low	Normal	High	Low	Normal	High	p-val [1]
CHEMISTRY										

ALBUMIN	10(12%)	71(85%)	3(4%)	6(7%)	72(88%)	4(5%)	5(6%)	66(82%)	9(11%)	0.234
ALKALINE PHOSPHATASE	1(1%)	78(93%)	5(6%)	0	79(98%)	2(2%)	0	77(96%)	3(4%)	0.597
ALANINE AMINOTRANSFERAS E	4(5%)	75(89%)	5(6%)	6(7%)	69(84%)	7(9%)	7(9%)	68(85%)	5(6%)	0.818
ASPARTATE AMINOTRANSFERAS E	2(2%)	73(87%)	9(11%)	8(10%)	71(87%)	3(4%)	3(4%)	75(94%)	2(2%)	0.045
BILIRUBIN	0	79(94%)	5(6%)	1(1%)	79(98%)	1(1%)	2(2%)	75(94%)	3(4%)	0.297

Note: Percentages are based on the number of subjects with non-missing assessments (i.e., the total of the subjects in the low, normal, and high categories) within each treatment group.

Source: programs/t-14-6.03/t-14-6.03.R16:25 Thursday, September 03, 2026

Table 14-6.03

Frequency of Normal and Abnormal (Clinically Significant Change from Previous Visit) Laboratory Values During Treatment

	Placebo (N=86) Placebo (N=86) Placebo (N=86)			Xan. Low (N=84) Xan. Low (N=84) Xan. Low (N=84)			Xan. High (N=84) Xan. High (N=84) Xan. High (N=84)			
	Low	Normal	High	Low	Normal	High	Low	Normal	High	p-val [1]
UREA NITROGEN	0	83(99%)	1(1%)	1(1%)	79(96%)	2(2%)	1(1%)	78(98%)	1(1%)	0.795
CALCIUM	6(7%)	76(90%)	2(2%)	4(5%)	76(93%)	2(2%)	0	77(96%)	3(4%)	0.142
CHOLESTEROL	1(1%)	81(96%)	2(2%)	0	82(100%)	0	1(1%)	79(99%)	0	0.499
CREATINE KINASE	8(10%)	64(76%)	12(14%)	6(7%)	71(87%)	5(6%)	7(9%)	65(81%)	8(10%)	0.476
CHLORIDE	3(4%)	78(93%)	3(4%)	0	80(98%)	2(2%)	2(2%)	77(96%)	1(1%)	0.496
CREATININE	0	82(98%)	2(2%)	0	81(99%)	1(1%)	0	80(100%)	0	0.774
GAMMA GLUTAMYL TRANSFERASE	1(1%)	81(96%)	2(2%)	4(5%)	72(88%)	6(7%)	2(2%)	74(92%)	4(5%)	0.374
GLUCOSE	1(1%)	81(96%)	2(2%)	1(1%)	81(99%)	0	3(4%)	74(92%)	3(4%)	0.317
POTASSIUM	2(2%)	82(98%)	0	2(2%)	78(96%)	1(1%)	3(4%)	74(92%)	3(4%)	0.462
SODIUM	10(12%)	60(71%)	14(17%)	7(9%)	62(76%)	13(16%)	12(15%)	58(72%)	10(12%)	0.727

Note: Percentages are based on the number of subjects with non-missing assessments (i.e., the total of the subjects in the low, normal, and high categories) within each treatment group.

Source: programs/t-14-6.03/t-14-6.03.R16:25 Thursday, September 03, 2026

Table 14-6.03

Frequency of Normal and Abnormal (Clinically Significant Change from Previous Visit) Laboratory Values During Treatment

	Placebo (N=86) Placebo (N=86) Placebo (N=86)			Xan. Low (N=84) Xan. Low (N=84) Xan. Low (N=84)			Xan. High (N=84) Xan. High (N=84) Xan. High (N=84)			
	Low	Normal	High	Low	Normal	High	Low	Normal	High	p-val [1]
PHOSPHATE	1(1%)	82(98%)	1(1%)	0	79(98%)	2(2%)	2(2%)	76(95%)	2(2%)	0.660
PROTEIN	5(6%)	73(87%)	6(7%)	1(1%)	80(98%)	1(1%)	5(6%)	74(92%)	1(1%)	0.062
URATE	2(2%)	81(96%)	1(1%)	0	82(100%)	0	0	80(100%)	0	0.332
	0	1489(98 %)	23(2%)	0	1460(99 %)	15(1%)	0	1419(99 %)	21(1%)	0.422

HEMATOLOGY

Note: Percentages are based on the number of subjects with non-missing assessments (i.e., the total of the subjects in the low, normal, and high categories) within each treatment group.

Source: programs/t-14-6.03/t-14-6.03.R16:25 Thursday, September 03, 2026

Table 14-6.03

Frequency of Normal and Abnormal (Clinically Significant Change from Previous Visit) Laboratory Values During Treatment

	Placebo (N=86) Placebo (N=86) Placebo (N=86)			Xan. Low (N=84) Xan. Low (N=84) Xan. Low (N=84)			Xan. High (N=84) Xan. High (N=84) Xan. High (N=84)			
	Low	Normal	High	Low	Normal	High	Low	Normal	High	p-val [1]

BASOPHILS	1(1%)	82(98%)	1(1%)	2(2%)	80(98%)	0	1(1%)	79(99%)	0	0.948
EOSINOPHILS	4(5%)	80(95%)	0	3(4%)	70(85%)	9(11%)	4(5%)	68(85%)	8(10%)	0.010
HEMATOCRIT	2(2%)	79(95%)	2(2%)	4(5%)	77(95%)	0	1(1%)	76(95%)	3(4%)	0.351
HEMOGLOBIN	0	84(100%)	0	2(2%)	80(98%)	0	0	80(100%)	0	0.217
LYMPHOCYTES	4(5%)	76(90%)	4(5%)	2(2%)	79(96%)	1(1%)	2(2%)	77(96%)	1(1%)	0.499
ERY. MEAN CORPUSCULAR HEMOGLOBIN	1(1%)	83(99%)	0	0	81(99%)	1(1%)	0	80(100%)	0	0.884
ERY. MEAN CORPUSCULAR HB CONCENTRATION	1(1%)	82(99%)	0	0	80(99%)	1(1%)	0	80(100%)	0	0.886
ERY. MEAN	0	80(96%)	3(4%)	2(2%)	78(96%)	1(1%)	1(1%)	75(94%)	4(5%)	0.398

Note: Percentages are based on the number of subjects with non-missing assessments (i.e., the total of the subjects in the low, normal, and high categories) within each treatment group.

Source: programs/t-14-6.03/t-14-6.03.R16:25 Thursday, September 03, 2026

Table 14-6.03

Frequency of Normal and Abnormal (Clinically Significant Change from Previous Visit) Laboratory Values During Treatment

	Placebo (N=86) Placebo (N=86) Placebo (N=86)			Xan. Low (N=84) Xan. Low (N=84) Xan. Low (N=84)			Xan. High (N=84) Xan. High (N=84) Xan. High (N=84)			
	Low	Normal	High	Low	Normal	High	Low	Normal	High	p-val [1]
CORPUSCULAR VOLUME										
MONOCYTES	5(6%)	74(88%)	5(6%)	1(1%)	80(98%)	1(1%)	1(1%)	78(98%)	1(1%)	0.081
PLATELET	0	84(100%)	0	1(1%)	80(98%)	1(1%)	0	79(99%)	1(1%)	0.548
ERYTHROCYTES	0	83(99%)	1(1%)	1(1%)	81(99%)	0	0	80(100%)	0	0.885
LEUKOCYTES	4(5%)	78(93%)	2(2%)	2(2%)	77(94%)	3(4%)	3(4%)	74(92%)	3(4%)	0.935

Note: Percentages are based on the number of subjects with non-missing assessments (i.e., the total of the subjects in the low, normal, and high categories) within each treatment group.

Source: programs/t-14-6.03/t-14-6.03.R16:25 Thursday, September 03, 2026