

Table 14-6.05
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)		
	Shift [1]	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	p-value [2]
CHEMISTRY								

ALANINE AMINOTRANSFERASE	n	82	2	79	1	80	0	
	Normal	80(98%)	0	78(99%)	0	78(98%)	0	
	High	2(2%)	2(100%)	1(1%)	1(100%)	2(2%)	0	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

[1] A subject is counted only once for each analyte. A change will be considered shifting from normal at baseline to abnormal or from abnormal at baseline to normal at any visit during the treatment. The treatment period is defined as any planned visit after Week 0 (Visit 3), up to and including Week 24 (Visit 12).

[2] CMH test for general association, controlling for status at baseline.

Source: programs/t-14-6.05/t-14-6.05.R16:25 Thursday, September 03, 2026

Table 14-6.05
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges

		Placebo (N=86) Placebo (N=86)		Xan. Low (N=84) Xan. Low (N=84)		Xan. High (N=84) Xan. High (N=84)		p- value [2]
	Shift [1]	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	
ALBUMIN	n	84	0	80	0	80	0	
	Normal	84(100%)	0	80(100%)	0	80(100%)	0	
ALKALINE PHOSPHATASE	n	82	2	79	0	79	1	
	Normal	81(99%)	0	78(99%)	0	79(100%)	0	
	High	1(1%)	2(100%)	1(1%)	0	0	1(100%)	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

[1] A subject is counted only once for each analyte. A change will be considered shifting from normal at baseline to abnormal or from abnormal at baseline to normal at any visit during the treatment. The treatment period is defined as any planned visit after Week 0 (Visit 3), up to and including Week 24 (Visit 12).

[2] CMH test for general association, controlling for status at baseline.

Source: programs/t-14-6.05/t-14-6.05.R16:25 Thursday, September 03, 2026

Table 14-6.05
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges

		Placebo (N=86) Placebo (N=86)		Xan. Low (N=84) Xan. Low (N=84)		Xan. High (N=84) Xan. High (N=84)		p-value [2]
	Shift [1]	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	
ASPARTATE AMINOTRANSFERASE	n	82	2	79	1	80	0	
	Normal	79(96%)	1(50%)	77(97%)	1(100%)	78(98%)	0	
	High	3(4%)	1(50%)	2(3%)	0	2(2%)	0	
BILIRUBIN	n	84	0	79	0	79	1	
	Normal	83(99%)	0	79(100%)	0	77(97%)	0	
	High	1(1%)	0	0	0	2(3%)	1(100%)	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

[1] A subject is counted only once for each analyte. A change will be considered shifting from normal at baseline to abnormal or from abnormal at baseline to normal at any visit during the treatment. The treatment period is defined as any planned visit after Week 0 (Visit 3), up to and including Week 24 (Visit 12).

[2] CMH test for general association, controlling for status at baseline.

Source: programs/t-14-6.05/t-14-6.05.R16:25 Thursday, September 03, 2026

Table 14-6.05
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges

		Placebo (N=86) Placebo (N=86)		Xan. Low (N=84) Xan. Low (N=84)		Xan. High (N=84) Xan. High (N=84)		p-value [2]
	Shift [1]	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	
CALCIUM	n	84	0	80	0	80	0	
	Normal	84(100%)	0	80(100%)	0	80(100%)	0	
CHLORIDE	n	84	0	80	0	79	0	
	Normal	84(100%)	0	80(100%)	0	79(100%)	0	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

[1] A subject is counted only once for each analyte. A change will be considered shifting from normal at baseline to abnormal or from abnormal at baseline to normal at any visit during the treatment. The treatment period is defined as any planned visit after Week 0 (Visit 3), up to and including Week 24 (Visit 12).

[2] CMH test for general association, controlling for status at baseline.

Source: programs/t-14-6.05/t-14-6.05.R16:25 Thursday, September 03, 2026

Table 14-6.05
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges

		Placebo (N=86) Placebo (N=86)		Xan. Low (N=84) Xan. Low (N=84)		Xan. High (N=84) Xan. High (N=84)		p-value [2]
	Shift [1]	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	
CHOLESTEROL	n	84	0	80	0	80	0	
	Normal	84(100%)	0	80(100%)	0	80(100%)	0	
CREATINE KINASE	n	84	0	79	1	77	3	
	Normal	77(92%)	0	74(94%)	1(100%)	72(94%)	1(33%)	
	High	7(8%)	0	5(6%)	0	5(6%)	2(67%)	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

[1] A subject is counted only once for each analyte. A change will be considered shifting from normal at baseline to abnormal or from abnormal at baseline to normal at any visit during the treatment. The treatment period is defined as any planned visit after Week 0 (Visit 3), up to and including Week 24 (Visit 12).

[2] CMH test for general association, controlling for status at baseline.

Source: programs/t-14-6.05/t-14-6.05.R16:25 Thursday, September 03, 2026

Table 14-6.05
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges

		Placebo (N=86) Placebo (N=86)		Xan. Low (N=84) Xan. Low (N=84)		Xan. High (N=84) Xan. High (N=84)		p- value [2]
	Shift [1]	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	
CREATININE	n	84	0	80	0	80	0	
	Normal	84(100%)	0	80(100%)	0	80(100%)	0	
GAMMA GLUTAMYL TRANSFERASE	n	82	2	78	2	78	2	
	Normal	80(98%)	0	75(96%)	1(50%)	76(97%)	1(50%)	
	High	2(2%)	2(100%)	3(4%)	1(50%)	2(3%)	1(50%)	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

[1] A subject is counted only once for each analyte. A change will be considered shifting from normal at baseline to abnormal or from abnormal at baseline to normal at any visit during the treatment. The treatment period is defined as any planned visit after Week 0 (Visit 3), up to and including Week 24 (Visit 12).

[2] CMH test for general association, controlling for status at baseline.

Source: programs/t-14-6.05/t-14-6.05.R16:25 Thursday, September 03, 2026

Table 14-6.05
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges

		Placebo (N=86) Placebo (N=86)		Xan. Low (N=84) Xan. Low (N=84)		Xan. High (N=84) Xan. High (N=84)		p-value [2]
	Shift [1]	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	
GLUCOSE	n	83	1	80	0	80	0	
	Normal	83(100%)	1(100%)	79(99%)	0	78(98%)	0	
	High	0	0	1(1%)	0	2(2%)	0	
PHOSPHATE	n	84	0	79	0	80	0	
	Normal	84(100%)	0	79(100%)	0	80(100%)	0	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

[1] A subject is counted only once for each analyte. A change will be considered shifting from normal at baseline to abnormal or from abnormal at baseline to normal at any visit during the treatment. The treatment period is defined as any planned visit after Week 0 (Visit 3), up to and including Week 24 (Visit 12).

[2] CMH test for general association, controlling for status at baseline.

Source: programs/t-14-6.05/t-14-6.05.R16:25 Thursday, September 03, 2026

Table 14-6.05
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges

		Placebo (N=86) Placebo (N=86)		Xan. Low (N=84) Xan. Low (N=84)		Xan. High (N=84) Xan. High (N=84)		p-value [2]
	Shift [1]	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	
POTASSIUM	n	84	0	79	0	79	0	
	Normal	84(100%)	0	79(100%)	0	79(100%)	0	
PROTEIN	n	84	0	80	0	80	0	
	Normal	84(100%)	0	80(100%)	0	80(100%)	0	
SODIUM	n	84	0	80	0	79	0	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

[1] A subject is counted only once for each analyte. A change will be considered shifting from normal at baseline to abnormal or from abnormal at baseline to normal at any visit during the treatment. The treatment period is defined as any planned visit after Week 0 (Visit 3), up to and including Week 24 (Visit 12).

[2] CMH test for general association, controlling for status at baseline.

Source: programs/t-14-6.05/t-14-6.05.R16:25 Thursday, September 03, 2026

Table 14-6.05
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges

		Placebo (N=86) Placebo (N=86)		Xan. Low (N=84) Xan. Low (N=84)		Xan. High (N=84) Xan. High (N=84)		p-value [2]
	Shift [1]	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	
URATE	Normal	84(100%)	0	80(100%)	0	79(100%)	0	
	n	84	0	80	0	80	0	
	Normal	84(100%)	0	80(100%)	0	80(100%)	0	
UREA NITROGEN	n	84	0	78	2	80	0	
	Normal	84(100%)	0	78(100%)	2(100%)	79(99%)	0	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

[1] A subject is counted only once for each analyte. A change will be considered shifting from normal at baseline to abnormal or from abnormal at baseline to normal at any visit during the treatment. The treatment period is defined as any planned visit after Week 0 (Visit 3), up to and including Week 24 (Visit 12).

[2] CMH test for general association, controlling for status at baseline.

Source: programs/t-14-6.05/t-14-6.05.R16:25 Thursday, September 03, 2026

Table 14-6.05
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges

		Placebo (N=86) Placebo (N=86)		Xan. Low (N=84) Xan. Low (N=84)		Xan. High (N=84) Xan. High (N=84)		p-value [2]
	Shift [1]	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	
	High	0	0	0	0	1(1%)	0	
HEMATOLOGY								

BASOPHILS	n	83	0	79	0	78	0	
	Normal	83(100%)	0	79(100%)	0	78(100%)	0	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

[1] A subject is counted only once for each analyte. A change will be considered shifting from normal at baseline to abnormal or from abnormal at baseline to normal at any visit during the treatment. The treatment period is defined as any planned visit after Week 0 (Visit 3), up to and including Week 24 (Visit 12).

[2] CMH test for general association, controlling for status at baseline.

Source: programs/t-14-6.05/t-14-6.05.R16:25 Thursday, September 03, 2026

Table 14-6.05
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges

		Placebo (N=86) Placebo (N=86)		Xan. Low (N=84) Xan. Low (N=84)		Xan. High (N=84) Xan. High (N=84)		
	Shift [1]	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	p- value [2]
EOSINOPHILS	n	83	0	78	1	78	0	
	Normal	83(100%)	0	73(94%)	1(100%)	72(92%)	0	
	High	0	0	5(6%)	0	6(8%)	0	
ERY. MEAN CORPUSCULAR HB CONCENTRATION	n	82	0	78	0	77	0	
	Normal	82(100%)	0	78(100%)	0	77(100%)	0	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

[1] A subject is counted only once for each analyte. A change will be considered shifting from normal at baseline to abnormal or from abnormal at baseline to normal at any visit during the treatment. The treatment period is defined as any planned visit after Week 0 (Visit 3), up to and including Week 24 (Visit 12).

[2] CMH test for general association, controlling for status at baseline.

Source: programs/t-14-6.05/t-14-6.05.R16:25 Thursday, September 03, 2026

Table 14-6.05
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges

		Placebo (N=86) Placebo (N=86)		Xan. Low (N=84) Xan. Low (N=84)		Xan. High (N=84) Xan. High (N=84)		p-value [2]
	Shift [1]	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	
ERY. MEAN CORPUSCULAR HEMOGLOBIN	n	83	0	79	0	78	0	
	Normal	83(100%)	0	79(100%)	0	78(100%)	0	
ERY. MEAN CORPUSCULAR VOLUME	n	82	0	78	0	77	0	
	Normal	82(100%)	0	78(100%)	0	77(100%)	0	
ERYTHROCYTES	n	83	0	79	0	78	0	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

[1] A subject is counted only once for each analyte. A change will be considered shifting from normal at baseline to abnormal or from abnormal at baseline to normal at any visit during the treatment. The treatment period is defined as any planned visit after Week 0 (Visit 3), up to and including Week 24 (Visit 12).

[2] CMH test for general association, controlling for status at baseline.

Source: programs/t-14-6.05/t-14-6.05.R16:25 Thursday, September 03, 2026

Table 14-6.05
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges

		Placebo (N=86) Placebo (N=86)		Xan. Low (N=84) Xan. Low (N=84)		Xan. High (N=84) Xan. High (N=84)		p-value [2]
	Shift [1]	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	
HEMATOCRIT	Normal	83(100%)	0	79(100%)	0	78(100%)	0	
	n	82	0	78	0	77	0	
	Normal	82(100%)	0	78(100%)	0	77(100%)	0	
HEMOGLOBIN	n	83	0	79	0	78	0	
	Normal	83(100%)	0	79(100%)	0	78(100%)	0	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

[1] A subject is counted only once for each analyte. A change will be considered shifting from normal at baseline to abnormal or from abnormal at baseline to normal at any visit during the treatment. The treatment period is defined as any planned visit after Week 0 (Visit 3), up to and including Week 24 (Visit 12).

[2] CMH test for general association, controlling for status at baseline.

Source: programs/t-14-6.05/t-14-6.05.R16:25 Thursday, September 03, 2026

Table 14-6.05
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges

		Placebo (N=86) Placebo (N=86)		Xan. Low (N=84) Xan. Low (N=84)		Xan. High (N=84) Xan. High (N=84)		p-value [2]
	Shift [1]	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	
LEUKOCYTES	n	83	0	79	0	78	0	
	Normal	83(100%)	0	79(100%)	0	78(100%)	0	
LYMPHOCYTES	n	83	0	79	0	78	0	
	Normal	82(99%)	0	79(100%)	0	78(100%)	0	
	High	1(1%)	0	0	0	0	0	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

[1] A subject is counted only once for each analyte. A change will be considered shifting from normal at baseline to abnormal or from abnormal at baseline to normal at any visit during the treatment. The treatment period is defined as any planned visit after Week 0 (Visit 3), up to and including Week 24 (Visit 12).

[2] CMH test for general association, controlling for status at baseline.

Source: programs/t-14-6.05/t-14-6.05.R16:25 Thursday, September 03, 2026

Table 14-6.05
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges

		Placebo (N=86) Placebo (N=86)		Xan. Low (N=84) Xan. Low (N=84)		Xan. High (N=84) Xan. High (N=84)		p- value [2]
	Shift [1]	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	
MONOCYTES	n	81	0	79	0	78	0	
	Normal	81(100%)	0	79(100%)	0	78(100%)	0	
PLATELET	n	83	0	77	0	78	0	
	Normal	83(100%)	0	77(100%)	0	78(100%)	0	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

[1] A subject is counted only once for each analyte. A change will be considered shifting from normal at baseline to abnormal or from abnormal at baseline to normal at any visit during the treatment. The treatment period is defined as any planned visit after Week 0 (Visit 3), up to and including Week 24 (Visit 12).

[2] CMH test for general association, controlling for status at baseline.

Source: programs/t-14-6.05/t-14-6.05.R16:25 Thursday, September 03, 2026