

Table 2. Treatment Disposition and Primary Reason for Discontinuation
Safety Analysis Set

Category	Treatment 1 (N=139)	Treatment 2 (N=54)	Treatment 3 (N=163)
Treatment disposition			
Ongoing	51 (36.7%)	18 (33.3%)	56 (34.4%)
Completed	58 (41.7%)	25 (46.3%)	65 (39.9%)
Discontinued	30 (21.6%)	11 (20.4%)	42 (25.8%)
Primary reason for discontinuing treatment			
Adverse Event	6 (4.3%)	0	2 (1.2%)
Protocol Deviation	2 (1.4%)	0	8 (4.9%)
Lost to Follow-up	0	3 (5.6%)	8 (4.9%)
Withdrawal by Subject	1 (0.7%)	2 (3.7%)	5 (3.1%)
Investigator Discretion	9 (6.5%)	1 (1.9%)	0
Intolerable Toxicity	8 (5.8%)	0	3 (1.8%)
Progressive Disease per RECIST	1 (0.7%)	0	9 (5.5%)
Clinical Progression Without Radiological PD by RE	0	3 (5.6%)	7 (4.3%)
Other	3 (2.2%)	2 (3.7%)	0

Percentages are based on subjects in the Safety Analysis Set within each treatment group. N = number in treatment; n = number in category.
Source: Simulated data generated by this standalone program. Generated: 27Aug2026