

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Placebo				Xanomeline Low				Xanomeline High			
Visit	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)		
CHEMISTRY											
ALANINE AMINOTRANSFERASE											
Bsln	86	17.6 (9.22)		82	18.0 (8.72)		84	19.2 (10.05)			
Wk 2	83	18.0 (12.53)	0.2 (7.90)	80	20.9 (10.55)	2.8 (8.18)	78	21.0 (8.87)	1.6 (6.83)		
Wk 4	79	18.7 (12.91)	0.7 (8.66)	72	17.5 (7.66)	-0.7 (5.08)	72	21.3 (9.51)	2.1 (7.08)		
Wk 6	73	17.0 (9.92)	-0.3 (7.78)	62	17.0 (7.98)	-0.8 (4.87)	66	21.2 (9.49)	1.6 (6.11)		
Wk 8	72	16.7 (9.34)	-1.1 (5.05)	60	17.6 (7.86)	0.2 (5.45)	56	22.8 (17.49)	3.2 (17.24)		
Wk 12	67	18.0 (9.16)	0.0 (8.07)	51	18.5 (12.68)	0.1 (9.27)	50	21.0 (10.18)	0.7 (8.74)		
Wk 16	68	17.1 (7.39)	-0.8 (7.94)	42	17.3 (7.51)	0.7 (5.80)	37	19.6 (7.61)	-0.3 (7.58)		
Wk 20	65	16.1 (6.56)	-1.9 (7.49)	30	16.7 (6.33)	0.9 (4.77)	31	19.6 (6.82)	-0.3 (8.63)		
Wk 24	57	17.9 (15.61)	-0.3 (16.62)	26	18.2 (9.17)	1.6 (5.66)	30	21.0 (8.70)	0.2 (8.25)		
Wk 26	57	16.0 (5.98)	-2.1 (7.70)	25	17.8 (9.51)	1.5 (6.26)	27	18.9 (7.02)	-2.0 (7.01)		
End[1]	84	18.1 (16.74)	0.4 (15.40)	82	18.3 (8.26)	0.3 (7.25)	80	19.5 (7.44)	0.1 (8.08)		
Alanine Aminotransferase (U/L) change from previous visit, relative to normal range											
Bsln	86			82			84				
Wk 2	83	0.0 (0.60)		80	0.2 (0.53)		78	0.1 (0.43)			
Wk 4	79	0.0 (0.39)		72	-0.2 (0.48)		72	0.0 (0.39)			
Wk 6	73	0.0 (0.56)		62	0.0 (0.37)		66	-0.1 (0.45)			
Wk 8	72	-0.1 (0.42)		60	0.1 (0.38)		56	0.1 (1.18)			
Wk 12	67	0.1 (0.43)		51	0.0 (0.74)		50	-0.2 (1.38)			
Wk 16	68	-0.1 (0.48)		42	-0.1 (0.74)		37	-0.1 (0.45)			
Wk 20	65	0.0 (0.38)		30	0.1 (0.36)		31	0.0 (0.34)			
Wk 24	57	0.1 (1.19)		26	0.0 (0.26)		30	0.0 (0.31)			
Wk 26	57	-0.1 (1.07)		25	0.0 (0.26)		27	-0.2 (0.28)			
End[1]	84	0.1 (1.00)		82	0.0 (0.49)		80	-0.1 (1.09)			
ALBUMIN											
Bsln	86	39.8 (2.81)		82	39.8 (2.56)		84	40.3 (2.84)			
Wk 2	83	38.9 (3.11)	-1.0 (2.49)	80	38.7 (3.17)	-1.1 (2.71)	78	38.9 (2.76)	-1.4 (2.59)		
Wk 4	79	38.8 (3.29)	-1.0 (2.69)	72	38.6 (2.80)	-1.2 (2.66)	72	39.1 (3.05)	-1.3 (2.70)		

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R

16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Placebo					Xanomeline Low					Xanomeline High				
Visit	N	Change from Bsln			N	Change from Bsln			N	Change from Bsln				
		Mean (SD)				Mean (SD)				Mean (SD)				
Wk 6	73	39.1 (2.56)	-1.0 (2.25)		62	38.4 (2.60)	-1.2 (2.49)		66	39.5 (2.76)	-1.0 (2.60)			
Wk 8	72	39.8 (3.51)	-0.4 (2.70)		60	39.1 (2.93)	-0.5 (2.73)		56	39.8 (2.33)	-0.9 (2.21)			
Wk 12	67	39.5 (3.49)	-0.5 (2.31)		51	38.9 (2.18)	-0.9 (2.19)		50	39.8 (2.45)	-0.6 (2.77)			
Wk 16	68	40.4 (3.02)	0.4 (2.45)		42	39.1 (2.98)	-0.4 (2.78)		37	39.9 (1.92)	-0.7 (2.76)			
Wk 20	65	39.6 (3.47)	-0.5 (2.86)		30	38.6 (2.66)	-1.2 (2.55)		31	39.6 (1.85)	-1.4 (2.86)			
Wk 24	57	39.7 (3.34)	-0.2 (2.88)		26	40.4 (2.52)	0.4 (2.40)		30	40.5 (2.10)	-0.5 (2.65)			
Wk 26	57	39.8 (3.02)	0.0 (2.26)		25	39.2 (2.39)	-1.0 (2.85)		27	40.0 (2.26)	-1.2 (2.78)			
End[1]	84	39.6 (3.32)	-0.2 (2.69)		82	39.2 (2.97)	-0.5 (2.64)		80	39.8 (2.48)	-0.5 (2.64)			

Albumin (g/L) change from previous visit, relative
to normal range

Bsln	86			82				84			
Wk 2	83	-0.2	(0.41)	80	-0.2	(0.48)		78	-0.2	(0.44)	
Wk 4	79	0.0	(0.39)	72	0.0	(0.44)		72	0.0	(0.45)	
Wk 6	73	0.0	(0.42)	62	0.0	(0.37)		66	0.1	(0.47)	
Wk 8	72	0.1	(0.39)	60	0.1	(0.48)		56	0.0	(0.44)	
Wk 12	67	0.0	(0.40)	51	-0.1	(0.47)		50	0.0	(0.38)	
Wk 16	68	0.2	(0.46)	42	0.1	(0.40)		37	0.0	(0.46)	
Wk 20	65	-0.1	(0.51)	30	-0.1	(0.44)		31	-0.1	(0.33)	
Wk 24	57	0.1	(0.52)	26	0.2	(0.37)		30	0.2	(0.31)	
Wk 26	57	0.0	(0.42)	25	-0.2	(0.36)		27	-0.1	(0.45)	
End[1]	84	0.1	(0.48)	82	0.0	(0.44)		80	0.0	(0.43)	

ALKALINE PHOSPHATASE

Bsln	86	77.7	(58.11)	81	73.3	(20.72)		83	71.0	(38.85)	
Wk 2	84	77.7	(69.50)	80	73.0	(21.87)	0.3 (10.25)	78	72.2	(40.22)	-0.1 (8.09)
Wk 4	82	78.0	(69.43)	72	73.2	(23.17)	-0.3 (11.12)	72	71.3	(40.65)	-0.7 (6.88)
Wk 6	75	68.4	(21.53)	64	72.7	(23.15)	-1.0 (10.83)	67	71.5	(43.40)	-0.2 (12.65)
Wk 8	73	70.0	(27.15)	60	72.9	(23.84)	0.5 (14.09)	56	74.0	(45.60)	0.8 (13.54)
Wk 12	67	72.1	(32.73)	52	69.5	(20.55)	-1.5 (9.41)	50	71.9	(46.65)	-1.7 (8.53)
Wk 16	68	70.6	(29.49)	42	69.5	(19.43)	-1.7 (8.61)	37	74.7	(54.78)	-1.4 (8.29)
Wk 20	65	72.6	(37.41)	31	70.6	(22.20)	-2.2 (9.90)	31	73.5	(55.23)	-2.7 (8.35)
Wk 24	56	80.6	(68.06)	27	72.0	(21.80)	-0.4 (8.93)	30	64.4	(17.63)	-2.4 (7.44)
Wk 26	57	81.0	(79.33)	25	68.6	(21.08)	-4.1 (10.74)	27	61.9	(16.60)	-3.9 (7.65)

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R

16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo			N	Xanomeline Low			N	Xanomeline High		
		Mean (SD)	Change from Bsln Mean (SD)			Mean (SD)	Change from Bsln Mean (SD)			Mean (SD)	Change from Bsln Mean (SD)	
End[1]	84	84.6 (84.86)	7.1 (49.37)	82	71.6 (23.80)	-1.1 (13.09)	80	70.2 (37.91)	-1.6 (12.00)			

Alkaline Phosphatase (U/L) change from previous visit, relative to normal range

Bsln	86		81		83	
Wk 2	84	0.0 (0.40)	80	0.0 (0.27)	78	0.0 (0.22)
Wk 4	82	0.0 (0.21)	72	0.0 (0.25)	72	0.0 (0.18)
Wk 6	75	0.0 (0.23)	64	0.0 (0.20)	67	0.0 (0.32)
Wk 8	73	0.0 (0.20)	60	0.0 (0.24)	56	0.0 (0.30)
Wk 12	67	0.0 (0.37)	52	0.0 (0.21)	50	-0.1 (0.27)
Wk 16	68	0.0 (0.34)	42	0.0 (0.25)	37	0.0 (0.21)
Wk 20	65	0.0 (0.41)	31	0.0 (0.24)	31	0.0 (0.18)
Wk 24	56	0.2 (0.84)	27	0.1 (0.18)	30	0.0 (0.21)
Wk 26	57	0.0 (0.51)	25	-0.1 (0.17)	27	0.0 (0.19)
End[1]	84	0.1 (0.70)	82	0.0 (0.30)	80	0.0 (0.32)

ASPARTATE AMINOTRANSFERASE

Bsln	86	23.2 (7.50)		82	23.4 (8.24)		84	23.1 (6.61)	
Wk 2	83	23.6 (12.35)	0.2 (8.96)	80	24.7 (8.06)	1.6 (6.53)	78	23.4 (5.20)	0.4 (5.63)
Wk 4	79	23.9 (14.93)	0.5 (11.33)	72	22.3 (6.75)	-1.4 (6.40)	72	23.8 (5.85)	0.6 (5.75)
Wk 6	73	22.0 (6.40)	-0.9 (6.38)	62	22.1 (6.11)	-0.4 (4.19)	66	24.1 (7.84)	0.4 (6.10)
Wk 8	72	22.3 (7.05)	-1.1 (4.84)	60	22.7 (5.95)	0.3 (4.02)	56	25.7 (13.33)	1.6 (13.98)
Wk 12	67	22.8 (7.64)	-0.6 (7.06)	51	24.2 (15.87)	1.5 (12.39)	50	23.3 (6.11)	-1.2 (6.26)
Wk 16	68	22.8 (6.42)	-0.6 (6.43)	42	22.4 (10.34)	0.6 (7.62)	37	23.1 (5.78)	-0.7 (4.17)
Wk 20	65	21.9 (5.90)	-1.6 (6.07)	30	20.7 (5.74)	0.4 (4.60)	31	24.0 (6.90)	-0.3 (6.18)
Wk 24	57	25.2 (21.02)	1.2 (20.43)	26	22.4 (10.78)	2.1 (6.58)	30	24.4 (7.29)	-0.2 (5.48)
Wk 26	57	21.5 (6.99)	-2.5 (7.29)	25	22.1 (11.85)	1.4 (7.69)	27	21.6 (5.71)	-3.1 (4.17)
End[1]	84	25.1 (21.33)	1.8 (19.03)	82	23.2 (8.21)	-0.3 (8.06)	80	22.7 (6.13)	-0.4 (6.36)

Aspartate Aminotransferase (U/L) change from previous visit, relative to normal range

Bsln	86		82		84
Wk 2	83	0.0 (0.72)	80	0.1 (0.53)	78 0.0 (0.46)
Wk 4	79	0.0 (0.50)	72	-0.2 (0.54)	72 0.0 (0.36)

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R

16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Mean (SD)	Placebo	N	Mean (SD)	Xanomeline Low	N	Mean (SD)	Xanomeline High
			Change from Bsln Mean (SD)			Change from Bsln Mean (SD)			Change from Bsln Mean (SD)
Wk 6	73	0.0 (0.52)		62	0.0 (0.34)		66	0.0 (0.60)	
Wk 8	72	0.0 (0.37)		60	0.0 (0.32)		56	0.1 (1.10)	
Wk 12	67	0.0 (0.37)		51	0.1 (1.04)		50	-0.2 (1.14)	
Wk 16	68	0.0 (0.40)		42	-0.2 (0.78)		37	0.0 (0.37)	
Wk 20	65	-0.1 (0.32)		30	0.1 (0.35)		31	0.0 (0.32)	
Wk 24	57	0.2 (1.56)		26	0.0 (0.28)		30	0.0 (0.34)	
Wk 26	57	-0.3 (1.47)		25	0.0 (0.30)		27	-0.3 (0.35)	
End[1]	84	0.2 (1.30)		82	-0.1 (0.57)		80	-0.1 (0.95)	
BILIRUBIN									
Bsln	86	9.7 (3.96)		82	9.4 (4.01)		84	11.0 (5.35)	
Wk 2	83	10.8 (12.26)	1.1 (10.29)	80	9.4 (4.16)	0.0 (3.08)	78	10.4 (3.94)	-0.6 (3.62)
Wk 4	79	11.1 (13.57)	1.4 (11.65)	72	9.2 (3.84)	-0.3 (2.70)	72	10.9 (5.62)	-0.3 (3.07)
Wk 6	73	9.6 (3.78)	0.1 (2.88)	62	9.5 (4.03)	0.0 (2.99)	66	10.9 (4.89)	-0.6 (3.18)
Wk 8	72	9.4 (3.89)	-0.4 (3.43)	60	9.6 (4.72)	0.5 (3.11)	56	10.8 (5.21)	-0.7 (3.21)
Wk 12	67	9.5 (3.56)	-0.1 (2.83)	51	8.8 (4.15)	0.1 (2.64)	50	11.5 (6.16)	-0.3 (4.78)
Wk 16	68	10.0 (3.63)	0.2 (2.68)	42	8.8 (3.91)	0.4 (2.14)	37	11.6 (4.89)	-0.7 (4.28)
Wk 20	65	10.1 (5.19)	0.3 (3.58)	30	8.8 (4.51)	0.3 (2.82)	31	11.8 (8.69)	-0.2 (6.41)
Wk 24	57	9.4 (3.39)	0.1 (2.75)	26	10.1 (4.44)	1.1 (2.84)	30	12.3 (6.52)	-0.6 (2.89)
Wk 26	57	10.0 (4.73)	0.4 (3.57)	25	10.2 (6.21)	1.4 (3.44)	27	12.2 (6.82)	-0.6 (5.31)
End[1]	84	11.2 (13.42)	1.4 (11.28)	82	9.8 (4.29)	0.5 (3.08)	80	11.1 (5.36)	0.0 (3.16)
Bilirubin (umol/L) change from previous visit, relative to normal range									
Bsln	86			82			84		
Wk 2	83	0.1 (1.15)		80	0.0 (0.36)		78	-0.1 (0.42)	
Wk 4	79	0.0 (0.37)		72	0.0 (0.30)		72	0.0 (0.35)	
Wk 6	73	0.0 (0.33)		62	0.0 (0.25)		66	0.0 (0.34)	
Wk 8	72	0.0 (0.33)		60	0.0 (0.29)		56	0.0 (0.34)	
Wk 12	67	0.0 (0.36)		51	0.0 (0.34)		50	0.1 (0.36)	
Wk 16	68	0.0 (0.29)		42	0.0 (0.25)		37	0.0 (0.52)	
Wk 20	65	0.0 (0.39)		30	0.0 (0.28)		31	0.1 (0.61)	
Wk 24	57	0.0 (0.36)		26	0.1 (0.29)		30	0.0 (0.67)	
Wk 26	57	0.0 (0.39)		25	0.0 (0.34)		27	0.0 (0.45)	

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R

16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
End[1]	84	0.0 (0.36)		82	0.1 (0.37)		80	0.0 (0.49)	
Blood Urea Nitrogen (mmol/L) change from previous visit, relative to normal range									
Bsln	86			82			84		
Wk 2	84	0.1 (0.33)		80	0.1 (0.43)		78	0.1 (0.38)	
Wk 4	82	0.0 (0.30)		72	0.0 (0.35)		72	0.0 (0.35)	
Wk 6	75	0.1 (0.28)		64	0.0 (0.36)		67	0.0 (0.33)	
Wk 8	73	-0.1 (0.33)		60	0.0 (0.31)		56	-0.1 (0.31)	
Wk 12	67	0.1 (0.29)		52	0.0 (0.26)		50	0.0 (0.30)	
Wk 16	68	0.0 (0.33)		42	0.0 (0.38)		37	0.0 (0.42)	
Wk 20	66	0.0 (0.31)		31	-0.1 (0.36)		31	0.0 (0.41)	
Wk 24	57	0.0 (0.30)		27	0.1 (0.39)		30	-0.1 (0.37)	
Wk 26	57	0.0 (0.34)		25	0.0 (0.29)		27	0.1 (0.33)	
End[1]	84	0.0 (0.31)		82	0.1 (0.37)		80	-0.1 (0.40)	
CALCIUM									
Bsln	86	2.3 (0.09)		82	2.3 (0.11)		84	2.3 (0.10)	
Wk 2	84	2.3 (0.09)	0.0 (0.10)	80	2.3 (0.12)	0.0 (0.10)	78	2.3 (0.11)	0.0 (0.11)
Wk 4	82	2.3 (0.09)	0.0 (0.09)	72	2.3 (0.10)	0.0 (0.08)	72	2.3 (0.10)	0.0 (0.10)
Wk 6	75	2.3 (0.09)	0.0 (0.10)	64	2.3 (0.10)	0.0 (0.08)	67	2.3 (0.09)	0.0 (0.10)
Wk 8	73	2.3 (0.09)	0.0 (0.09)	60	2.3 (0.12)	0.0 (0.09)	56	2.3 (0.12)	0.0 (0.11)
Wk 12	67	2.3 (0.09)	0.0 (0.08)	52	2.3 (0.10)	0.0 (0.07)	50	2.3 (0.09)	0.0 (0.09)
Wk 16	68	2.3 (0.10)	0.0 (0.11)	42	2.3 (0.11)	0.0 (0.08)	37	2.3 (0.11)	0.0 (0.12)
Wk 20	66	2.3 (0.09)	0.0 (0.09)	31	2.3 (0.10)	0.0 (0.09)	31	2.3 (0.08)	0.0 (0.09)
Wk 24	57	2.3 (0.09)	-0.1 (0.10)	27	2.3 (0.11)	0.0 (0.12)	30	2.3 (0.10)	-0.1 (0.12)
Wk 26	57	2.3 (0.10)	0.0 (0.10)	25	2.3 (0.10)	0.0 (0.08)	27	2.3 (0.09)	0.0 (0.10)
End[1]	84	2.3 (0.09)	0.0 (0.10)	82	2.3 (0.10)	0.0 (0.10)	80	2.3 (0.10)	0.0 (0.11)
Calcium (mmol/L) change from previous visit, relative to normal range									
Bsln	86			82			84		
Wk 2	84	-0.1 (0.39)		80	0.0 (0.43)		78	-0.1 (0.44)	
Wk 4	82	0.0 (0.34)		72	-0.1 (0.40)		72	0.0 (0.44)	

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R

16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
Wk 6	75	0.1 (0.36)		64	0.0 (0.38)		67	0.0 (0.39)	
Wk 8	73	0.0 (0.40)		60	0.0 (0.37)		56	0.0 (0.45)	
Wk 12	67	0.0 (0.39)		52	-0.1 (0.31)		50	0.0 (0.33)	
Wk 16	68	0.0 (0.42)		42	0.0 (0.34)		37	0.0 (0.39)	
Wk 20	66	-0.1 (0.43)		31	0.0 (0.35)		31	-0.1 (0.38)	
Wk 24	57	0.0 (0.34)		27	0.1 (0.39)		30	0.0 (0.36)	
Wk 26	57	0.0 (0.38)		25	-0.1 (0.42)		27	0.0 (0.38)	
End[1]	84	0.0 (0.36)		82	0.0 (0.39)		80	0.0 (0.38)	
CHLORIDE									
Bsln	86	105.7 (3.19)		82	105.8 (3.25)		83	105.4 (3.33)	
Wk 2	84	106.0 (3.12)	0.3 (3.40)	80	105.6 (3.12)	0.0 (3.44)	77	104.4 (3.49)	-0.8 (3.88)
Wk 4	82	105.6 (3.53)	-0.1 (4.24)	72	105.5 (2.88)	-0.3 (3.72)	72	105.0 (3.46)	-0.4 (3.94)
Wk 6	75	105.5 (3.14)	-0.1 (3.61)	64	106.3 (3.07)	0.6 (3.78)	67	105.3 (3.09)	-0.3 (3.47)
Wk 8	73	106.0 (3.34)	0.3 (3.52)	60	105.6 (3.01)	-0.2 (3.47)	56	105.2 (3.57)	-0.1 (3.71)
Wk 12	67	105.3 (2.93)	-0.3 (3.75)	52	105.7 (3.21)	-0.4 (3.63)	49	105.2 (2.40)	-0.1 (2.64)
Wk 16	68	105.5 (3.16)	0.0 (3.57)	42	106.2 (2.93)	0.2 (3.17)	37	105.9 (2.66)	0.6 (2.54)
Wk 20	65	106.0 (3.68)	0.6 (4.13)	31	106.3 (2.75)	-0.1 (2.41)	31	105.4 (3.03)	-0.2 (3.69)
Wk 24	57	105.5 (3.14)	-0.1 (3.82)	27	105.3 (2.52)	-1.2 (2.95)	30	105.3 (3.21)	-0.1 (3.06)
Wk 26	57	106.2 (2.58)	0.8 (3.33)	25	105.7 (2.35)	-0.5 (2.72)	27	105.7 (3.44)	0.4 (2.92)
End[1]	84	105.6 (3.42)	-0.1 (3.86)	82	105.5 (3.37)	-0.1 (3.31)	80	105.0 (3.20)	-0.5 (3.17)
Chloride (mmol/L) change from previous visit, relative to normal range									
Bsln	86			82			83		
Wk 2	84	0.0 (0.37)		80	0.0 (0.38)		77	-0.1 (0.43)	
Wk 4	82	0.0 (0.39)		72	0.0 (0.38)		72	0.0 (0.40)	
Wk 6	75	0.0 (0.41)		64	0.1 (0.37)		67	0.0 (0.40)	
Wk 8	73	0.0 (0.40)		60	-0.1 (0.36)		56	0.0 (0.45)	
Wk 12	67	-0.1 (0.38)		52	0.0 (0.41)		49	0.0 (0.35)	
Wk 16	68	0.0 (0.37)		42	0.1 (0.44)		37	0.1 (0.31)	
Wk 20	65	0.1 (0.38)		31	0.0 (0.30)		31	-0.1 (0.38)	
Wk 24	57	-0.1 (0.41)		27	-0.1 (0.37)		30	0.0 (0.31)	
Wk 26	57	0.1 (0.36)		25	0.1 (0.38)		27	0.1 (0.31)	

[1] Last observed value while on treatment (prior to or at Week 24)
Source: programs/t-14-6-01/t-14-6-01.R

16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
End[1]	84	0.0 (0.44)		82	0.0 (0.40)		80	0.0 (0.33)	
CHOLESTEROL									
Bsln	86	5.8 (1.07)		82	5.7 (1.00)		84	5.8 (1.02)	
Wk 2	84	5.6 (1.02)	-0.1 (0.54)	80	5.6 (0.92)	-0.1 (0.50)	78	5.6 (0.93)	-0.2 (0.53)
Wk 4	82	5.5 (0.94)	-0.2 (0.57)	72	5.5 (0.97)	-0.2 (0.49)	72	5.5 (1.00)	-0.3 (0.51)
Wk 6	75	5.6 (0.95)	-0.1 (0.67)	64	5.4 (0.95)	-0.2 (0.55)	67	5.5 (0.91)	-0.3 (0.64)
Wk 8	73	5.5 (1.02)	-0.2 (0.71)	60	5.5 (0.96)	-0.2 (0.49)	56	5.5 (0.94)	-0.3 (0.54)
Wk 12	67	5.5 (0.92)	-0.2 (0.57)	52	5.3 (0.90)	-0.3 (0.47)	50	5.4 (0.91)	-0.3 (0.63)
Wk 16	68	5.6 (0.98)	-0.1 (0.58)	42	5.3 (1.00)	-0.3 (0.48)	37	5.4 (0.94)	-0.2 (0.55)
Wk 20	66	5.5 (0.94)	-0.2 (0.68)	31	5.2 (0.86)	-0.4 (0.46)	31	5.3 (0.85)	-0.3 (0.49)
Wk 24	57	5.5 (1.01)	-0.3 (0.68)	27	5.4 (0.94)	-0.2 (0.65)	30	5.3 (0.89)	-0.3 (0.50)
Wk 26	57	5.5 (0.94)	-0.3 (0.62)	25	5.2 (0.76)	-0.4 (0.64)	27	5.4 (0.90)	-0.2 (0.81)
End[1]	84	5.5 (1.02)	-0.3 (0.76)	82	5.4 (0.96)	-0.3 (0.56)	80	5.4 (0.89)	-0.4 (0.60)
Cholesterol (mmol/L) change from previous visit, relative to normal range									
Bsln	86			82			84		
Wk 2	84	-0.1 (0.29)		80	-0.1 (0.27)		78	-0.1 (0.30)	
Wk 4	82	-0.1 (0.25)		72	-0.1 (0.27)		72	0.0 (0.27)	
Wk 6	75	0.0 (0.26)		64	0.0 (0.26)		67	0.0 (0.33)	
Wk 8	73	0.0 (0.30)		60	0.0 (0.26)		56	0.0 (0.29)	
Wk 12	67	0.0 (0.32)		52	0.0 (0.21)		50	0.0 (0.26)	
Wk 16	68	0.1 (0.26)		42	0.0 (0.25)		37	0.0 (0.26)	
Wk 20	66	-0.1 (0.32)		31	-0.1 (0.21)		31	0.0 (0.27)	
Wk 24	57	0.0 (0.31)		27	0.1 (0.29)		30	0.0 (0.19)	
Wk 26	57	0.0 (0.26)		25	-0.1 (0.26)		27	0.0 (0.28)	
End[1]	84	0.0 (0.31)		82	0.0 (0.30)		80	0.0 (0.25)	
CREATINE KINASE									
Bsln	86	86.9 (43.71)		82	100.6 (68.87)		84	104.0 (71.75)	
Wk 2	83	90.3 (66.11)	2.4 (57.72)	80	106.1 (83.92)	6.0 (84.97)	78	93.8 (53.19)	-12.0 (52.92)
Wk 4	79	96.9 (124.45)	8.3 (116.54)	72	93.2 (51.67)	-7.8 (55.54)	72	100.6 (58.39)	-4.8 (53.80)
Wk 6	73	88.0 (42.36)	-0.3 (40.55)	62	89.0 (44.29)	-13.7 (59.25)	66	123.5 (227.36)	17.8 (187.17)

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R

16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
Wk 8	72	93.8 (45.84)	1.2 (46.26)	60	90.0 (39.16)	-8.3 (61.09)	56	91.8 (52.25)	-9.3 (59.25)
Wk 12	67	101.8 (78.66)	8.9 (67.77)	51	94.7 (53.59)	-7.2 (65.59)	50	96.6 (60.55)	-2.8 (66.47)
Wk 16	68	104.9 (66.37)	12.7 (52.13)	42	97.5 (56.39)	-6.9 (72.02)	37	86.1 (47.70)	-1.6 (24.32)
Wk 20	65	93.8 (46.56)	1.0 (42.07)	30	111.6 (137.04)	21.5 (136.75)	31	97.5 (68.57)	6.0 (28.57)
Wk 24	57	127.4 (207.98)	32.6 (200.00)	26	83.6 (38.60)	0.8 (21.99)	30	90.9 (53.97)	-1.1 (23.40)
Wk 26	57	94.1 (51.03)	2.0 (46.93)	25	69.9 (23.70)	-15.0 (17.45)	27	93.0 (59.94)	1.4 (43.90)
End[1]	84	112.6 (173.34)	24.6 (165.91)	82	98.2 (61.12)	-1.9 (67.09)	80	95.1 (56.32)	-9.9 (60.94)

Creatine Kinase (U/L) change from previous visit,
relative to normal range

Bsln	86		82		84	
Wk 2	83	0.0 (0.75)	80	0.1 (1.09)	78	-0.1 (0.62)
Wk 4	79	0.0 (1.46)	72	-0.2 (0.93)	72	0.1 (0.46)
Wk 6	73	-0.1 (1.40)	62	-0.1 (0.35)	66	0.2 (2.55)
Wk 8	72	0.0 (0.48)	60	0.1 (0.29)	56	-0.3 (2.70)
Wk 12	67	0.1 (0.84)	51	0.0 (0.44)	50	0.1 (0.70)
Wk 16	68	0.0 (0.80)	42	0.1 (0.32)	37	-0.2 (0.64)
Wk 20	65	-0.1 (0.52)	30	0.3 (1.80)	31	0.1 (0.39)
Wk 24	57	0.4 (2.63)	26	-0.3 (1.66)	30	-0.1 (0.35)
Wk 26	57	-0.1 (0.71)	25	-0.2 (0.25)	27	0.0 (0.52)
End[1]	84	0.3 (2.17)	82	-0.1 (1.06)	80	-0.1 (0.72)

CREATININE

Bsln	86	97.7 (17.78)		82	103.5 (20.01)		84	103.7 (19.37)	
Wk 2	84	99.0 (17.51)	1.4 (8.06)	80	106.2 (21.26)	2.3 (10.51)	78	106.3 (21.18)	2.8 (9.50)
Wk 4	82	98.6 (18.56)	1.1 (11.40)	72	105.1 (19.83)	2.0 (8.13)	72	105.8 (20.66)	2.6 (10.43)
Wk 6	75	101.7 (18.46)	3.3 (12.14)	64	104.4 (19.85)	1.7 (9.31)	67	105.8 (20.87)	3.2 (9.94)
Wk 8	73	99.1 (16.07)	0.0 (9.88)	60	104.3 (21.27)	1.8 (7.54)	56	106.1 (22.24)	3.2 (9.14)
Wk 12	67	101.5 (16.53)	2.4 (9.68)	52	101.8 (17.72)	1.8 (7.99)	50	108.2 (20.48)	5.8 (10.95)
Wk 16	68	100.4 (16.43)	1.2 (10.57)	42	98.5 (16.63)	-1.3 (9.29)	37	102.5 (17.86)	2.2 (9.18)
Wk 20	66	100.3 (17.92)	1.3 (11.31)	31	97.2 (17.23)	-1.8 (8.17)	31	103.5 (19.66)	3.1 (11.76)
Wk 24	57	99.3 (15.85)	0.8 (11.37)	27	99.2 (16.14)	1.7 (7.08)	30	100.2 (19.61)	-0.6 (10.36)
Wk 26	57	100.0 (18.46)	2.0 (9.30)	25	99.7 (18.84)	2.9 (8.10)	27	101.8 (18.73)	0.3 (8.31)
End[1]	84	98.5 (16.13)	0.8 (10.77)	82	105.6 (19.79)	1.8 (8.60)	80	104.6 (20.50)	1.4 (10.38)

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R

16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Placebo				Xanomeline Low				Xanomeline High			
Visit	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)		
Creatinine (umol/L) change from previous visit, relative to normal range											
Bsln	86			82			84				
Wk 2	84	0.0 (0.27)		80	0.1 (0.34)		78	0.1 (0.30)			
Wk 4	82	0.0 (0.34)		72	0.0 (0.29)		72	0.0 (0.30)			
Wk 6	75	0.1 (0.40)		64	0.0 (0.28)		67	0.0 (0.33)			
Wk 8	73	-0.1 (0.31)		60	0.0 (0.30)		56	0.0 (0.30)			
Wk 12	67	0.1 (0.30)		52	0.0 (0.26)		50	0.1 (0.34)			
Wk 16	68	0.0 (0.29)		42	-0.1 (0.29)		37	-0.1 (0.32)			
Wk 20	66	0.0 (0.29)		31	0.1 (0.22)		31	0.0 (0.35)			
Wk 24	57	0.0 (0.33)		27	0.1 (0.30)		30	-0.1 (0.29)			
Wk 26	57	0.0 (0.30)		25	0.0 (0.30)		27	0.1 (0.31)			
End[1]	84	0.0 (0.31)		82	0.1 (0.32)		80	0.0 (0.31)			
GAMMA GLUTAMYL TRANSFERASE											
Bsln	86	24.9 (49.75)		82	22.2 (15.57)		84	22.8 (17.71)			
Wk 2	84	24.2 (47.03)	-0.8 (5.52)	80	22.6 (15.52)	0.2 (9.48)	78	23.7 (18.17)	0.6 (8.96)		
Wk 4	82	24.5 (48.68)	-0.8 (5.69)	72	21.8 (13.82)	-1.1 (7.51)	72	23.3 (16.08)	0.1 (9.29)		
Wk 6	75	19.9 (15.55)	0.3 (6.11)	64	21.9 (13.72)	-0.6 (6.88)	67	21.6 (13.48)	-0.5 (6.74)		
Wk 8	73	20.6 (16.38)	0.1 (6.76)	60	23.6 (15.55)	1.1 (11.36)	56	26.8 (29.96)	4.0 (24.63)		
Wk 12	67	21.4 (15.04)	0.5 (5.70)	52	21.9 (13.97)	-0.7 (8.80)	50	24.7 (21.26)	1.2 (8.19)		
Wk 16	68	20.8 (13.00)	-0.1 (5.65)	42	22.8 (14.86)	-0.1 (6.38)	37	23.9 (17.79)	-1.3 (6.16)		
Wk 20	66	20.4 (13.90)	-0.5 (5.42)	31	24.1 (17.52)	-0.4 (5.90)	31	22.2 (11.28)	-0.5 (5.98)		
Wk 24	57	22.0 (16.68)	0.5 (10.90)	27	23.7 (14.75)	0.5 (7.28)	30	25.5 (22.64)	-0.9 (6.48)		
Wk 26	57	21.4 (13.91)	-0.4 (7.08)	25	22.0 (15.31)	-1.0 (8.44)	27	23.4 (18.73)	-3.4 (7.97)		
End[1]	84	25.7 (48.78)	0.7 (9.60)	82	22.4 (14.03)	0.3 (10.36)	80	22.3 (15.66)	-0.6 (9.81)		
Gamma Glutamyl Transferase (U/L) change from previous visit, relative to normal range											
Bsln	86			82			84				
Wk 2	84	0.0 (0.25)		80	0.0 (0.42)		78	0.0 (0.43)			
Wk 4	82	0.0 (0.14)		72	-0.1 (0.27)		72	0.0 (0.31)			
Wk 6	75	0.1 (0.39)		64	0.0 (0.30)		67	-0.1 (0.27)			

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R

16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
Wk 8	73	0.0 (0.14)		60	0.1 (0.40)		56	0.2 (1.08)	
Wk 12	67	0.0 (0.27)		52	-0.1 (0.37)		50	-0.2 (0.98)	
Wk 16	68	0.0 (0.28)		42	0.0 (0.28)		37	-0.1 (0.40)	
Wk 20	66	0.0 (0.22)		31	0.0 (0.19)		31	0.1 (0.17)	
Wk 24	57	0.1 (0.47)		27	0.0 (0.22)		30	0.0 (0.26)	
Wk 26	57	-0.1 (0.33)		25	-0.1 (0.17)		27	-0.1 (0.30)	
End[1]	84	0.1 (0.40)		82	0.0 (0.37)		80	-0.1 (0.80)	
GLUCOSE									
Bsln	86	5.6 (2.14)		82	5.4 (0.94)		84	5.4 (1.34)	
Wk 2	83	5.6 (1.87)	0.0 (1.37)	80	5.6 (1.75)	0.1 (1.50)	78	6.1 (2.92)	0.7 (2.06)
Wk 4	79	5.6 (1.87)	0.0 (1.55)	71	5.4 (1.41)	-0.1 (1.09)	72	5.9 (1.84)	0.4 (1.25)
Wk 6	73	5.7 (2.22)	0.1 (1.37)	62	5.3 (1.34)	-0.1 (1.12)	66	6.0 (2.80)	0.5 (2.20)
Wk 8	72	5.5 (1.35)	-0.1 (2.09)	59	5.5 (1.76)	0.1 (1.34)	56	5.8 (2.15)	0.2 (1.68)
Wk 12	67	6.1 (1.97)	0.4 (1.97)	51	5.9 (3.18)	0.4 (2.78)	49	6.0 (2.28)	0.4 (1.64)
Wk 16	68	5.5 (1.42)	-0.2 (1.69)	42	5.3 (0.83)	-0.2 (0.89)	37	5.9 (2.30)	0.2 (1.74)
Wk 20	65	5.8 (1.50)	0.1 (2.08)	30	5.7 (1.73)	0.1 (1.39)	31	5.8 (1.61)	0.2 (1.47)
Wk 24	57	5.7 (1.83)	-0.1 (2.68)	26	5.7 (1.26)	0.2 (0.82)	30	6.0 (1.92)	0.5 (1.94)
Wk 26	57	5.8 (1.85)	0.0 (1.60)	25	5.5 (1.72)	0.1 (1.35)	27	5.6 (1.01)	0.1 (1.66)
End[1]	84	5.6 (1.61)	0.0 (2.26)	82	5.4 (1.07)	-0.1 (1.03)	80	5.9 (2.15)	0.5 (1.62)
Glucose (mmol/L) change from previous visit, relative to normal range									
Bsln	86			82			84		
Wk 2	83	0.0 (0.25)		80	0.0 (0.28)		78	0.1 (0.38)	
Wk 4	79	0.0 (0.24)		71	0.0 (0.25)		72	-0.1 (0.40)	
Wk 6	73	0.0 (0.25)		62	0.0 (0.20)		66	0.0 (0.45)	
Wk 8	72	0.0 (0.34)		59	0.0 (0.24)		56	-0.1 (0.37)	
Wk 12	67	0.1 (0.31)		51	0.1 (0.38)		49	0.0 (0.25)	
Wk 16	68	-0.1 (0.28)		42	-0.1 (0.53)		37	0.0 (0.27)	
Wk 20	65	0.0 (0.22)		30	0.1 (0.24)		31	0.1 (0.25)	
Wk 24	57	0.0 (0.31)		26	0.0 (0.27)		30	0.0 (0.31)	
Wk 26	57	0.0 (0.39)		25	0.0 (0.24)		27	-0.1 (0.31)	
End[1]	84	0.0 (0.28)		82	0.0 (0.26)		80	0.0 (0.26)	

[1] Last observed value while on treatment (prior to or at Week 24)
Source: programs/t-14-6-01/t-14-6-01.R

16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Placebo				Xanomeline Low				Xanomeline High			
Visit	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)		
PHOSPHATE											
Bsln	86	1.2 (0.15)		81	1.2 (0.11)		83	1.2 (0.15)			
Wk 2	84	1.2 (0.15)	0.0 (0.16)	80	1.2 (0.15)	0.0 (0.16)	78	1.2 (0.18)	0.0 (0.19)		
Wk 4	82	1.1 (0.16)	0.0 (0.17)	71	1.1 (0.14)	0.0 (0.14)	72	1.2 (0.18)	0.0 (0.16)		
Wk 6	75	1.2 (0.15)	0.0 (0.17)	64	1.2 (0.17)	0.0 (0.17)	67	1.2 (0.15)	0.0 (0.16)		
Wk 8	73	1.1 (0.14)	0.0 (0.13)	60	1.1 (0.16)	0.0 (0.16)	56	1.2 (0.16)	0.0 (0.18)		
Wk 12	67	1.2 (0.16)	0.0 (0.18)	52	1.1 (0.14)	0.0 (0.18)	50	1.1 (0.15)	0.0 (0.17)		
Wk 16	68	1.1 (0.14)	0.0 (0.15)	42	1.1 (0.17)	0.0 (0.19)	37	1.2 (0.17)	0.0 (0.17)		
Wk 20	65	1.2 (0.17)	0.0 (0.15)	31	1.1 (0.13)	0.0 (0.14)	31	1.2 (0.15)	0.0 (0.16)		
Wk 24	56	1.2 (0.15)	0.0 (0.16)	27	1.2 (0.19)	0.1 (0.19)	30	1.1 (0.17)	0.0 (0.17)		
Wk 26	57	1.2 (0.15)	0.0 (0.18)	25	1.1 (0.17)	0.0 (0.17)	27	1.2 (0.19)	0.0 (0.20)		
End[1]	84	1.2 (0.17)	0.0 (0.18)	82	1.2 (0.17)	0.0 (0.18)	80	1.2 (0.16)	0.0 (0.17)		
Phosphate (mmol/L) change from previous visit, relative to normal range											
Bsln	86			81			83				
Wk 2	84	0.0 (0.35)		80	0.0 (0.34)		78	0.0 (0.39)			
Wk 4	82	0.0 (0.33)		71	-0.1 (0.32)		72	0.0 (0.34)			
Wk 6	75	0.1 (0.29)		64	0.1 (0.29)		67	0.0 (0.36)			
Wk 8	73	-0.1 (0.34)		60	0.0 (0.40)		56	0.0 (0.37)			
Wk 12	67	0.0 (0.31)		52	0.0 (0.35)		50	0.0 (0.37)			
Wk 16	68	0.0 (0.33)		42	0.0 (0.34)		37	0.1 (0.32)			
Wk 20	65	0.0 (0.39)		31	0.0 (0.25)		31	-0.1 (0.41)			
Wk 24	56	0.0 (0.40)		27	0.1 (0.29)		30	0.0 (0.35)			
Wk 26	57	0.0 (0.34)		25	-0.1 (0.26)		27	0.1 (0.45)			
End[1]	84	0.0 (0.39)		82	0.0 (0.31)		80	0.0 (0.37)			
POTASSIUM											
Bsln	86	4.3 (0.43)		81	4.3 (0.34)		82	4.3 (0.41)			
Wk 2	84	4.2 (0.41)	0.0 (0.37)	80	4.3 (0.41)	0.0 (0.38)	77	4.3 (0.40)	0.0 (0.46)		
Wk 4	82	4.2 (0.37)	-0.1 (0.38)	71	4.3 (0.40)	-0.1 (0.36)	72	4.2 (0.37)	-0.1 (0.46)		
Wk 6	75	4.3 (0.33)	0.0 (0.41)	64	4.3 (0.39)	-0.1 (0.41)	67	4.2 (0.32)	-0.1 (0.44)		
Wk 8	73	4.2 (0.37)	-0.1 (0.43)	60	4.3 (0.39)	0.0 (0.38)	56	4.2 (0.39)	0.0 (0.50)		

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R

16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Placebo					Xanomeline Low				Xanomeline High			
Visit	N	Mean (SD)	Change	N	Mean (SD)	Change	N	Mean (SD)	Change	N	Mean (SD)	
			from Bsln			from Bsln			from Bsln			
			Mean (SD)			Mean (SD)			Mean (SD)			
Wk 12	67	4.2 (0.41)	0.0 (0.46)	52	4.2 (0.42)	-0.2 (0.40)	49	4.2 (0.26)	-0.1 (0.39)			
Wk 16	68	4.2 (0.41)	0.0 (0.46)	42	4.3 (0.33)	-0.1 (0.35)	37	4.3 (0.27)	0.0 (0.35)			
Wk 20	64	4.3 (0.46)	0.0 (0.44)	31	4.3 (0.36)	0.0 (0.44)	31	4.3 (0.37)	0.0 (0.40)			
Wk 24	56	4.3 (0.44)	0.1 (0.44)	27	4.3 (0.41)	0.0 (0.35)	30	4.2 (0.42)	0.0 (0.50)			
Wk 26	57	4.2 (0.38)	0.0 (0.34)	25	4.3 (0.40)	0.0 (0.36)	27	4.3 (0.39)	0.0 (0.54)			
End[1]	84	4.3 (0.43)	0.0 (0.41)	82	4.3 (0.43)	-0.1 (0.39)	80	4.2 (0.36)	-0.1 (0.47)			

Potassium (mmol/L) change from previous visit,
relative to normal range

Bsln	86			81				82			
Wk 2	84	0.0	(0.37)	80	0.0	(0.38)		77	0.0	(0.46)	
Wk 4	82	0.0	(0.29)	71	-0.1	(0.38)		72	-0.1	(0.40)	
Wk 6	75	0.1	(0.38)	64	0.0	(0.40)		67	0.0	(0.32)	
Wk 8	73	-0.1	(0.37)	60	0.0	(0.41)		56	0.0	(0.42)	
Wk 12	67	0.0	(0.36)	52	-0.2	(0.41)		49	0.0	(0.41)	
Wk 16	68	0.0	(0.48)	42	0.1	(0.33)		37	0.1	(0.34)	
Wk 20	64	0.0	(0.40)	31	0.0	(0.33)		31	0.0	(0.38)	
Wk 24	56	0.0	(0.40)	27	0.0	(0.42)		30	-0.1	(0.45)	
Wk 26	57	0.0	(0.34)	25	0.0	(0.40)		27	0.0	(0.45)	
End[1]	84	0.0	(0.40)	82	0.0	(0.43)		80	-0.1	(0.41)	

PROTEIN

Bsln	86	70.5	(4.72)		82	70.4	(4.29)		84	71.0	(4.24)				
Wk 2	84	69.2	(4.93)	-1.3	(4.53)	80	69.5	(4.48)	-0.9	(3.63)	78	69.5	(4.31)	-1.6	(3.91)
Wk 4	82	69.0	(4.18)	-1.6	(3.93)	72	68.8	(4.30)	-1.5	(3.97)	72	69.8	(4.54)	-1.4	(3.90)
Wk 6	75	69.6	(3.95)	-1.2	(4.01)	64	68.8	(4.33)	-1.3	(4.17)	67	70.2	(4.28)	-1.1	(4.10)
Wk 8	73	70.5	(5.20)	-0.4	(4.35)	60	69.2	(3.95)	-0.9	(3.71)	56	70.6	(3.78)	-1.0	(3.57)
Wk 12	67	70.0	(4.28)	-0.6	(3.86)	52	69.3	(4.98)	-0.8	(3.62)	50	70.4	(3.83)	-1.0	(4.11)
Wk 16	68	71.2	(4.57)	0.4	(4.39)	42	69.3	(4.79)	-0.5	(4.27)	37	70.5	(4.93)	-1.0	(4.57)
Wk 20	66	70.0	(4.92)	-1.1	(4.53)	31	68.7	(4.82)	-1.3	(3.88)	31	69.5	(4.15)	-1.8	(4.13)
Wk 24	57	70.1	(4.33)	-0.8	(4.81)	27	70.9	(6.11)	0.7	(4.03)	30	70.7	(3.47)	-0.7	(3.83)
Wk 26	57	70.4	(4.48)	-0.5	(4.56)	25	69.4	(5.29)	-1.1	(4.26)	27	69.4	(4.89)	-2.5	(4.01)
End[1]	84	70.2	(4.26)	-0.3	(4.35)	82	70.1	(4.95)	-0.4	(3.97)	80	70.4	(3.91)	-0.7	(3.63)

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R

16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Placebo				Xanomeline Low				Xanomeline High			
Visit	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)		
Protein (g/L) change from previous visit, relative to normal range											
Bsln	86			82			84				
Wk 2	84	-0.1 (0.45)		80	-0.1 (0.36)		78	-0.2 (0.39)			
Wk 4	82	0.0 (0.38)		72	-0.1 (0.36)		72	0.0 (0.42)			
Wk 6	75	0.0 (0.39)		64	0.0 (0.33)		67	0.0 (0.48)			
Wk 8	73	0.1 (0.40)		60	0.1 (0.32)		56	0.0 (0.38)			
Wk 12	67	0.0 (0.42)		52	0.0 (0.32)		50	0.0 (0.35)			
Wk 16	68	0.1 (0.44)		42	0.0 (0.37)		37	0.0 (0.46)			
Wk 20	66	-0.1 (0.42)		31	-0.1 (0.35)		31	-0.1 (0.31)			
Wk 24	57	0.1 (0.45)		27	0.2 (0.38)		30	0.1 (0.28)			
Wk 26	57	0.0 (0.40)		25	-0.2 (0.40)		27	-0.1 (0.39)			
End[1]	84	0.1 (0.41)		82	0.0 (0.40)		80	0.0 (0.39)			
SODIUM											
Bsln	86	140.3 (2.74)		82	140.0 (2.61)		83	140.0 (3.11)			
Wk 2	84	140.4 (2.62)	0.0 (3.35)	80	139.6 (2.47)	-0.3 (2.86)	77	139.1 (2.74)	-0.6 (2.87)		
Wk 4	82	139.9 (2.74)	-0.4 (3.58)	72	140.1 (2.40)	0.2 (3.16)	72	139.7 (2.75)	-0.3 (3.39)		
Wk 6	75	140.3 (2.58)	0.0 (3.08)	64	140.6 (2.69)	0.8 (3.25)	67	140.1 (2.61)	-0.2 (3.23)		
Wk 8	73	140.7 (2.48)	0.4 (3.33)	60	140.4 (2.58)	0.6 (3.33)	56	140.5 (3.15)	0.3 (3.79)		
Wk 12	67	140.4 (2.39)	0.2 (2.98)	52	141.1 (2.77)	1.1 (3.06)	49	140.2 (2.39)	-0.1 (2.79)		
Wk 16	68	141.1 (2.37)	0.9 (3.10)	42	141.0 (2.62)	1.2 (2.93)	37	141.6 (2.96)	1.4 (3.18)		
Wk 20	65	141.2 (2.53)	1.1 (3.01)	31	141.4 (2.53)	1.6 (3.42)	31	141.8 (3.87)	1.2 (3.61)		
Wk 24	57	141.7 (2.23)	1.6 (3.27)	27	141.5 (2.12)	1.2 (3.12)	30	141.6 (2.99)	1.0 (3.10)		
Wk 26	57	142.6 (2.25)	2.5 (2.90)	25	142.1 (2.08)	1.9 (3.13)	27	142.4 (3.07)	1.9 (3.43)		
End[1]	84	141.5 (2.74)	1.1 (3.51)	82	141.1 (2.65)	1.3 (3.09)	80	140.5 (3.22)	0.5 (3.50)		
Sodium (mmol/L) change from previous visit, relative to normal range											
Bsln	86			82			83				
Wk 2	84	0.0 (0.67)		80	-0.1 (0.56)		77	-0.1 (0.56)			
Wk 4	82	-0.1 (0.52)		72	0.1 (0.59)		72	0.1 (0.63)			
Wk 6	75	0.1 (0.56)		64	0.1 (0.57)		67	0.1 (0.68)			
Wk 8	73	0.1 (0.56)		60	0.0 (0.57)		56	0.0 (0.61)			

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R

16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
Wk 12	67	0.0 (0.53)		52	0.2 (0.55)		49	0.0 (0.53)	
Wk 16	68	0.1 (0.54)		42	0.1 (0.56)		37	0.2 (0.50)	
Wk 20	65	0.0 (0.49)		31	0.0 (0.52)		31	0.0 (0.72)	
Wk 24	57	0.1 (0.60)		27	0.0 (0.47)		30	-0.1 (0.77)	
Wk 26	57	0.2 (0.57)		25	0.1 (0.60)		27	0.2 (0.45)	
End[1]	84	0.1 (0.59)		82	0.1 (0.56)		80	0.1 (0.71)	
URATE									
Bsln	86	285.0 (74.45)		82	300.7 (77.78)		84	302.2 (78.01)	
Wk 2	84	284.0 (68.72)	-1.8 (50.16)	80	305.8 (74.25)	1.0 (40.56)	78	301.7 (81.96)	-2.7 (33.85)
Wk 4	82	285.6 (69.22)	-0.6 (35.59)	72	299.5 (79.44)	-3.7 (38.80)	72	291.4 (79.28)	-9.5 (42.17)
Wk 6	75	288.0 (68.73)	-1.1 (38.24)	64	298.1 (74.46)	-6.2 (30.89)	67	291.6 (74.82)	-9.8 (34.48)
Wk 8	73	285.6 (65.63)	-5.1 (36.28)	60	290.9 (71.15)	-15.6 (30.49)	56	291.6 (76.76)	-11.2 (35.13)
Wk 12	67	291.1 (70.07)	3.2 (40.20)	52	290.3 (63.20)	-11.5 (31.83)	50	294.2 (78.84)	-9.0 (36.29)
Wk 16	68	285.8 (68.72)	-3.6 (41.33)	42	288.8 (58.78)	-12.9 (39.98)	37	284.1 (80.47)	-19.9 (36.13)
Wk 20	66	301.9 (73.43)	12.1 (40.18)	31	279.7 (58.71)	-16.5 (44.34)	31	295.1 (85.89)	-9.6 (43.81)
Wk 24	57	293.5 (73.47)	4.6 (42.98)	27	274.9 (57.72)	-19.2 (31.26)	30	288.5 (88.37)	-19.4 (50.03)
Wk 26	57	291.9 (74.43)	5.1 (44.39)	25	279.3 (60.01)	-13.6 (39.12)	27	301.1 (86.31)	-12.6 (47.68)
End[1]	84	290.5 (73.86)	4.7 (46.43)	82	298.3 (80.54)	-3.1 (37.11)	80	292.4 (80.83)	-10.5 (42.35)
Urate (umol/L) change from previous visit, relative to normal range									
Bsln	86			82			84		
Wk 2	84	0.0 (0.33)		80	0.0 (0.27)		78	0.0 (0.23)	
Wk 4	82	0.0 (0.26)		72	0.0 (0.26)		72	0.0 (0.25)	
Wk 6	75	0.0 (0.22)		64	0.0 (0.24)		67	0.0 (0.23)	
Wk 8	73	0.0 (0.22)		60	-0.1 (0.21)		56	0.0 (0.19)	
Wk 12	67	0.0 (0.23)		52	0.0 (0.17)		50	0.0 (0.18)	
Wk 16	68	-0.1 (0.22)		42	0.0 (0.24)		37	-0.1 (0.18)	
Wk 20	66	0.1 (0.28)		31	0.0 (0.24)		31	0.1 (0.21)	
Wk 24	57	0.0 (0.25)		27	0.0 (0.22)		30	0.0 (0.23)	
Wk 26	57	0.0 (0.26)		25	0.1 (0.19)		27	0.1 (0.23)	
End[1]	84	0.0 (0.25)		82	0.0 (0.26)		80	0.0 (0.24)	

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R

16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Placebo				Xanomeline Low				Xanomeline High			
Visit	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)		
UREA NITROGEN											
Bsln	86	5.5 (1.39)		82	6.4 (1.97)		84	5.8 (1.88)			
Wk 2	84	5.8 (1.51)	0.3 (1.17)	80	6.6 (1.82)	0.3 (1.53)	78	6.0 (2.06)	0.3 (1.36)		
Wk 4	82	5.9 (1.47)	0.3 (1.11)	72	6.4 (1.63)	0.0 (1.37)	72	5.9 (1.87)	0.3 (1.30)		
Wk 6	75	6.1 (1.42)	0.5 (1.16)	64	6.4 (1.76)	-0.1 (1.32)	67	6.0 (2.06)	0.3 (1.43)		
Wk 8	73	5.6 (1.58)	0.0 (1.22)	60	6.3 (1.92)	0.0 (0.95)	56	5.9 (1.93)	0.1 (1.25)		
Wk 12	67	5.9 (1.61)	0.2 (1.24)	52	6.2 (1.49)	0.0 (1.45)	50	5.9 (1.76)	0.1 (1.50)		
Wk 16	68	5.8 (1.60)	0.2 (1.28)	42	6.0 (1.62)	-0.2 (1.25)	37	5.7 (1.92)	0.2 (1.29)		
Wk 20	66	5.8 (1.53)	0.1 (1.28)	31	5.6 (1.57)	-0.6 (1.39)	31	5.9 (2.25)	0.2 (1.50)		
Wk 24	57	5.9 (1.32)	0.3 (1.24)	27	6.0 (2.07)	0.0 (1.37)	30	5.3 (1.92)	-0.3 (1.37)		
Wk 26	57	6.1 (1.62)	0.4 (1.36)	25	5.7 (1.93)	-0.3 (1.14)	27	5.9 (2.47)	0.3 (1.40)		
End[1]	84	5.9 (1.38)	0.3 (1.20)	82	6.6 (1.95)	0.2 (1.37)	80	5.7 (1.97)	0.0 (1.57)		
HEMATOLOGY											
Anisocytes change from previous visit, relative to normal range											
Bsln	7			3			7				
Wk 2	6			9			5				
Wk 4	9			9			4				
Wk 6	7			5			7				
Wk 8	7			2			3				
Wk 12	9			3			2				
Wk 16	4			9			6				
Wk 20	5			2			4				
Wk 24	3			1			3				
Wk 26	5			4			4				
End[1]	27			21			16				
BASOPHILS											
Bsln	85	0.1 (0.04)		81	0.1 (0.03)		81	0.1 (0.02)			
Wk 2	83	0.0 (0.02)	0.0 (0.03)	80	0.1 (0.03)	0.0 (0.03)	80	0.0 (0.03)	0.0 (0.02)		
Wk 4	79	0.0 (0.02)	0.0 (0.03)	71	0.0 (0.03)	0.0 (0.03)	71	0.0 (0.02)	0.0 (0.02)		

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R

16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

	Placebo				Xanomeline Low				Xanomeline High				
				Change					Change			Change	
Visit	N	Mean	(SD)	Mean	(SD)	N	Mean	(SD)	Mean	(SD)	N	Mean	(SD)
Wk 6	73	0.0	(0.03)	0.0	(0.03)	62	0.0	(0.03)	0.0	(0.03)	64	0.1	(0.03)
Wk 8	72	0.0	(0.02)	0.0	(0.03)	59	0.1	(0.02)	0.0	(0.04)	56	0.1	(0.03)
Wk 12	66	0.0	(0.02)	0.0	(0.04)	50	0.0	(0.02)	0.0	(0.03)	50	0.1	(0.03)
Wk 16	68	0.0	(0.03)	0.0	(0.04)	42	0.0	(0.02)	0.0	(0.03)	37	0.1	(0.03)
Wk 20	65	0.0	(0.03)	0.0	(0.03)	30	0.0	(0.02)	0.0	(0.03)	31	0.0	(0.02)
Wk 24	58	0.0	(0.03)	0.0	(0.03)	25	0.0	(0.03)	0.0	(0.02)	30	0.1	(0.02)
Wk 26	57	0.0	(0.02)	0.0	(0.03)	25	0.0	(0.03)	0.0	(0.02)	27	0.1	(0.03)
End[1]	84	0.0	(0.03)	0.0	(0.03)	82	0.0	(0.03)	0.0	(0.03)	81	0.1	(0.02)

Basophils (GI/L) change from previous visit,
relative to normal range

Bsln	85			81			81		
Wk 2	83	-0.1	(0.30)	80	0.0	(0.30)	80	0.0	(0.22)
Wk 4	79	-0.1	(0.22)	71	0.0	(0.24)	71	0.0	(0.18)
Wk 6	73	0.0	(0.23)	62	0.0	(0.21)	64	0.1	(0.21)
Wk 8	72	0.0	(0.23)	59	0.0	(0.22)	56	0.0	(0.21)
Wk 12	66	0.0	(0.23)	50	-0.1	(0.20)	50	0.0	(0.18)
Wk 16	68	0.0	(0.23)	42	0.0	(0.16)	37	0.0	(0.22)
Wk 20	65	0.0	(0.27)	30	0.0	(0.21)	31	0.0	(0.34)
Wk 24	58	0.0	(0.19)	25	0.1	(0.21)	30	0.1	(0.25)
Wk 26	57	0.0	(0.21)	25	0.0	(0.17)	27	0.0	(0.23)
End[1]	84	0.0	(0.25)	82	0.0	(0.21)	81	0.0	(0.23)

EOSINOPHILS

Bsln	85	0.1 (0.12)		81	0.1 (0.12)		81	0.1 (0.10)	
Wk 2	83	0.1 (0.10)	0.0 (0.09)	80	0.2 (0.17)	0.0 (0.14)	80	0.1 (0.11)	0.0 (0.07)
Wk 4	79	0.1 (0.13)	0.0 (0.09)	71	0.2 (0.14)	0.0 (0.11)	71	0.2 (0.15)	0.0 (0.13)
Wk 6	73	0.1 (0.13)	0.0 (0.11)	62	0.2 (0.21)	0.1 (0.16)	64	0.2 (0.28)	0.1 (0.25)
Wk 8	72	0.1 (0.10)	0.0 (0.10)	59	0.3 (0.26)	0.2 (0.23)	56	0.2 (0.25)	0.1 (0.19)
Wk 12	66	0.1 (0.09)	0.0 (0.11)	50	0.3 (0.21)	0.1 (0.19)	50	0.2 (0.17)	0.1 (0.14)
Wk 16	68	0.1 (0.08)	0.0 (0.10)	42	0.2 (0.16)	0.1 (0.13)	37	0.2 (0.21)	0.1 (0.17)
Wk 20	65	0.1 (0.08)	0.0 (0.10)	30	0.2 (0.19)	0.1 (0.16)	31	0.1 (0.11)	0.0 (0.12)
Wk 24	58	0.1 (0.08)	0.0 (0.09)	25	0.2 (0.14)	0.0 (0.12)	30	0.2 (0.15)	0.0 (0.13)
Wk 26	57	0.1 (0.10)	0.0 (0.11)	25	0.2 (0.15)	0.0 (0.13)	27	0.1 (0.10)	0.0 (0.09)

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R

16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo			N	Xanomeline Low			N	Xanomeline High		
		Mean (SD)	Change from Bsln Mean (SD)	Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)	Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)	Mean (SD)
End[1]	84	0.1 (0.08)	0.0 (0.10)	82	0.2 (0.17)	0.0 (0.14)	81	0.2 (0.20)	0.1 (0.18)			
Eosinophils (GI/L) change from previous visit, relative to normal range												
Bsln	85			81			81					
Wk 2	83	-0.1 (0.30)		80	0.1 (0.49)		80	0.0 (0.25)				
Wk 4	79	0.0 (0.25)		71	0.0 (0.43)		71	0.1 (0.45)				
Wk 6	73	0.0 (0.34)		62	0.2 (0.44)		64	0.3 (0.58)				
Wk 8	72	0.0 (0.27)		59	0.2 (0.61)		56	0.0 (0.75)				
Wk 12	66	0.0 (0.33)		50	-0.2 (0.60)		50	0.0 (0.42)				
Wk 16	68	0.0 (0.26)		42	-0.3 (0.44)		37	-0.1 (0.38)				
Wk 20	65	0.0 (0.24)		30	0.0 (0.42)		31	-0.1 (0.44)				
Wk 24	58	0.0 (0.25)		25	0.0 (0.33)		30	0.0 (0.51)				
Wk 26	57	0.0 (0.25)		25	0.0 (0.23)		27	-0.1 (0.41)				
End[1]	84	0.0 (0.22)		82	-0.2 (0.52)		81	0.0 (0.58)				
ERY. MEAN CORPUSCULAR HB CONCENTRATION												
Bsln	85	20.6 (0.87)		80	20.2 (0.98)		80	20.5 (0.87)				
Wk 2	83	20.3 (0.77)	-0.3 (1.00)	80	20.3 (0.85)	0.0 (1.04)	80	20.4 (0.74)	0.0 (0.98)			
Wk 4	77	20.2 (0.78)	-0.4 (1.01)	69	20.2 (0.72)	0.0 (0.94)	70	20.5 (0.71)	-0.1 (0.90)			
Wk 6	72	20.5 (0.77)	-0.2 (0.98)	60	20.1 (0.84)	-0.2 (0.99)	65	20.4 (0.89)	-0.2 (1.00)			
Wk 8	71	20.3 (0.68)	-0.2 (0.85)	56	20.2 (0.83)	0.0 (0.92)	56	20.5 (0.76)	-0.1 (0.93)			
Wk 12	65	20.3 (0.74)	-0.3 (0.96)	49	20.3 (0.68)	0.0 (0.99)	50	20.5 (0.76)	-0.1 (1.03)			
Wk 16	68	20.2 (0.75)	-0.4 (1.02)	42	20.0 (0.82)	-0.2 (1.02)	37	20.4 (0.83)	-0.2 (1.11)			
Wk 20	64	20.3 (0.80)	-0.3 (0.94)	30	20.0 (0.85)	-0.4 (0.91)	31	20.3 (0.88)	-0.3 (1.22)			
Wk 24	58	20.1 (0.89)	-0.5 (1.01)	25	20.3 (0.91)	-0.3 (0.95)	30	20.4 (0.85)	-0.3 (1.29)			
Wk 26	56	20.3 (0.99)	-0.4 (1.16)	25	19.9 (0.94)	-0.6 (1.09)	27	20.2 (0.92)	-0.6 (1.12)			
End[1]	83	20.2 (0.85)	-0.4 (0.99)	82	20.2 (0.81)	0.0 (0.98)	81	20.4 (0.78)	-0.1 (1.08)			
ERY. MEAN CORPUSCULAR HEMOGLOBIN												
Bsln	85	1.9 (0.12)		81	1.9 (0.09)		81	1.9 (0.13)				
Wk 2	83	1.9 (0.11)	0.0 (0.07)	80	1.9 (0.09)	0.0 (0.07)	80	1.9 (0.13)	0.0 (0.07)			
Wk 4	79	1.9 (0.12)	0.0 (0.07)	71	1.9 (0.09)	0.0 (0.07)	71	1.9 (0.13)	0.0 (0.06)			
Wk 6	73	1.9 (0.13)	0.0 (0.08)	62	1.9 (0.08)	0.0 (0.05)	65	1.9 (0.13)	0.0 (0.08)			

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R

16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
Wk 8	72	1.9 (0.12)	0.0 (0.06)	59	1.9 (0.09)	0.0 (0.06)	56	1.9 (0.10)	0.0 (0.07)
Wk 12	66	1.9 (0.12)	0.0 (0.06)	50	1.9 (0.09)	0.0 (0.05)	50	1.9 (0.09)	0.0 (0.07)
Wk 16	68	1.9 (0.12)	0.0 (0.05)	42	1.9 (0.10)	0.0 (0.07)	37	1.9 (0.11)	0.0 (0.08)
Wk 20	65	1.9 (0.11)	0.0 (0.06)	30	1.9 (0.08)	0.0 (0.06)	31	1.9 (0.12)	0.0 (0.08)
Wk 24	58	1.9 (0.12)	0.0 (0.06)	25	1.9 (0.09)	0.0 (0.06)	30	1.9 (0.13)	0.0 (0.09)
Wk 26	57	1.9 (0.12)	0.0 (0.07)	25	1.9 (0.08)	0.0 (0.08)	27	1.9 (0.12)	0.0 (0.08)
End[1]	84	1.9 (0.12)	0.0 (0.07)	82	1.9 (0.09)	0.0 (0.06)	81	1.9 (0.13)	0.0 (0.07)

Ery. Mean Corpuscular Hemoglobin (fmol(Fe))
change from previous visit, relative to normal
range

Bsln	85		81		81
Wk 2	83	0.0 (0.25)	80	0.0 (0.26)	80
Wk 4	79	0.0 (0.21)	71	0.0 (0.25)	71
Wk 6	73	0.0 (0.22)	62	0.0 (0.16)	65
Wk 8	72	0.0 (0.20)	59	0.0 (0.21)	56
Wk 12	66	0.0 (0.23)	50	0.0 (0.17)	50
Wk 16	68	0.0 (0.22)	42	0.0 (0.20)	37
Wk 20	65	0.0 (0.17)	30	0.0 (0.19)	31
Wk 24	58	0.0 (0.16)	25	0.0 (0.20)	30
Wk 26	57	0.0 (0.20)	25	0.0 (0.18)	27
End[1]	84	0.0 (0.19)	82	0.0 (0.20)	81

Ery. Mean Corpuscular HGB Concentration (mmol/L)
change from previous visit, relative to normal rang

Bsln	85		80		80
Wk 2	83	-0.1 (0.39)	80	0.0 (0.40)	80
Wk 4	77	0.0 (0.30)	69	0.0 (0.35)	70
Wk 6	72	0.1 (0.35)	60	0.0 (0.32)	65
Wk 8	71	-0.1 (0.29)	56	0.0 (0.30)	56
Wk 12	65	0.0 (0.34)	49	0.0 (0.30)	50
Wk 16	68	0.0 (0.37)	42	-0.1 (0.28)	37
Wk 20	64	0.0 (0.31)	30	0.0 (0.38)	31
Wk 24	58	-0.1 (0.30)	25	0.1 (0.31)	30

[1] Last observed value while on treatment (prior to or at Week 24)
Source: programs/t-14-6-01/t-14-6-01.R

16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Mean (SD)	Placebo	N	Mean (SD)	Xanomeline Low	N	Mean (SD)	Xanomeline High
			Change from Bsln Mean (SD)			Change from Bsln Mean (SD)			Change from Bsln Mean (SD)
Wk 26	56	0.1 (0.37)		25	-0.1 (0.38)		27	-0.1 (0.37)	
End[1]	83	0.0 (0.33)		82	0.0 (0.35)		81	0.0 (0.35)	
ERY. MEAN CORPUSCULAR VOLUME									
Bsln	85	92.9 (5.69)		80	94.6 (4.90)		80	93.3 (5.91)	
Wk 2	83	94.1 (5.31)	1.2 (3.93)	80	94.6 (4.12)	0.2 (3.57)	80	93.4 (5.93)	0.2 (3.91)
Wk 4	77	94.6 (5.87)	1.7 (3.47)	69	95.1 (4.22)	0.6 (3.69)	70	93.0 (5.52)	0.0 (3.69)
Wk 6	72	94.2 (6.21)	1.3 (3.79)	60	95.2 (4.51)	0.7 (3.68)	65	94.0 (6.61)	0.6 (3.99)
Wk 8	71	94.3 (5.51)	1.5 (3.27)	56	94.9 (3.97)	0.6 (3.35)	56	94.4 (4.77)	0.4 (4.03)
Wk 12	65	94.2 (5.66)	1.6 (3.81)	49	95.1 (4.17)	0.9 (3.91)	50	94.9 (4.90)	0.8 (4.20)
Wk 16	68	94.1 (6.01)	1.7 (4.07)	42	95.8 (5.17)	1.2 (4.18)	37	94.7 (6.27)	0.6 (5.05)
Wk 20	64	93.3 (5.58)	1.3 (4.14)	30	95.4 (5.43)	2.0 (3.29)	31	95.1 (5.91)	0.9 (5.12)
Wk 24	58	93.9 (5.90)	1.6 (3.85)	25	94.3 (3.85)	0.8 (3.94)	30	95.0 (5.99)	0.7 (4.97)
Wk 26	56	93.9 (6.40)	1.7 (4.48)	25	95.8 (4.33)	2.6 (3.70)	27	95.4 (6.19)	1.2 (3.93)
End[1]	83	94.4 (5.93)	1.4 (4.07)	82	95.0 (3.98)	0.6 (3.83)	81	93.8 (6.14)	0.7 (4.40)
Ery. Mean Corpuscular Volume (fL) change from previous visit, relative to normal range									
Bsln	85			80			80		
Wk 2	83	0.1 (0.39)		80	0.0 (0.36)		80	0.0 (0.39)	
Wk 4	77	0.1 (0.29)		69	0.0 (0.31)		70	0.0 (0.25)	
Wk 6	72	-0.1 (0.32)		60	0.0 (0.31)		65	0.1 (0.33)	
Wk 8	71	0.0 (0.32)		56	0.0 (0.32)		56	0.0 (0.31)	
Wk 12	65	0.0 (0.32)		49	0.0 (0.30)		50	0.0 (0.28)	
Wk 16	68	0.0 (0.38)		42	0.1 (0.25)		37	0.0 (0.39)	
Wk 20	64	0.0 (0.32)		30	0.0 (0.39)		31	0.0 (0.43)	
Wk 24	58	0.0 (0.35)		25	-0.1 (0.35)		30	0.0 (0.35)	
Wk 26	56	0.0 (0.33)		25	0.2 (0.36)		27	0.0 (0.35)	
End[1]	83	0.0 (0.34)		82	0.0 (0.33)		81	0.0 (0.33)	
ERYTHROCYTES									
Bsln	85	4.5 (0.45)		81	4.5 (0.42)		81	4.7 (0.47)	
Wk 2	83	4.4 (0.40)	-0.1 (0.22)	80	4.4 (0.43)	-0.1 (0.27)	80	4.6 (0.47)	-0.1 (0.22)
Wk 4	79	4.4 (0.45)	-0.1 (0.25)	71	4.4 (0.38)	-0.2 (0.30)	71	4.5 (0.49)	-0.1 (0.25)

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R

16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Placebo					Xanomeline Low				Xanomeline High			
Visit	N	Mean (SD)		Change from Bsln Mean (SD)	N	Mean (SD)		Change from Bsln Mean (SD)	N	Mean (SD)		Change from Bsln Mean (SD)
Wk 6	73	4.4 (0.37)		-0.1 (0.24)	62	4.3 (0.38)		-0.2 (0.27)	65	4.5 (0.50)		-0.1 (0.24)
Wk 8	72	4.4 (0.41)		-0.1 (0.26)	59	4.4 (0.34)		-0.2 (0.24)	56	4.5 (0.45)		-0.1 (0.19)
Wk 12	66	4.4 (0.44)		-0.1 (0.26)	50	4.3 (0.32)		-0.2 (0.20)	50	4.6 (0.47)		-0.1 (0.27)
Wk 16	68	4.5 (0.41)		0.0 (0.27)	42	4.3 (0.36)		-0.1 (0.24)	37	4.6 (0.44)		-0.2 (0.26)
Wk 20	65	4.5 (0.41)		-0.1 (0.30)	30	4.3 (0.32)		-0.1 (0.21)	31	4.5 (0.50)		-0.2 (0.30)
Wk 24	58	4.4 (0.45)		-0.1 (0.23)	25	4.4 (0.38)		-0.1 (0.19)	30	4.6 (0.58)		-0.1 (0.24)
Wk 26	57	4.4 (0.42)		0.0 (0.25)	25	4.4 (0.35)		-0.1 (0.20)	27	4.5 (0.47)		-0.2 (0.27)
End[1]	84	4.4 (0.43)		-0.1 (0.27)	82	4.4 (0.38)		-0.2 (0.25)	81	4.6 (0.49)		-0.1 (0.22)

Erythrocytes (TI/L) change from previous visit,
relative to normal range

Bsln	85			81				81			
Wk 2	83	-0.1 (0.27)		80	-0.1 (0.33)			80	-0.1 (0.25)		
Wk 4	79	-0.1 (0.27)		71	-0.1 (0.35)			71	0.0 (0.28)		
Wk 6	73	0.0 (0.22)		62	0.0 (0.29)			65	0.0 (0.32)		
Wk 8	72	0.0 (0.26)		59	0.0 (0.26)			56	0.0 (0.24)		
Wk 12	66	-0.1 (0.28)		50	0.0 (0.30)			50	0.0 (0.25)		
Wk 16	68	0.1 (0.33)		42	0.0 (0.28)			37	-0.1 (0.24)		
Wk 20	65	-0.1 (0.28)		30	0.0 (0.29)			31	0.0 (0.18)		
Wk 24	58	0.0 (0.31)		25	0.0 (0.28)			30	0.1 (0.32)		
Wk 26	57	0.0 (0.25)		25	0.0 (0.22)			27	-0.1 (0.29)		
End[1]	84	0.0 (0.32)		82	0.0 (0.31)			81	0.0 (0.32)		

HEMATOCRIT

Bsln	85	0.4 (0.04)		80	0.4 (0.04)			80	0.4 (0.04)		
Wk 2	83	0.4 (0.04)	0.0 (0.03)	80	0.4 (0.04)	0.0 (0.03)		80	0.4 (0.04)	0.0 (0.03)	
Wk 4	77	0.4 (0.04)	0.0 (0.03)	69	0.4 (0.04)	0.0 (0.03)		70	0.4 (0.04)	0.0 (0.03)	
Wk 6	72	0.4 (0.04)	0.0 (0.03)	60	0.4 (0.04)	0.0 (0.03)		65	0.4 (0.04)	0.0 (0.03)	
Wk 8	71	0.4 (0.04)	0.0 (0.03)	56	0.4 (0.03)	0.0 (0.02)		56	0.4 (0.03)	0.0 (0.03)	
Wk 12	65	0.4 (0.04)	0.0 (0.03)	49	0.4 (0.03)	0.0 (0.02)		50	0.4 (0.04)	0.0 (0.03)	
Wk 16	68	0.4 (0.04)	0.0 (0.03)	42	0.4 (0.03)	0.0 (0.03)		37	0.4 (0.03)	0.0 (0.04)	
Wk 20	64	0.4 (0.04)	0.0 (0.03)	30	0.4 (0.03)	0.0 (0.02)		31	0.4 (0.04)	0.0 (0.04)	
Wk 24	58	0.4 (0.04)	0.0 (0.03)	25	0.4 (0.04)	0.0 (0.02)		30	0.4 (0.04)	0.0 (0.04)	
Wk 26	56	0.4 (0.04)	0.0 (0.03)	25	0.4 (0.04)	0.0 (0.03)		27	0.4 (0.04)	0.0 (0.03)	

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R

16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Mean (SD)	Placebo	N	Mean (SD)	Xanomeline Low	N	Mean (SD)	Xanomeline High
			Change from Bsln Mean (SD)			Change from Bsln Mean (SD)			Change from Bsln Mean (SD)
End[1]	83	0.4 (0.04)	0.0 (0.03)	82	0.4 (0.04)	0.0 (0.03)	81	0.4 (0.04)	0.0 (0.03)

Hematocrit change from previous visit, relative
to normal range

Bsln	85			80			80		
Wk 2	83	0.0 (0.40)		80	-0.1 (0.42)		80	-0.1 (0.44)	
Wk 4	77	0.0 (0.35)		69	-0.1 (0.42)		70	0.0 (0.35)	
Wk 6	72	-0.1 (0.35)		60	0.0 (0.42)		65	0.0 (0.42)	
Wk 8	71	0.1 (0.35)		56	0.0 (0.36)		56	0.0 (0.33)	
Wk 12	65	0.0 (0.39)		49	0.0 (0.33)		50	0.0 (0.28)	
Wk 16	68	0.1 (0.43)		42	0.1 (0.38)		37	-0.1 (0.41)	
Wk 20	64	-0.1 (0.39)		30	0.0 (0.40)		31	0.0 (0.35)	
Wk 24	58	0.0 (0.43)		25	-0.1 (0.35)		30	0.1 (0.41)	
Wk 26	56	0.0 (0.34)		25	0.1 (0.34)		27	-0.1 (0.38)	
End[1]	83	0.0 (0.41)		82	-0.1 (0.38)		81	0.0 (0.41)	

HEMOGLOBIN

Bsln	85	8.6 (0.83)		81	8.6 (0.77)		81	8.9 (0.78)	
Wk 2	83	8.4 (0.76)	-0.2 (0.42)	80	8.4 (0.76)	-0.2 (0.46)	80	8.7 (0.83)	-0.2 (0.42)
Wk 4	79	8.4 (0.82)	-0.2 (0.44)	71	8.4 (0.78)	-0.3 (0.50)	71	8.6 (0.78)	-0.2 (0.45)
Wk 6	73	8.4 (0.77)	-0.2 (0.44)	62	8.3 (0.76)	-0.3 (0.46)	65	8.6 (0.75)	-0.3 (0.44)
Wk 8	72	8.5 (0.76)	-0.2 (0.46)	59	8.3 (0.71)	-0.3 (0.39)	56	8.7 (0.73)	-0.3 (0.39)
Wk 12	66	8.4 (0.83)	-0.2 (0.42)	50	8.3 (0.69)	-0.3 (0.34)	50	8.8 (0.79)	-0.3 (0.42)
Wk 16	68	8.5 (0.73)	-0.1 (0.46)	42	8.3 (0.69)	-0.2 (0.42)	37	8.7 (0.70)	-0.3 (0.47)
Wk 20	65	8.4 (0.80)	-0.2 (0.51)	30	8.2 (0.63)	-0.2 (0.46)	31	8.7 (0.79)	-0.4 (0.46)
Wk 24	58	8.3 (0.82)	-0.2 (0.40)	25	8.4 (0.69)	-0.2 (0.36)	30	8.9 (0.85)	-0.3 (0.36)
Wk 26	57	8.4 (0.80)	-0.2 (0.47)	25	8.3 (0.67)	-0.3 (0.39)	27	8.7 (0.74)	-0.5 (0.39)
End[1]	84	8.4 (0.78)	-0.2 (0.44)	82	8.4 (0.69)	-0.2 (0.44)	81	8.7 (0.79)	-0.2 (0.36)

Hemoglobin (mmol/L) change from previous visit,
relative to normal range

Bsln	85			81			81		
Wk 2	83	-0.1 (0.31)		80	-0.1 (0.34)		80	-0.2 (0.31)	
Wk 4	79	-0.1 (0.29)		71	-0.1 (0.34)		71	0.0 (0.30)	

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R

16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Mean (SD)	Placebo	N	Mean (SD)	Xanomeline Low	N	Mean (SD)	Xanomeline High
			Change from Bsln Mean (SD)			Change from Bsln Mean (SD)			Change from Bsln Mean (SD)
Wk 6	73	0.0 (0.26)		62	0.0 (0.31)		65	0.0 (0.34)	
Wk 8	72	0.0 (0.27)		59	0.1 (0.29)		56	0.0 (0.28)	
Wk 12	66	-0.1 (0.30)		50	0.0 (0.31)		50	0.0 (0.30)	
Wk 16	68	0.1 (0.33)		42	0.0 (0.33)		37	-0.1 (0.27)	
Wk 20	65	0.0 (0.31)		30	0.0 (0.27)		31	0.0 (0.21)	
Wk 24	58	0.0 (0.33)		25	0.0 (0.27)		30	0.1 (0.29)	
Wk 26	57	0.0 (0.27)		25	-0.1 (0.23)		27	-0.1 (0.27)	
End[1]	84	0.0 (0.32)		82	-0.1 (0.34)		81	0.0 (0.30)	
LEUKOCYTES									
Bsln	85	6.9 (1.76)		81	6.6 (1.95)		81	6.5 (1.54)	
Wk 2	83	6.5 (1.55)	-0.4 (1.40)	80	6.9 (1.99)	0.2 (1.37)	80	6.5 (1.59)	-0.1 (1.18)
Wk 4	79	6.4 (1.63)	-0.4 (1.17)	71	6.8 (2.12)	0.1 (1.53)	71	6.6 (1.42)	0.1 (1.21)
Wk 6	73	6.5 (1.57)	-0.4 (1.36)	62	6.9 (1.99)	0.1 (1.14)	65	7.0 (1.84)	0.4 (1.65)
Wk 8	72	6.5 (1.70)	-0.3 (1.28)	59	7.1 (1.88)	0.3 (1.26)	56	6.9 (1.95)	0.4 (1.64)
Wk 12	66	6.3 (1.28)	-0.5 (1.09)	50	6.8 (2.03)	0.2 (0.97)	50	6.6 (1.51)	0.0 (1.21)
Wk 16	68	6.4 (1.50)	-0.5 (1.29)	42	6.6 (2.11)	0.2 (1.44)	37	6.8 (1.72)	-0.1 (1.37)
Wk 20	65	6.4 (1.77)	-0.5 (1.40)	30	6.5 (1.94)	0.1 (1.24)	31	6.6 (1.67)	-0.2 (1.21)
Wk 24	58	6.7 (1.77)	-0.2 (1.37)	25	6.3 (1.84)	0.0 (1.16)	30	6.7 (1.80)	-0.1 (1.16)
Wk 26	57	6.4 (1.47)	-0.4 (1.24)	25	6.1 (1.93)	-0.3 (1.15)	27	6.7 (1.78)	-0.2 (1.42)
End[1]	84	6.6 (1.80)	-0.2 (1.32)	82	6.8 (2.17)	0.1 (1.35)	81	6.7 (1.76)	0.2 (1.37)
Leukocytes (GI/L) change from previous visit, relative to normal range									
Bsln	85			81			81		
Wk 2	83	-0.1 (0.40)		80	0.1 (0.39)		80	0.0 (0.35)	
Wk 4	79	0.0 (0.34)		71	0.0 (0.39)		71	0.0 (0.33)	
Wk 6	73	0.0 (0.34)		62	0.0 (0.45)		65	0.1 (0.40)	
Wk 8	72	0.0 (0.32)		59	0.1 (0.34)		56	0.0 (0.39)	
Wk 12	66	0.0 (0.36)		50	-0.1 (0.31)		50	-0.1 (0.39)	
Wk 16	68	0.0 (0.30)		42	0.0 (0.35)		37	0.0 (0.38)	
Wk 20	65	0.0 (0.38)		30	0.0 (0.31)		31	0.0 (0.27)	
Wk 24	58	0.1 (0.32)		25	0.1 (0.26)		30	0.0 (0.33)	
Wk 26	57	0.0 (0.33)		25	-0.1 (0.30)		27	0.0 (0.36)	

[1] Last observed value while on treatment (prior to or at Week 24)
Source: programs/t-14-6-01/t-14-6-01.R

16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
End[1]	84	0.1 (0.36)		82	0.0 (0.35)		81	0.0 (0.40)	
LYMPHOCYTES									
Bsln	85	1.8 (0.57)		81	1.8 (0.57)		81	1.7 (0.52)	
Wk 2	83	1.7 (0.50)	-0.1 (0.37)	80	1.8 (0.66)	0.0 (0.45)	80	1.7 (0.50)	0.0 (0.38)
Wk 4	79	1.7 (0.56)	0.0 (0.38)	71	1.8 (0.67)	0.0 (0.49)	71	1.7 (0.50)	0.0 (0.44)
Wk 6	73	1.8 (0.58)	0.0 (0.41)	62	1.9 (0.64)	0.1 (0.47)	64	1.7 (0.48)	0.0 (0.44)
Wk 8	72	1.8 (0.67)	0.0 (0.44)	59	1.9 (0.65)	0.1 (0.45)	56	1.7 (0.50)	0.0 (0.36)
Wk 12	66	1.7 (0.58)	-0.1 (0.42)	50	1.8 (0.58)	-0.1 (0.45)	50	1.6 (0.47)	0.0 (0.37)
Wk 16	68	1.7 (0.58)	-0.1 (0.42)	42	1.8 (0.63)	-0.1 (0.34)	37	1.7 (0.62)	0.0 (0.41)
Wk 20	65	1.7 (0.50)	-0.1 (0.45)	30	1.7 (0.59)	-0.1 (0.50)	31	1.7 (0.59)	0.0 (0.36)
Wk 24	58	1.8 (0.65)	0.0 (0.48)	25	1.8 (0.56)	0.0 (0.37)	30	1.7 (0.56)	0.0 (0.37)
Wk 26	57	1.8 (0.59)	0.0 (0.43)	25	1.7 (0.62)	-0.1 (0.39)	27	1.8 (0.61)	0.1 (0.50)
End[1]	84	1.8 (0.59)	0.0 (0.46)	82	1.8 (0.62)	0.0 (0.46)	81	1.6 (0.54)	0.0 (0.38)

Lymphocytes (GI/L) change from previous visit,
relative to normal range

Bsln	85		81		81
Wk 2	83	-0.1 (0.33)	80	0.0 (0.40)	80
Wk 4	79	0.1 (0.34)	71	0.0 (0.44)	71
Wk 6	73	0.0 (0.42)	62	0.0 (0.44)	64
Wk 8	72	0.0 (0.35)	59	0.0 (0.34)	56
Wk 12	66	-0.1 (0.39)	50	-0.1 (0.33)	50
Wk 16	68	0.0 (0.37)	42	0.0 (0.35)	37
Wk 20	65	0.0 (0.40)	30	-0.1 (0.33)	31
Wk 24	58	0.1 (0.45)	25	0.1 (0.33)	30
Wk 26	57	0.0 (0.48)	25	-0.1 (0.35)	27
End[1]	84	0.1 (0.43)	82	0.0 (0.44)	81

Macrocytes change from previous visit, relative
to normal range

Bsln	3	4	
Wk 2	5	1	2
Wk 4	5	2	2

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R

16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
Wk 6	2			4			3		
Wk 8	3			3			1		
Wk 12	3			1			4		
Wk 16	6			2			5		
Wk 20	3			4			6		
Wk 24	6			1			4		
Wk 26	7			3			4		
End[1]	21			13			14		

Microcytes change from previous visit, relative to normal range

Wk 2	1
Wk 6	1
End[1]	1

MONOCYTES

Bsln	85	0.4 (0.15)		81	0.5 (0.16)		81	0.4 (0.12)	
Wk 2	83	0.4 (0.15)	0.0 (0.14)	80	0.5 (0.16)	0.0 (0.13)	80	0.4 (0.15)	0.0 (0.12)
Wk 4	79	0.4 (0.12)	0.0 (0.11)	71	0.5 (0.17)	0.0 (0.15)	71	0.4 (0.13)	0.0 (0.13)
Wk 6	73	0.4 (0.15)	0.0 (0.13)	62	0.5 (0.19)	0.0 (0.16)	64	0.5 (0.15)	0.0 (0.13)
Wk 8	72	0.4 (0.14)	0.0 (0.14)	59	0.5 (0.14)	0.0 (0.14)	56	0.5 (0.15)	0.0 (0.14)
Wk 12	66	0.4 (0.13)	0.0 (0.13)	50	0.5 (0.15)	0.0 (0.12)	50	0.4 (0.15)	0.0 (0.11)
Wk 16	68	0.5 (0.15)	0.0 (0.17)	42	0.5 (0.16)	0.0 (0.12)	37	0.5 (0.16)	0.0 (0.14)
Wk 20	65	0.5 (0.16)	0.0 (0.15)	30	0.5 (0.13)	0.0 (0.13)	31	0.5 (0.17)	0.0 (0.18)
Wk 24	58	0.5 (0.17)	0.0 (0.17)	25	0.5 (0.19)	0.0 (0.11)	30	0.5 (0.18)	0.0 (0.12)
Wk 26	57	0.4 (0.14)	0.0 (0.14)	25	0.4 (0.17)	0.0 (0.12)	27	0.5 (0.14)	0.0 (0.13)
End[1]	84	0.5 (0.17)	0.0 (0.17)	82	0.5 (0.17)	0.0 (0.13)	81	0.5 (0.15)	0.0 (0.12)

Monocytes (GI/L) change from previous visit, relative to normal range

Bsln	85		81		81
Wk 2	83	0.0 (0.36)	80	0.0 (0.33)	80
Wk 4	79	0.0 (0.31)	71	0.0 (0.31)	71
Wk 6	73	0.0 (0.36)	62	0.0 (0.41)	64

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R

16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	N	Placebo		N	Xanomeline Low		N	Xanomeline High	
		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)		Mean (SD)	Change from Bsln Mean (SD)
Wk 8	72	0.0 (0.37)		59	0.0 (0.33)		56	0.0 (0.32)	
Wk 12	66	0.0 (0.41)		50	0.0 (0.33)		50	-0.1 (0.29)	
Wk 16	68	0.1 (0.45)		42	0.0 (0.36)		37	0.1 (0.36)	
Wk 20	65	0.0 (0.46)		30	-0.1 (0.35)		31	0.0 (0.27)	
Wk 24	58	0.0 (0.41)		25	0.1 (0.35)		30	0.0 (0.37)	
Wk 26	57	-0.1 (0.36)		25	-0.1 (0.24)		27	0.0 (0.32)	
End[1]	84	0.0 (0.44)		82	0.0 (0.30)		81	0.0 (0.35)	
PLATELET									
Bsln	84	250.3 (65.52)		79	233.8 (58.58)		81	227.7 (54.74)	
Wk 2	83	246.2 (57.55)	-4.4 (36.21)	78	247.4 (59.37)	9.1 (46.36)	80	238.2 (59.77)	8.4 (31.55)
Wk 4	78	243.8 (54.30)	-7.4 (40.04)	70	239.2 (57.80)	5.7 (39.75)	70	238.3 (49.60)	9.8 (29.21)
Wk 6	73	250.8 (58.97)	-3.3 (36.82)	62	238.3 (55.74)	3.5 (43.39)	63	239.1 (56.79)	9.2 (37.82)
Wk 8	72	246.0 (66.61)	-6.2 (42.35)	59	245.4 (60.21)	5.1 (46.18)	55	236.9 (70.88)	11.0 (48.13)
Wk 12	65	241.9 (53.71)	-12.8 (42.62)	50	238.8 (49.49)	1.9 (24.69)	49	236.1 (53.03)	9.1 (34.47)
Wk 16	68	241.8 (55.65)	-13.7 (43.45)	41	244.5 (57.60)	2.8 (32.93)	37	230.9 (58.00)	5.3 (25.87)
Wk 20	65	248.4 (60.70)	-8.4 (30.42)	30	240.7 (64.07)	7.3 (42.65)	30	235.1 (65.46)	2.3 (22.80)
Wk 24	57	238.8 (51.89)	-11.3 (35.06)	24	249.7 (63.44)	1.8 (33.48)	29	238.3 (67.53)	4.5 (26.74)
Wk 26	56	247.6 (60.11)	-2.7 (41.73)	25	241.3 (57.16)	-1.9 (38.84)	27	237.4 (67.14)	0.3 (26.99)
End[1]	84	241.5 (59.49)	-8.5 (35.55)	82	236.7 (63.56)	1.1 (36.31)	81	233.8 (60.79)	4.1 (35.89)
Platelet (GI/L) change from previous visit, relative to normal range									
Bsln	84			79			81		
Wk 2	83	0.0 (0.28)		78	0.1 (0.35)		80	0.1 (0.24)	
Wk 4	78	0.0 (0.24)		70	0.0 (0.27)		70	0.0 (0.19)	
Wk 6	73	0.0 (0.26)		62	0.0 (0.21)		63	0.0 (0.22)	
Wk 8	72	0.0 (0.27)		59	0.0 (0.25)		55	0.0 (0.38)	
Wk 12	65	-0.1 (0.27)		50	-0.1 (0.22)		49	0.0 (0.31)	
Wk 16	68	0.0 (0.23)		41	0.0 (0.24)		37	0.0 (0.18)	
Wk 20	65	0.0 (0.27)		30	0.0 (0.34)		30	0.0 (0.20)	
Wk 24	57	0.0 (0.19)		24	0.0 (0.21)		29	0.0 (0.21)	
Wk 26	56	0.1 (0.25)		25	0.0 (0.26)		27	0.0 (0.23)	
End[1]	84	0.0 (0.22)		82	0.0 (0.28)		81	0.0 (0.26)	

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R

16:25 Thursday, September 03, 2026

Table 14-6.01
Summary Statistics for Continuous Laboratory Values

Visit	Placebo			Xanomeline Low			Xanomeline High		
	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)	N	Mean (SD)	Change from Bsln Mean (SD)
Poikilocytes change from previous visit, relative to normal range									
Wk 2	1						1		
End[1]	1						1		
Polychromasia change from previous visit, relative to normal range									
Bsln	1			1			1		
Wk 2				1			2		
Wk 4	1			2			1		
Wk 6	1			1			1		
Wk 8	2						1		
Wk 12	2								
Wk 16				2					
Wk 20	1			1			2		
Wk 24	1						1		
Wk 26	2								
End[1]	7			7			5		

[1] Last observed value while on treatment (prior to or at Week 24)

Source: programs/t-14-6-01/t-14-6-01.R

16:25 Thursday, September 03, 2026