

Table 14-6.05
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)			
		Shift	Normal at	High at	Normal at	High at	Normal at	High at	p-
		[1]	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline	value
									[2]
CHEMISTRY									

ALANINE AMINOTRANSFERASE	n		82	2	79	1	80	0	
	Normal		80 (98%)	0	78 (99%)	0	78 (98%)	0	
	High		2 (2%)	2 (100%)	1 (1%)	1 (100%)	2 (2%)	0	
ALBUMIN	n		84	0	80	0	80	0	
	Normal		84 (100%)	0	80 (100%)	0	80 (100%)	0	
ALKALINE PHOSPHATASE	n		82	2	79	0	79	1	
	Normal		81 (99%)	0	78 (99%)	0	79 (100%)	0	
	High		1 (1%)	2 (100%)	1 (1%)	0	0	1 (100%)	
ASPARTATE AMINOTRANSFERASE	n		82	2	79	1	80	0	
	Normal		79 (96%)	1 (50%)	77 (97%)	1 (100%)	78 (98%)	0	
	High		3 (4%)	1 (50%)	2 (3%)	0	2 (2%)	0	
BILIRUBIN	n		84	0	79	0	79	1	
	Normal		83 (99%)	0	79 (100%)	0	77 (97%)	0	
	High		1 (1%)	0	0	0	2 (3%)	1 (100%)	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

[1] A subject is counted only once for each analyte. A change will be considered shifting from normal at baseline to abnormal or from abnormal at baseline to normal at any visit during the treatment. The treatment period is defined as any planned visit after Week 0 (Visit 3), up to and including Week 24 (Visit 12).

[2] CMH test for general association, controlling for status at baseline.

Source: programs/t-14-6.05/t-14-6.05.R

16:25 Thursday, September 03, 2026

Table 14-6.05
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)		P- value [2]
	Shift [1]	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	
CALCIUM	n	84	0	80	0	80	0	
	Normal	84 (100%)	0	80 (100%)	0	80 (100%)	0	
CHLORIDE	n	84	0	80	0	79	0	
	Normal	84 (100%)	0	80 (100%)	0	79 (100%)	0	
CHOLESTEROL	n	84	0	80	0	80	0	
	Normal	84 (100%)	0	80 (100%)	0	80 (100%)	0	
CREATINE KINASE	n	84	0	79	1	77	3	
	Normal	77 (92%)	0	74 (94%)	1 (100%)	72 (94%)	1 (33%)	
	High	7 (8%)	0	5 (6%)	0	5 (6%)	2 (67%)	
CREATININE	n	84	0	80	0	80	0	
	Normal	84 (100%)	0	80 (100%)	0	80 (100%)	0	
GAMMA GLUTAMYL TRANSFERASE	n	82	2	78	2	78	2	
	Normal	80 (98%)	0	75 (96%)	1 (50%)	76 (97%)	1 (50%)	
	High	2 (2%)	2 (100%)	3 (4%)	1 (50%)	2 (3%)	1 (50%)	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

[1] A subject is counted only once for each analyte. A change will be considered shifting from normal at baseline to abnormal or from abnormal at baseline to normal at any visit during the treatment. The treatment period is defined as any planned visit after Week 0 (Visit 3), up to and including Week 24 (Visit 12).

[2] CMH test for general association, controlling for status at baseline.

Source: programs/t-14-6.05/t-14-6.05.R

16:25 Thursday, September 03, 2026

Table 14-6.05
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)		P- value [2]
	Shift [1]	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	
GLUCOSE	n	83	1	80	0	80	0	
	Normal	83 (100%)	1 (100%)	79 (99%)	0	78 (98%)	0	
	High	0	0	1 (1%)	0	2 (2%)	0	
PHOSPHATE	n	84	0	79	0	80	0	
	Normal	84 (100%)	0	79 (100%)	0	80 (100%)	0	
POTASSIUM	n	84	0	79	0	79	0	
	Normal	84 (100%)	0	79 (100%)	0	79 (100%)	0	
PROTEIN	n	84	0	80	0	80	0	
	Normal	84 (100%)	0	80 (100%)	0	80 (100%)	0	
SODIUM	n	84	0	80	0	79	0	
	Normal	84 (100%)	0	80 (100%)	0	79 (100%)	0	
URATE	n	84	0	80	0	80	0	
	Normal	84 (100%)	0	80 (100%)	0	80 (100%)	0	
UREA NITROGEN	n	84	0	78	2	80	0	
	Normal	84 (100%)	0	78 (100%)	2 (100%)	79 (99%)	0	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

[1] A subject is counted only once for each analyte. A change will be considered shifting from normal at baseline to abnormal or from abnormal at baseline to normal at any visit during the treatment. The treatment period is defined as any planned visit after Week 0 (Visit 3), up to and including Week 24 (Visit 12).

[2] CMH test for general association, controlling for status at baseline.

Source: programs/t-14-6.05/t-14-6.05.R

16:25 Thursday, September 03, 2026

Table 14-6.05
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)		P- value [2]
	Shift [1]	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	
	High	0	0	0	0	1 (1%)	0	
HEMATOLOGY								

BASOPHILS	n	83	0	79	0	78	0	
	Normal	83 (100%)	0	79 (100%)	0	78 (100%)	0	
EOSINOPHILS	n	83	0	78	1	78	0	
	Normal	83 (100%)	0	73 (94%)	1 (100%)	72 (92%)	0	
	High	0	0	5 (6%)	0	6 (8%)	0	
ERY. MEAN CORPUSCULAR HB CONCENTRATION	n	82	0	78	0	77	0	
	Normal	82 (100%)	0	78 (100%)	0	77 (100%)	0	
ERY. MEAN CORPUSCULAR HEMOGLOBIN	n	83	0	79	0	78	0	
	Normal	83 (100%)	0	79 (100%)	0	78 (100%)	0	
ERY. MEAN CORPUSCULAR VOLUME	n	82	0	78	0	77	0	
	Normal	82 (100%)	0	78 (100%)	0	77 (100%)	0	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

[1] A subject is counted only once for each analyte. A change will be considered shifting from normal at baseline to abnormal or from abnormal at baseline to normal at any visit during the treatment. The treatment period is defined as any planned visit after Week 0 (Visit 3), up to and including Week 24 (Visit 12).

[2] CMH test for general association, controlling for status at baseline.

Source: programs/t-14-6.05/t-14-6.05.R

16:25 Thursday, September 03, 2026

Table 14-6.05
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)		P- value [2]
	Shift [1]	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	Normal at Baseline	High at Baseline	
ERYTHROCYTES	n	83	0	79	0	78	0	
	Normal	83 (100%)	0	79 (100%)	0	78 (100%)	0	
HEMATOCRIT	n	82	0	78	0	77	0	
	Normal	82 (100%)	0	78 (100%)	0	77 (100%)	0	
HEMOGLOBIN	n	83	0	79	0	78	0	
	Normal	83 (100%)	0	79 (100%)	0	78 (100%)	0	
LEUKOCYTES	n	83	0	79	0	78	0	
	Normal	83 (100%)	0	79 (100%)	0	78 (100%)	0	
LYMPHOCYTES	n	83	0	79	0	78	0	
	Normal	82 (99%)	0	79 (100%)	0	78 (100%)	0	
	High	1 (1%)	0	0	0	0	0	
MONOCYTES	n	81	0	79	0	78	0	
	Normal	81 (100%)	0	79 (100%)	0	78 (100%)	0	
PLATELET	n	83	0	77	0	78	0	
	Normal	83 (100%)	0	77 (100%)	0	78 (100%)	0	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

[1] A subject is counted only once for each analyte. A change will be considered shifting from normal at baseline to abnormal or from abnormal at baseline to normal at any visit during the treatment. The treatment period is defined as any planned visit after Week 0 (Visit 3), up to and including Week 24 (Visit 12).

[2] CMH test for general association, controlling for status at baseline.

Source: programs/t-14-6.05/t-14-6.05.R

16:25 Thursday, September 03, 2026

Table 14-6.05

Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges

	Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)		P-
Shift	Normal at	High at	Normal at	High at	Normal at	High at	value
[1]	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline	[2]

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

[1] A subject is counted only once for each analyte. A change will be considered shifting from normal at baseline to abnormal or from abnormal at baseline to normal at any visit during the treatment. The treatment period is defined as any planned visit after Week 0 (Visit 3), up to and including Week 24 (Visit 12).

[2] CMH test for general association, controlling for status at baseline.

Source: programs/t-14-6.05/t-14-6.05.R

16:25 Thursday, September 03, 2026