

Table 14-7.02
Summary of Vital Signs Change from Baseline at End of Treatment

Measure	Position	Treatment	N	Planned Relative Time	n	Mean	SD	Median	Min.	Max.
Systolic Blood Pressure (mmHg)	AFTER LYING DOWN FOR 5 MINUTES	Placebo	86	Week 24	58	-2.1	14.73	-4.0	-28.0	50.0
				End of Trt.	81	-3.7	18.98	-5.0	-46.0	48.0
		Xan.Low	84	Week 24	27	-0.3	17.19	2.0	-48.0	30.0
				End of Trt.	72	-3.5	16.69	-4.0	-42.0	34.0
		Xan.High	84	Week 24	30	-5.6	17.18	-7.0	-36.0	26.0
				End of Trt.	73	-8.9	16.54	-10.0	-54.0	30.0
	AFTER STANDING FOR 1 MINUTE	Placebo	86	Week 24	58	-1.7	16.87	0.0	-32.0	40.0
				End of Trt.	81	-4.9	18.42	-2.0	-48.0	48.0
		Xan.Low	84	Week 24	27	-0.1	17.73	-1.0	-30.0	48.0
				End of Trt.	72	-4.3	16.61	-3.0	-52.0	40.0
		Xan.High	84	Week 24	30	-6.3	19.49	-9.0	-36.0	42.0
				End of Trt.	73	-10.0	18.41	-14.0	-62.0	35.0
	AFTER STANDING FOR 3 MINUTES	Placebo	86	Week 24	58	-1.0	15.80	-3.5	-36.0	38.0
				End of Trt.	81	-5.5	17.57	-6.0	-50.0	48.0
		Xan.Low	84	Week 24	27	-0.1	16.20	0.0	-30.0	30.0
				End of Trt.	72	-3.9	16.83	-4.0	-52.0	60.0
		Xan.High	84	Week 24	30	-9.0	16.88	-8.0	-40.0	30.0
				End of Trt.	73	-10.3	16.79	-10.0	-48.0	30.0

End of treatment is the last on-treatment assessment of the specified vital sign (on or before the Week 24 visit).

Source: programs/t-14-7.02/t-14-7.02.R

16:25 Thursday, September 03, 2026

Table 14-7.02
Summary of Vital Signs Change from Baseline at End of Treatment

Measure	Position	Treatment	N	Planned Relative Time	n	Mean	SD	Median	Min.	Max.
Diastolic Blood Pressure (mmHg)	AFTER LYING DOWN FOR 5 MINUTES	Placebo	86	Week 24	58	-0.8	10.82	-0.5	-18.0	41.0
				End of Trt.	81	-1.5	9.41	-1.0	-24.0	20.0
		Xan.Low	84	Week 24	27	-0.9	7.71	-2.0	-20.0	16.0
				End of Trt.	72	-3.5	8.56	-2.0	-30.0	16.0
		Xan.High	84	Week 24	30	-2.2	9.20	-1.0	-20.0	21.0
				End of Trt.	73	-3.5	9.20	-4.0	-24.0	20.0
	AFTER STANDING FOR 1 MINUTE	Placebo	86	Week 24	58	-2.3	10.08	-4.0	-23.0	24.0
				End of Trt.	81	-3.3	9.96	-2.0	-27.0	24.0
		Xan.Low	84	Week 24	27	1.0	7.30	2.0	-20.0	18.0
				End of Trt.	72	-2.2	9.20	-2.0	-30.0	20.0
		Xan.High	84	Week 24	30	-2.3	10.85	-7.0	-18.0	22.0
				End of Trt.	73	-2.2	11.77	-1.0	-34.0	22.0
	AFTER STANDING FOR 3 MINUTES	Placebo	86	Week 24	58	-2.3	9.56	-3.5	-22.0	20.0
				End of Trt.	81	-3.9	8.77	-4.0	-26.0	16.0
		Xan.Low	84	Week 24	27	-1.6	8.29	0.0	-20.0	10.0
				End of Trt.	72	-3.0	10.19	-2.0	-24.0	38.0
		Xan.High	84	Week 24	30	-2.1	9.77	-3.5	-20.0	16.0

End of treatment is the last on-treatment assessment of the specified vital sign (on or before the Week 24 visit).

Source: programs/t-14-7.02/t-14-7.02.R

16:25 Thursday, September 03, 2026

Table 14-7.02
Summary of Vital Signs Change from Baseline at End of Treatment

Measure	Position	Treatment	N	Planned Relative Time	n	Mean	SD	Median	Min.	Max.
				End of Trt.						
				73		-3.7	10.47	-2.0	-40.0	20.0

End of treatment is the last on-treatment assessment of the specified vital sign (on or before the Week 24 visit).
Source: programs/t-14-7.02/t-14-7.02.R 16:25 Thursday, September 03, 2026