

Table 1. Concomitant Medications by ATC Classification and Preferred Term
Safety Population

Concomitant.Medication	Placebo (N=38)	Active (N=44)	Total (N=82)
Overall	58 (152.6%)	59 (134.1%)	81 (98.8%)
AGENTS ACTING ON THE RENIN-ANGIOTENSIN SYSTEM	58 (152.6%)	59 (134.1%)	81 (98.8%)
ACE INHIBITORS AND CALCIUM CHANNEL BLOCKERS	0	2 (4.5%)	2 (2.4%)
COVERAM	0	2 (4.5%)	2 (2.4%)
ACE INHIBITORS AND DIURETICS	12 (31.6%)	4 (9.1%)	16 (19.5%)
BI PREDONIUM	3 (7.9%)	4 (9.1%)	7 (8.5%)
SALUTEC	2 (5.3%)	0	2 (2.4%)
VASERETIC	7 (18.4%)	0	7 (8.5%)
ACE INHIBITORS, PLAIN	28 (73.7%)	38 (86.4%)	60 (73.2%)
BENAZEPRIL	0	2 (4.5%)	2 (2.4%)
ENALAPRIL	9 (23.7%)	4 (9.1%)	13 (15.9%)
LISINAPRIL	0	19 (43.2%)	19 (23.2%)
PERINDOPRIL	9 (23.7%)	24 (54.5%)	33 (40.2%)
QUINAPRIL	1 (2.6%)	0	1 (1.2%)
RAMIPRIL	9 (23.7%)	3 (6.8%)	12 (14.6%)
ANGIOTENSIN II ANTAGONISTS AND CALCIUM CHANNEL BLOCKERS	0	16 (36.4%)	16 (19.5%)
AZOR	0	3 (6.8%)	3 (3.7%)
DIOVAN AMLO	0	13 (29.5%)	13 (15.9%)
ANGIOTENSIN II ANTAGONISTS AND DIURETICS	22 (57.9%)	7 (15.9%)	29 (35.4%)
BLOPRESS PLUS	4 (10.5%)	0	4 (4.9%)
CO-DIOVAN	0	3 (6.8%)	3 (3.7%)
HYZAAR	17 (44.7%)	4 (9.1%)	21 (25.6%)
PRITORPLUS	1 (2.6%)	0	1 (1.2%)
ANGIOTENSIN II ANTAGONISTS, OTHER COMBINATIONS	3 (7.9%)	0	3 (3.7%)
DIOVAN TRIPLE	3 (7.9%)	0	3 (3.7%)
ANGIOTENSIN II ANTAGONISTS, PLAIN	17 (44.7%)	15 (34.1%)	28 (34.1%)
IRBESARTAN	0	4 (9.1%)	4 (4.9%)
LOSARTAN	2 (5.3%)	12 (27.3%)	14 (17.1%)
OLMESARTAN	3 (7.9%)	3 (6.8%)	6 (7.3%)
VALSARTAN	12 (31.6%)	0	12 (14.6%)
ALL OTHER NON-THERAPEUTIC PRODUCTS	6 (15.8%)	0	6 (7.3%)
OTHER NON-THERAPEUTIC AUXILIARY PRODUCTS	6 (15.8%)	0	6 (7.3%)
HYPROMELLOSE	6 (15.8%)	0	6 (7.3%)
ANALGESICS	50 (131.6%)	45 (102.3%)	70 (85.4%)
ANILIDES	18 (47.4%)	22 (50.0%)	34 (41.5%)
PARACETAMOL	18 (47.4%)	22 (50.0%)	34 (41.5%)
NATURAL OPIUM ALKALOIDS	7 (18.4%)	0	7 (8.5%)
MORPHINE	7 (18.4%)	0	7 (8.5%)
OTHER ANALGESICS AND ANTIPYRETICS	12 (31.6%)	4 (9.1%)	16 (19.5%)
GABAPENTIN	10 (26.3%)	1 (2.3%)	11 (13.4%)
PREGABALIN	2 (5.3%)	3 (6.8%)	5 (6.1%)
OTHER OPIOIDS	6 (15.8%)	22 (50.0%)	22 (26.8%)
TRAMADOL	6 (15.8%)	22 (50.0%)	22 (26.8%)
PHENYLPYPERIDINE DERIVATIVES	0	6 (13.6%)	6 (7.3%)
FENTANYL	0	6 (13.6%)	6 (7.3%)
PYRAZOLONES	2 (5.3%)	0	2 (2.4%)
METAMIZOLE	2 (5.3%)	0	2 (2.4%)
SALICYLIC ACID AND DERIVATIVES	35 (92.1%)	25 (56.8%)	54 (65.9%)
ACETYLSALICYLIC ACID	31 (81.6%)	21 (47.7%)	46 (56.1%)
ALBYL-ENTEROSOLUBLE	0	4 (9.1%)	4 (4.9%)
CARBASALATE	3 (7.9%)	0	3 (3.7%)
PAYNOCIL	4 (10.5%)	0	4 (4.9%)
ANESTHETICS	13 (34.2%)	6 (13.6%)	19 (23.2%)
AMIDES	13 (34.2%)	0	13 (15.9%)
LIDOCAINE	13 (34.2%)	0	13 (15.9%)
OPIOID ANESTHETICS	0	6 (13.6%)	6 (7.3%)
FENTANYL	0	6 (13.6%)	6 (7.3%)
ANTI-ACNE PREPARATIONS	0	3 (6.8%)	3 (3.7%)
CORTICOSTEROIDS, COMBINATIONS FOR TREATMENT OF ACNE	0	3 (6.8%)	3 (3.7%)
FLUOROMETHOLONE	0	3 (6.8%)	3 (3.7%)
ANTIANEMIC PREPARATIONS	6 (15.8%)	15 (34.1%)	21 (25.6%)
FOLIC ACID AND DERIVATIVES	6 (15.8%)	0	6 (7.3%)
FOLIC ACID	3 (7.9%)	0	3 (3.7%)
VITAMIN B NOS	3 (7.9%)	0	3 (3.7%)
IRON BIVALENT, ORAL PREPARATIONS	3 (7.9%)	6 (13.6%)	9 (11.0%)
IRON	3 (7.9%)	6 (13.6%)	9 (11.0%)
IRON IN COMBINATION WITH FOLIC ACID	0	3 (6.8%)	3 (3.7%)
HIERROQUICK	0	3 (6.8%)	3 (3.7%)

Concomitant.Medication	Placebo (N=38)	Active (N=44)	Total (N=82)
IRON PREPARATIONS	3 (7.9%)	6 (13.6%)	9 (11.0%)
IRON	3 (7.9%)	6 (13.6%)	9 (11.0%)
IRON TRIVALENT, ORAL PREPARATIONS	3 (7.9%)	6 (13.6%)	9 (11.0%)
IRON	3 (7.9%)	6 (13.6%)	9 (11.0%)
IRON, PARENTERAL PREPARATIONS	3 (7.9%)	6 (13.6%)	9 (11.0%)
IRON	3 (7.9%)	6 (13.6%)	9 (11.0%)
OTHER ANTIANEMIC PREPARATIONS	3 (7.9%)	0	3 (3.7%)
ERYTHROPOIETIN HUMAN	3 (7.9%)	0	3 (3.7%)
VITAMIN B12 (CYANOCOBALAMIN AND ANALOGUES)	3 (7.9%)	6 (13.6%)	9 (11.0%)
CYANOCOBALAMIN	0	6 (13.6%)	6 (7.3%)
VITAMIN B NOS	3 (7.9%)	0	3 (3.7%)
ANTIBACTERIALS FOR SYSTEMIC USE	1 (2.6%)	3 (6.8%)	4 (4.9%)
FLUOROQUINOLONES	0	3 (6.8%)	3 (3.7%)
LEVOFLOXACIN	0	3 (6.8%)	3 (3.7%)
NITROFURAN DERIVATIVES	1 (2.6%)	0	1 (1.2%)
AKRITON	1 (2.6%)	0	1 (1.2%)
ANTIEPILEPTICS	12 (31.6%)	4 (9.1%)	16 (19.5%)
OTHER ANTIEPILEPTICS	12 (31.6%)	4 (9.1%)	16 (19.5%)
GABAPENTIN	10 (26.3%)	1 (2.3%)	11 (13.4%)
PREGABALIN	2 (5.3%)	3 (6.8%)	5 (6.1%)
ANTIGOUT PREPARATIONS	29 (76.3%)	25 (56.8%)	41 (50.0%)
PREPARATIONS INHIBITING URIC ACID PRODUCTION	29 (76.3%)	25 (56.8%)	41 (50.0%)
ALLOPURINOL	16 (42.1%)	25 (56.8%)	41 (50.0%)
FEBUXOSTAT	13 (34.2%)	0	13 (15.9%)
ANTIHISTAMINES FOR SYSTEMIC USE	0	4 (9.1%)	4 (4.9%)
OTHER ANTIHISTAMINES FOR SYSTEMIC USE	0	4 (9.1%)	4 (4.9%)
DESLOMATADINE	0	4 (9.1%)	4 (4.9%)
ANTIHYPERTENSIVES	21 (55.3%)	16 (36.4%)	30 (36.6%)
ALPHA-ADRENORECEPTOR ANTAGONISTS	18 (47.4%)	14 (31.8%)	25 (30.5%)
DOXAZOSIN	10 (26.3%)	7 (15.9%)	17 (20.7%)
PRazosin	7 (18.4%)	0	7 (8.5%)
URAPIDIL	4 (10.5%)	7 (15.9%)	11 (13.4%)
IMIDAZOLINE RECEPTOR AGONISTS	1 (2.6%)	2 (4.5%)	3 (3.7%)
RILMENIDINE	1 (2.6%)	2 (4.5%)	3 (3.7%)
OTHER ANTIHYPERTENSIVES	2 (5.3%)	0	2 (2.4%)
TADALAFIL	2 (5.3%)	0	2 (2.4%)
ANTIINFLAMMATORY AND ANTIRHEUMATIC PRODUCTS	16 (42.1%)	0	16 (19.5%)
OXICAMS	1 (2.6%)	0	1 (1.2%)
MELOXICAM	1 (2.6%)	0	1 (1.2%)
PROPIONIC ACID DERIVATIVES	15 (39.5%)	0	15 (18.3%)
IBUPROFEN	15 (39.5%)	0	15 (18.3%)
ANTINEOPLASTIC AGENTS	0	3 (6.8%)	3 (3.7%)
OTHER ANTINEOPLASTIC AGENTS	0	3 (6.8%)	3 (3.7%)
AFLIBERCEPT	0	3 (6.8%)	3 (3.7%)
ANTIPROTOZOALS	7 (18.4%)	0	7 (8.5%)
METHANOLQUINOLINES	7 (18.4%)	0	7 (8.5%)
QUININE	7 (18.4%)	0	7 (8.5%)
ANTIPRURITICS, INCL. ANTIHISTAMINES, ANESTHETICS, ETC.	13 (34.2%)	0	13 (15.9%)
ANESTHETICS FOR TOPICAL USE	13 (34.2%)	0	13 (15.9%)
LIDOCAINE	13 (34.2%)	0	13 (15.9%)
ANTIPSORIATICS	3 (7.9%)	0	3 (3.7%)
OTHER ANTIPSORIATICS FOR TOPICAL USE	3 (7.9%)	0	3 (3.7%)
CALCITRIOL	3 (7.9%)	0	3 (3.7%)
ANTITHROMBOTIC AGENTS	52 (136.8%)	42 (95.5%)	75 (91.5%)
PLATELET AGGREGATION INHIBITORS EXCL. HEPARIN	35 (92.1%)	25 (56.8%)	54 (65.9%)
ACETYLSALICYLIC ACID	31 (81.6%)	21 (47.7%)	46 (56.1%)
ALBYL-ENTEROSOLUBLE	0	4 (9.1%)	4 (4.9%)
CARBASALATE	3 (7.9%)	0	3 (3.7%)
PAYNOCIL	4 (10.5%)	0	4 (4.9%)
VITAMIN K ANTAGONISTS	17 (44.7%)	17 (38.6%)	34 (41.5%)
ACENOCOUMAROL	0	13 (29.5%)	13 (15.9%)
PHENPROCOUMON	2 (5.3%)	0	2 (2.4%)
WARFARIN	15 (39.5%)	4 (9.1%)	19 (23.2%)
BETA BLOCKING AGENTS	38 (100.0%)	53 (120.5%)	65 (79.3%)
BETA BLOCKING AGENTS, SELECTIVE	38 (100.0%)	53 (120.5%)	65 (79.3%)
ACEBUTOLOL	0	2 (4.5%)	2 (2.4%)
ATENOLOL	0	16 (36.4%)	16 (19.5%)
BETAXOLOL	2 (5.3%)	7 (15.9%)	9 (11.0%)
BISOPROLOL	11 (28.9%)	15 (34.1%)	26 (31.7%)
METOPROLOL	25 (65.8%)	16 (36.4%)	41 (50.0%)
BLOOD SUBSTITUTES AND PERFUSION SOLUTIONS	1 (2.6%)	4 (9.1%)	5 (6.1%)
ELECTROLYTE SOLUTIONS	1 (2.6%)	4 (9.1%)	5 (6.1%)
POTASSIUM	1 (2.6%)	4 (9.1%)	5 (6.1%)

Concomitant.Medication	Placebo (N=38)	Active (N=44)	Total (N=82)
SOLUTIONS AFFECTING THE ELECTROLYTE BALANCE	1 (2.6%)	4 (9.1%)	5 (6.1%)
POTASSIUM	1 (2.6%)	4 (9.1%)	5 (6.1%)
CALCIUM CHANNEL BLOCKERS	37 (97.4%)	26 (59.1%)	56 (68.3%)
DIHYDROPYRIDINE DERIVATIVES	37 (97.4%)	26 (59.1%)	56 (68.3%)
AMLODIPINE	36 (94.7%)	13 (29.5%)	42 (51.2%)
LERCANIDIPINE	5 (13.2%)	13 (29.5%)	18 (22.0%)
NIFEDIPINE	0	13 (29.5%)	13 (15.9%)
CALCIUM HOMEOSTASIS	3 (7.9%)	0	3 (3.7%)
OTHER ANTI-PARATHYROID AGENTS	3 (7.9%)	0	3 (3.7%)
PARICALCITOL	3 (7.9%)	0	3 (3.7%)
CARDIAC THERAPY	30 (78.9%)	18 (40.9%)	35 (42.7%)
ANTIARRHYTHMICS, CLASS IB	13 (34.2%)	0	13 (15.9%)
LIDOCAINE	13 (34.2%)	0	13 (15.9%)
ANTIARRHYTHMICS, CLASS IC	2 (5.3%)	3 (6.8%)	5 (6.1%)
PROPAFENONE	2 (5.3%)	3 (6.8%)	5 (6.1%)
DIGITALIS GLYCOSIDES	7 (18.4%)	0	7 (8.5%)
DIGOXIN	7 (18.4%)	0	7 (8.5%)
ORGANIC NITRATES	13 (34.2%)	0	13 (15.9%)
ISOSORBIDE MONONITRATE	13 (34.2%)	0	13 (15.9%)
OTHER CARDIAC PREPARATIONS	15 (39.5%)	2 (4.5%)	17 (20.7%)
IBUPROFEN	15 (39.5%)	0	15 (18.3%)
TRIMETAZIDINE	0	2 (4.5%)	2 (2.4%)
PHOSPHODIESTERASE INHIBITORS	0	13 (29.5%)	13 (15.9%)
SILDENAFIL	0	13 (29.5%)	13 (15.9%)
CORTICOSTEROIDS, DERMATOLOGICAL PREPARATIONS	7 (18.4%)	4 (9.1%)	11 (13.4%)
CORTICOSTEROIDS, MODERATELY POTENT (GROUP II)	0	3 (6.8%)	3 (3.7%)
FLUOROMETHOLONE	0	3 (6.8%)	3 (3.7%)
CORTICOSTEROIDS, POTENT (GROUP III)	7 (18.4%)	1 (2.3%)	8 (9.8%)
MOMETASONE	7 (18.4%)	1 (2.3%)	8 (9.8%)
COUGH AND COLD PREPARATIONS	7 (18.4%)	0	7 (8.5%)
OTHER COLD PREPARATIONS	7 (18.4%)	0	7 (8.5%)
QUININE	7 (18.4%)	0	7 (8.5%)
DIURETICS	17 (44.7%)	49 (111.4%)	66 (80.5%)
ALDOSTERONE ANTAGONISTS	5 (13.2%)	16 (36.4%)	21 (25.6%)
SPIRONOLACTONE	5 (13.2%)	16 (36.4%)	21 (25.6%)
LOW-CEILING DIURETICS AND POTASSIUM-SPARING AGENTS	1 (2.6%)	0	1 (1.2%)
MODURETIC	1 (2.6%)	0	1 (1.2%)
SULFONAMIDES, PLAIN	14 (36.8%)	46 (104.5%)	60 (73.2%)
FUROSEMIDE	7 (18.4%)	39 (88.6%)	46 (56.1%)
INDAPAMIDE	7 (18.4%)	13 (29.5%)	20 (24.4%)
TORASEMIDE	0	3 (6.8%)	3 (3.7%)
THIAZIDES, PLAIN	4 (10.5%)	16 (36.4%)	20 (24.4%)
HYDROCHLOROTHIAZIDE	4 (10.5%)	16 (36.4%)	20 (24.4%)
DRUGS FOR ACID RELATED DISORDERS	15 (39.5%)	22 (50.0%)	37 (45.1%)
CALCIUM COMPOUNDS	1 (2.6%)	0	1 (1.2%)
CALCIUM CARBONATE	1 (2.6%)	0	1 (1.2%)
PROTON PUMP INHIBITORS	14 (36.8%)	22 (50.0%)	36 (43.9%)
ESOMEPRAZOLE	1 (2.6%)	0	1 (1.2%)
LANSOPRAZOLE	0	3 (6.8%)	3 (3.7%)
OMEPRAZOLE	13 (34.2%)	22 (50.0%)	35 (42.7%)
DRUGS FOR CONSTIPATION	6 (15.8%)	0	6 (7.3%)
CONTACT LAXATIVES	6 (15.8%)	0	6 (7.3%)
SENNOSIDE A+B	6 (15.8%)	0	6 (7.3%)
DRUGS FOR OBSTRUCTIVE AIRWAY DISEASES	7 (18.4%)	4 (9.1%)	11 (13.4%)
ADRENERGICS IN COMBINATION WITH CORTICOSTEROIDS OR OTHER DRUGS, EXCL.	7 (18.4%)	1 (2.3%)	8 (9.8%)
ANTICHOLINERGICS	0	1 (2.3%)	1 (1.2%)
BEKFORM	0	1 (2.3%)	1 (1.2%)
BUDESONIDE W/FORMOTEROL FUMARATE	7 (18.4%)	0	7 (8.5%)
GLUCOCORTICOIDS	7 (18.4%)	1 (2.3%)	8 (9.8%)
MOMETASONE	7 (18.4%)	1 (2.3%)	8 (9.8%)
LEUKOTRIENE RECEPTOR ANTAGONISTS	0	1 (2.3%)	1 (1.2%)
MONTELUKAST	0	1 (2.3%)	1 (1.2%)
SELECTIVE BETA-2-ADRENORECEPTOR AGONISTS	7 (18.4%)	4 (9.1%)	11 (13.4%)
FORMOTEROL	7 (18.4%)	3 (6.8%)	10 (12.2%)
SALBUTAMOL	7 (18.4%)	1 (2.3%)	8 (9.8%)
XANTHINES	7 (18.4%)	0	7 (8.5%)
THEOPHYLLINE	7 (18.4%)	0	7 (8.5%)
DRUGS USED IN DIABETES	58 (152.6%)	59 (134.1%)	81 (98.8%)
BIGUANIDES	24 (63.2%)	41 (93.2%)	59 (72.0%)
METFORMIN	24 (63.2%)	41 (93.2%)	59 (72.0%)
COMBINATIONS OF ORAL BLOOD GLUCOSE LOWERING DRUGS	2 (5.3%)	8 (18.2%)	10 (12.2%)
EUCREAS	0	6 (13.6%)	6 (7.3%)
JENTADUETO	2 (5.3%)	0	2 (2.4%)

Concomitant.Medication	Placebo (N=38)	Active (N=44)	Total (N=82)
KAZANO	0	2 (4.5%)	2 (2.4%)
DIPEPTIDYL PEPTIDASE 4 (DPP-4) INHIBITORS	16 (42.1%)	17 (38.6%)	20 (24.4%)
ALOGLIPTIN	3 (7.9%)	0	3 (3.7%)
LINAGLIPTIN	13 (34.2%)	4 (9.1%)	17 (20.7%)
SAXAGLIPTIN	3 (7.9%)	0	3 (3.7%)
SITAGLIPTIN	0	13 (29.5%)	13 (15.9%)
INSULINS AND ANALOGUES FOR INHALATION	22 (57.9%)	8 (18.2%)	30 (36.6%)
INSULIN HUMAN	22 (57.9%)	8 (18.2%)	30 (36.6%)
INSULINS AND ANALOGUES FOR INJECTION, FAST-ACTING	25 (65.8%)	34 (77.3%)	52 (63.4%)
INSULIN ASPART	5 (13.2%)	26 (59.1%)	31 (37.8%)
INSULIN HUMAN	22 (57.9%)	8 (18.2%)	30 (36.6%)
INSULIN LISPRO	3 (7.9%)	0	3 (3.7%)
INSULINS AND ANALOGUES FOR INJECTION, INTERMEDIATE- OR LONG-ACTING COMBINED WITH FAST-ACTING	22 (57.9%)	16 (36.4%)	31 (37.8%)
HUMAN MIXTARD	7 (18.4%)	0	7 (8.5%)
INSULIN LISPRO	3 (7.9%)	0	3 (3.7%)
NOVOMIX	12 (31.6%)	16 (36.4%)	28 (34.1%)
INSULINS AND ANALOGUES FOR INJECTION, INTERMEDIATE-ACTING	25 (65.8%)	34 (77.3%)	52 (63.4%)
INSULIN ASPART	5 (13.2%)	26 (59.1%)	31 (37.8%)
INSULIN HUMAN	22 (57.9%)	8 (18.2%)	30 (36.6%)
INSULIN LISPRO	3 (7.9%)	0	3 (3.7%)
INSULINS AND ANALOGUES FOR INJECTION, LONG-ACTING	49 (128.9%)	35 (79.5%)	65 (79.3%)
INSULIN DETEMIR	4 (10.5%)	3 (6.8%)	7 (8.5%)
INSULIN GLARGINE	27 (71.1%)	24 (54.5%)	38 (46.3%)
INSULIN HUMAN	22 (57.9%)	8 (18.2%)	30 (36.6%)
OTHER BLOOD GLUCOSE LOWERING DRUGS, EXCL. INSULINS	9 (23.7%)	13 (29.5%)	22 (26.8%)
LIRAGLUTIDE	9 (23.7%)	0	9 (11.0%)
REPAGLINIDE	0	13 (29.5%)	13 (15.9%)
SULFONAMIDES, UREA DERIVATIVES	17 (44.7%)	35 (79.5%)	39 (47.6%)
GLICLAZIDE	4 (10.5%)	22 (50.0%)	26 (31.7%)
GLIMEPIRIDE	13 (34.2%)	13 (29.5%)	26 (31.7%)
GLIQUIDONE	0	4 (9.1%)	4 (4.9%)
THIAZOLIDINEDIONES	1 (2.6%)	0	1 (1.2%)
PIOGLITAZONE	1 (2.6%)	0	1 (1.2%)
EMOLLIENTS AND PROTECTIVES	6 (15.8%)	0	6 (7.3%)
SOFT PARAFFIN AND FAT PRODUCTS	6 (15.8%)	0	6 (7.3%)
HYDROMOL	6 (15.8%)	0	6 (7.3%)
GYNECOLOGICAL ANTIINFECTIVES AND ANTISEPTICS	1 (2.6%)	4 (9.1%)	5 (6.1%)
OTHER ANTIINFECTIVES AND ANTISEPTICS	1 (2.6%)	4 (9.1%)	5 (6.1%)
POTASSIUM	1 (2.6%)	4 (9.1%)	5 (6.1%)
HOMEOPATHIC PREPARATION	32 (84.2%)	28 (63.6%)	54 (65.9%)
HOMEOPATHIC PREPARATION	32 (84.2%)	28 (63.6%)	54 (65.9%)
ACETYSALICYLIC ACID	31 (81.6%)	21 (47.7%)	46 (56.1%)
CYANOCOBALAMIN	0	6 (13.6%)	6 (7.3%)
IRON	3 (7.9%)	6 (13.6%)	9 (11.0%)
POTASSIUM	1 (2.6%)	4 (9.1%)	5 (6.1%)
LIPID MODIFYING AGENTS	52 (136.8%)	59 (134.1%)	81 (98.8%)
FIBRATES	4 (10.5%)	13 (29.5%)	17 (20.7%)
FENOFIBRATE	4 (10.5%)	13 (29.5%)	17 (20.7%)
HMG COA REDUCTASE INHIBITORS	52 (136.8%)	57 (129.5%)	79 (96.3%)
ATORVASTATIN	42 (110.5%)	20 (45.5%)	55 (67.1%)
FLUVASTATIN	0	3 (6.8%)	3 (3.7%)
PRAVASTATIN	0	13 (29.5%)	13 (15.9%)
ROSUVASTATIN	5 (13.2%)	13 (29.5%)	18 (22.0%)
SIMVASTATIN	16 (42.1%)	26 (59.1%)	38 (46.3%)
HMG COA REDUCTASE INHIBITORS IN COMBINATION WITH OTHER LIPID MODIFYING AGENTS	0	2 (4.5%)	2 (2.4%)
INEGY	0	2 (4.5%)	2 (2.4%)
NICOTINIC ACID AND DERIVATIVES	3 (7.9%)	0	3 (3.7%)
NICOTINIC ACID	3 (7.9%)	0	3 (3.7%)
OTHER LIPID MODIFYING AGENTS	4 (10.5%)	0	4 (4.9%)
OMEGA-3-ACID ETHYL ESTER	4 (10.5%)	0	4 (4.9%)
MINERAL SUPPLEMENTS	18 (47.4%)	4 (9.1%)	22 (26.8%)
CALCIUM	14 (36.8%)	0	14 (17.1%)
CALCIUM	13 (34.2%)	0	13 (15.9%)
CALCIUM CARBONATE	1 (2.6%)	0	1 (1.2%)
POTASSIUM	4 (10.5%)	4 (9.1%)	8 (9.8%)
MAGNESIUM ASPARTATE TETRAHYDRATE W/POTASSIUM	3 (7.9%)	0	3 (3.7%)
POTASSIUM	1 (2.6%)	4 (9.1%)	5 (6.1%)
NASAL PREPARATIONS	7 (18.4%)	1 (2.3%)	8 (9.8%)
CORTICOSTEROIDS	7 (18.4%)	1 (2.3%)	8 (9.8%)
MOMETASONE	7 (18.4%)	1 (2.3%)	8 (9.8%)
OPHTHALMOLOGICALS	38 (100.0%)	24 (54.5%)	45 (54.9%)

Concomitant.Medication	Placebo (N=38)	Active (N=44)	Total (N=82)
ANTIINFLAMMATORY AGENTS, NON-STERIODS	1 (2.6%)	0	1 (1.2%)
MELOXICAM	1 (2.6%)	0	1 (1.2%)
ANTINEOVASCULARISATION AGENTS	0	3 (6.8%)	3 (3.7%)
AFLIBERCEPT	0	3 (6.8%)	3 (3.7%)
BETA BLOCKING AGENTS	11 (28.9%)	7 (15.9%)	11 (13.4%)
BETAXOLOL	2 (5.3%)	7 (15.9%)	9 (11.0%)
COMBIGAN	1 (2.6%)	0	1 (1.2%)
XALACAR-T	1 (2.6%)	0	1 (1.2%)
XALACOM	7 (18.4%)	0	7 (8.5%)
CARBONIC ANHYDRASE INHIBITORS	4 (10.5%)	0	4 (4.9%)
BRINZOLAMIDE	4 (10.5%)	0	4 (4.9%)
CORTICOSTEROIDS, PLAIN	0	3 (6.8%)	3 (3.7%)
FLUOROMETHOLONE	0	3 (6.8%)	3 (3.7%)
FLUOROQUINOLONES	0	3 (6.8%)	3 (3.7%)
LEVOFLOXACIN	0	3 (6.8%)	3 (3.7%)
LOCAL ANESTHETICS	13 (34.2%)	0	13 (15.9%)
LIDOCAINE	13 (34.2%)	0	13 (15.9%)
OTHER OPHTHALMOLOGICALS	17 (44.7%)	10 (22.7%)	21 (25.6%)
CYANOCOBALAMIN	0	6 (13.6%)	6 (7.3%)
HYPROMELLOSE	6 (15.8%)	0	6 (7.3%)
OTHER OPHTHALMOLOGICALS	3 (7.9%)	0	3 (3.7%)
POTASSIUM	1 (2.6%)	4 (9.1%)	5 (6.1%)
TEARS NATURALE	7 (18.4%)	0	7 (8.5%)
PROSTAGLANDIN ANALOGUES	5 (13.2%)	4 (9.1%)	5 (6.1%)
BIMATOPROST	4 (10.5%)	0	4 (4.9%)
LATANOPROST	0	4 (9.1%)	4 (4.9%)
TRAVOPROST	1 (2.6%)	0	1 (1.2%)
VISCOELASTIC SUBSTANCES	6 (15.8%)	0	6 (7.3%)
HYPROMELLOSE	6 (15.8%)	0	6 (7.3%)
OTHER ALIMENTARY TRACT AND METABOLISM PRODUCTS	0	6 (13.6%)	6 (7.3%)
VARIOUS ALIMENTARY TRACT AND METABOLISM PRODUCTS	0	6 (13.6%)	6 (7.3%)
THIOCTIC ACID	0	6 (13.6%)	6 (7.3%)
OTHER DERMATOLOGICAL PREPARATIONS	5 (13.2%)	0	5 (6.1%)
OTHER DERMATOLOGICALS	5 (13.2%)	0	5 (6.1%)
BIMATOPROST	4 (10.5%)	0	4 (4.9%)
FINASTERIDE	1 (2.6%)	0	1 (1.2%)
OTHER DRUGS FOR DISORDERS OF THE MUSCULO-SKELETAL SYSTEM	7 (18.4%)	0	7 (8.5%)
QUININE AND DERIVATIVES	7 (18.4%)	0	7 (8.5%)
QUININE	7 (18.4%)	0	7 (8.5%)
OTHER GYNECOLOGICALS	15 (39.5%)	0	15 (18.3%)
ANTIINFLAMMATORY PRODUCTS FOR VAGINAL ADMINISTRATION	15 (39.5%)	0	15 (18.3%)
IBUPROFEN	15 (39.5%)	0	15 (18.3%)
OTOLOGICALS	13 (34.2%)	0	13 (15.9%)
ANALGESICS AND ANESTHETICS	13 (34.2%)	0	13 (15.9%)
LIDOCAINE	13 (34.2%)	0	13 (15.9%)
PERIPHERAL VASODILATORS	3 (7.9%)	3 (6.8%)	6 (7.3%)
NICOTINIC ACID AND DERIVATIVES	3 (7.9%)	0	3 (3.7%)
NICOTINIC ACID	3 (7.9%)	0	3 (3.7%)
OTHER PERIPHERAL VASODILATORS	0	3 (6.8%)	3 (3.7%)
NAFTIDROFURYL	0	3 (6.8%)	3 (3.7%)
PSYCHOANALEPTICS	2 (5.3%)	6 (13.6%)	8 (9.8%)
SELECTIVE SEROTONIN REUPTAKE INHIBITORS	2 (5.3%)	6 (13.6%)	8 (9.8%)
CITALOPRAM	2 (5.3%)	6 (13.6%)	8 (9.8%)
PSYCHOLEPTICS	2 (5.3%)	15 (34.1%)	17 (20.7%)
BENZODIAZEPINE DERIVATIVES	2 (5.3%)	6 (13.6%)	8 (9.8%)
ALPRAZOLAM	2 (5.3%)	6 (13.6%)	8 (9.8%)
BENZODIAZEPINE RELATED DRUGS	0	6 (13.6%)	6 (7.3%)
ZOPICLONE	0	6 (13.6%)	6 (7.3%)
OTHER ANXIOLYTICS	2 (5.3%)	3 (6.8%)	5 (6.1%)
PREGABALIN	2 (5.3%)	3 (6.8%)	5 (6.1%)
STOMATOLOGICAL PREPARATIONS	32 (84.2%)	26 (59.1%)	52 (63.4%)
OTHER AGENTS FOR LOCAL ORAL TREATMENT	32 (84.2%)	26 (59.1%)	52 (63.4%)
ACETYLSALICYLIC ACID	31 (81.6%)	21 (47.7%)	46 (56.1%)
ALBYL-ENTEROSOLUBILE	0	4 (9.1%)	4 (4.9%)
LIDOCAINE	13 (34.2%)	0	13 (15.9%)
POTASSIUM	1 (2.6%)	4 (9.1%)	5 (6.1%)
THROAT PREPARATIONS	13 (34.2%)	0	13 (15.9%)
ANESTHETICS, LOCAL	13 (34.2%)	0	13 (15.9%)
LIDOCAINE	13 (34.2%)	0	13 (15.9%)
THYROID THERAPY	8 (21.1%)	6 (13.6%)	14 (17.1%)
THYROID HORMONES	8 (21.1%)	6 (13.6%)	14 (17.1%)
LEVOTHYROXINE	8 (21.1%)	6 (13.6%)	14 (17.1%)
TOPICAL PRODUCTS FOR JOINT AND MUSCULAR PAIN	45 (118.4%)	21 (47.7%)	60 (73.2%)

Concomitant.Medication	Placebo (N=38)	Active (N=44)	Total (N=82)
ANTIINFLAMMATORY PREPARATIONS, NON-STERIODS FOR TOPICAL USE	16 (42.1%)	0	16 (19.5%)
IBUPROFEN	15 (39.5%)	0	15 (18.3%)
MELOXICAM	1 (2.6%)	0	1 (1.2%)
OTHER TOPICAL PRODUCTS FOR JOINT AND MUSCULAR PAIN	3 (7.9%)	0	3 (3.7%)
FOLIC ACID	3 (7.9%)	0	3 (3.7%)
PREPARATIONS WITH SALICYLIC ACID DERIVATIVES	31 (81.6%)	21 (47.7%)	46 (56.1%)
ACETYLSALICYLIC ACID	31 (81.6%)	21 (47.7%)	46 (56.1%)
TOPICAL PRODUCTS FOR JOINT AND MUSCULAR PAIN	3 (7.9%)	0	3 (3.7%)
NICOTINIC ACID	3 (7.9%)	0	3 (3.7%)
UROLOGICALS	20 (52.6%)	16 (36.4%)	23 (28.0%)
ALPHA-ADRENORECEPTOR ANTAGONISTS	5 (13.2%)	13 (29.5%)	18 (22.0%)
DUTAS-T	4 (10.5%)	0	4 (4.9%)
TAMSULOSIN	1 (2.6%)	13 (29.5%)	14 (17.1%)
DRUGS FOR URINARY FREQUENCY AND INCONTINENCE	2 (5.3%)	0	2 (2.4%)
MIRABEGRON	2 (5.3%)	0	2 (2.4%)
DRUGS USED IN ERECTILE DYSFUNCTION	2 (5.3%)	13 (29.5%)	15 (18.3%)
SILDENAFIL	0	13 (29.5%)	13 (15.9%)
TADALAFIL	2 (5.3%)	0	2 (2.4%)
OTHER UROLOGICALS	13 (34.2%)	0	13 (15.9%)
LIDOCAINE	13 (34.2%)	0	13 (15.9%)
TESTOSTERONE-5-ALPHA REDUCTASE INHIBITORS	1 (2.6%)	3 (6.8%)	4 (4.9%)
DUTASTERIDE	0	3 (6.8%)	3 (3.7%)
FINASTERIDE	1 (2.6%)	0	1 (1.2%)
VACCINES	0	3 (6.8%)	3 (3.7%)
INFLUENZA VACCINES	0	3 (6.8%)	3 (3.7%)
INFLUENZA VACCINE	0	3 (6.8%)	3 (3.7%)
VASOPROTECTIVES	21 (55.3%)	8 (18.2%)	29 (35.4%)
BIOFLAVONOIDS	0	2 (4.5%)	2 (2.4%)
CAPIVEN	0	2 (4.5%)	2 (2.4%)
CORTICOSTEROIDS	0	3 (6.8%)	3 (3.7%)
FLUOROMETHOLONE	0	3 (6.8%)	3 (3.7%)
LOCAL ANESTHETICS	13 (34.2%)	0	13 (15.9%)
LIDOCAINE	13 (34.2%)	0	13 (15.9%)
OTHER SCLEROSING AGENTS	8 (21.1%)	3 (6.8%)	11 (13.4%)
CALCIUM DOBESILATE	8 (21.1%)	3 (6.8%)	11 (13.4%)
VITAMINS	9 (23.7%)	28 (63.6%)	37 (45.1%)
COMBINATIONS OF VITAMINS	3 (7.9%)	0	3 (3.7%)
VITAMIN B NOS	3 (7.9%)	0	3 (3.7%)
OTHER PLAIN VITAMIN PREPARATIONS	3 (7.9%)	0	3 (3.7%)
NICOTINIC ACID	3 (7.9%)	0	3 (3.7%)
VITAMIN B NOS	3 (7.9%)	0	3 (3.7%)
VITAMIN B-COMPLEX, PLAIN	3 (7.9%)	0	3 (3.7%)
VITAMIN B NOS	3 (7.9%)	0	3 (3.7%)
VITAMIN B1 IN COMBINATION WITH VITAMIN B6 AND/OR VITAMIN B12	3 (7.9%)	0	3 (3.7%)
VITAMIN B NOS	3 (7.9%)	0	3 (3.7%)
VITAMIN B1, PLAIN	3 (7.9%)	0	3 (3.7%)
VITAMIN B NOS	3 (7.9%)	0	3 (3.7%)
VITAMIN D AND ANALOGUES	9 (23.7%)	28 (63.6%)	37 (45.1%)
CALCIFEDIOL	3 (7.9%)	6 (13.6%)	9 (11.0%)
CALCITRIOL	3 (7.9%)	0	3 (3.7%)
COLECALCIFEROL	1 (2.6%)	22 (50.0%)	23 (28.0%)
VITAMIN D NOS	2 (5.3%)	0	2 (2.4%)

Values are number and percentage of subjects. A subject is counted once within each category.

Source: simulated data generated by this standalone program. Generated: 28Aug2026