

QTc Change from Baseline Threshold Summary

Safety Analysis Set

Visit / Category	Placebo (N=12)	Active (N=8)	Total (N=20)
Baseline	12	8	20
<0	0	0	0
>=0	12 (100.0%)	8 (100.0%)	20 (100.0%)
>30	0	0	0
>60	0	0	0
Week 4	12	8	20
<0	8 (66.7%)	3 (37.5%)	11 (55.0%)
>=0	4 (33.3%)	5 (62.5%)	9 (45.0%)
>30	1 (8.3%)	5 (62.5%)	6 (30.0%)
>60	0	2 (25.0%)	2 (10.0%)
Week 12	12	8	20
<0	8 (66.7%)	4 (50.0%)	12 (60.0%)
>=0	4 (33.3%)	4 (50.0%)	8 (40.0%)
>30	1 (8.3%)	2 (25.0%)	3 (15.0%)
>60	0	2 (25.0%)	2 (10.0%)
Week 16	12	8	20
<0	4 (33.3%)	3 (37.5%)	7 (35.0%)
>=0	8 (66.7%)	5 (62.5%)	13 (65.0%)
>30	1 (8.3%)	2 (25.0%)	3 (15.0%)
>60	0	0	0

Percentages are based on subjects with available data within treatment and visit. N = subjects in the Safety Analysis Set; n = subjects in category.
Source: Simulated data generated by this standalone program. Generated: 27Aug2026