

Demographic Characteristics
Randomized Analysis Set

Treatment Subject ID group	Age (years)	Sex	Race	Race (Other)	Weight (kg)	Height (cm)
Investigator Site = 701						
01-701-101 Placebo 5	63	F		-	54.4	147.3
01-701-102 Placebo 3	64	M		-	80.3	162.6
01-701-102 Xanomeline High 71 8 Dose		M		-	99.3	177.8
01-701-103 Xanomeline Low 74 3 Dose		M		-	88.5	175.3
01-701-103 Xanomeline High 77 4 Dose		F		-	62.6	154.9
01-701-104 Placebo 7	85	F		-	67.1	148.6
01-701-109 Xanomeline Low 68 7 Dose		M		-	78	168.9
01-701-111 Xanomeline Low 81 1 Dose		F		-	59.9	158.2
01-701-111 Xanomeline Low 84 5 Dose		M		-	78.9	181.6
01-701-111 Placebo 8	52	M		-	71.2	180.3
01-701-113 Placebo 0	84	M		-	79.4	169.7
01-701-113 Xanomeline High 81 3 Dose		F		-	74.4	162.6
01-701-114 Xanomeline High 75 6 Dose		F		-	54	147.3
01-701-114 Xanomeline High 57 8 Dose		M		-	87.1	175.3
01-701-115 Placebo 3	79	F		-	58.1	156.2
01-701-118 Xanomeline High 56 0 Dose		M		-	89.8	180.3
01-701-118 Xanomeline High 79 1 Dose		F		-	66.7	154.9
01-701-118 Xanomeline Low 71 8 Dose		M		-	101.2	177.8
01-701-119 Xanomeline Low 80 2 Dose		F		-	63.5	151.1
01-701-120 Placebo 3	81	F		-	66.2	160

Copyright @ DH

Demographic Characteristics
Randomized Analysis Set

Subject ID	Treatment group	Age (years)	Sex	Race	Race (Other)	Weight (kg)	Height (cm)
01-701-121 1	Xanomeline Dose	76	F		-	45.4	160
01-701-123 4	Placebo	69	M		-	77.1	181.6
01-701-123 9	Xanomeline Dose	56	M		-	95.9	168.9
01-701-127 5	Xanomeline Dose	61	M		-	69	167.6
01-701-128 7	Xanomeline Dose	56	F		-	56.3	154.9
01-701-129 4	Xanomeline Dose	67	M		-	78.5	170.2
01-701-130 2	Xanomeline Dose	61	M		-	82.1	177.8
01-701-131 7	Xanomeline Dose	68	M		-	66.7	176.5
01-701-132 4	Xanomeline Dose	79	M		-	77.1	166.4
01-701-134 1	Xanomeline Dose	51	M		-	70.8	157.5
01-701-134 5	Placebo	63	F		-	56.3	174
01-701-136 0	Xanomeline Dose	67	M		-	80.3	166.4
01-701-136 3	Placebo	81	F		-	64.9	161.3
01-701-138 3	Xanomeline Dose	72	F		-	84.8	163.8
01-701-138 7	Placebo	87	F		-	59.4	162.6
01-701-139 2	Placebo	78	M		-	81.2	167.6
01-701-141 5	Placebo	85	M		-	76.7	175.3
01-701-142 9	Xanomeline Dose	84	F		-	56.7	148.6
01-701-144 0	Placebo	70	M		-	49.4	156.2
01-701-144 2	Xanomeline Dose	57	F		-	106.1	162.6
01-701-144 4	Xanomeline Dose	63	M		-	101.6	171.5

Copyright @ DH

Demographic Characteristics
Randomized Analysis Set

Subject ID	Treatment group	Age (years)	Sex	Race	Race (Other)	Weight (kg)	Height (cm)
Investigator Site = 702							
01-702-108 2	Xanomeline Dose	84	F	-	-	154.9	
Investigator Site = 703							
01-703-104 2	Placebo	64	M	-	74.4	177.8	
01-703-107 6	Xanomeline Dose	69	M	-	87.1	165.1	
01-703-108 6	Xanomeline Dose	71	M	-	95.7	195.6	
01-703-109 6	Placebo	81	F	-	81.2	160	
01-703-110 0	Placebo	84	F	-	61.2	167.6	
01-703-111 9	Xanomeline Dose	81	F	-	47.2	160	
01-703-117 5	Placebo	75	M	-	77.1	170.2	
01-703-118 2	Xanomeline Dose	84	M	-	68	172.7	
01-703-119 7	Xanomeline Dose	76	F	-	102.1	162.6	
01-703-121 0	Placebo	72	F	-	49.9	144.8	
01-703-125 8	Xanomeline Dose	78	F	-	59.4	154.9	
01-703-127 9	Xanomeline Dose	72	F	-	55.8	162.6	
01-703-129 5	Xanomeline Dose	88	F	-	56.3	157.5	
01-703-129 9	Placebo	81	F	-	45.4	153.7	
01-703-133 5	Xanomeline Dose	67	F	-	55.3	154.9	
01-703-137 9	Xanomeline Dose	81	F	-	76.2	157.5	

Copyright @ DH

Demographic Characteristics
Randomized Analysis Set

Subject ID	Treatment group	Age (years)	Sex	Race	Race (Other)	Weight (kg)	Height (cm)
01-703-140 3	Xanomeline High Dose	67	M		-	80.3	177.8
01-703-143 9	Xanomeline High Dose	76	F		-	63.5	160
 Investigator Site = 704							
01-704-100 8	Xanomeline High Dose	76	F		-	46.7	148
01-704-100 9	Xanomeline Low Dose	83	M		-	66.7	179.1
01-704-101 0	Placebo	80	M		-	81	177.8
01-704-101 7	Xanomeline High Dose	77	M		-	63.1	170.2
01-704-102 5	Xanomeline Low Dose	81	F		-	55.5	166
01-704-106 5	Xanomeline High Dose	75	M		-	80.7	180.3
01-704-107 4	Xanomeline High Dose	80	F		-	75.8	167.6
01-704-109 3	Xanomeline High Dose	79	M		-	73.5	174
01-704-111 4	Xanomeline Low Dose	77	M		-	77.8	166.4
01-704-112 0	Xanomeline Low Dose	71	F		-	51.7	147
01-704-112 7	Placebo	84	F		-	41.1	165.1
01-704-113 5	Xanomeline Low Dose	74	F		-	64.4	161.8
01-704-116 4	Placebo	67	F		-	49.9	157.5
01-704-121 8	Xanomeline Low Dose	81	F		-	54.4	144
01-704-123 3	Placebo	87	F		-	46.3	147.3
01-704-124 1	Xanomeline High Dose	86	M		-	73	170.2
01-704-126 0	Placebo	71	F		-	48.8	160

Copyright @ DH

Demographic Characteristics
Randomized Analysis Set

Subject ID	Treatment group	Age (years)	Sex	Race	Race (Other)	Weight (kg)	Height (cm)
01-704-126 6	Xanomeline High Dose	82	M		-	88.5	174
01-704-132 3	Xanomeline Low Dose	68	F		-	59.9	162.6
01-704-132 5	Xanomeline Low Dose	81	M		-	68.5	175.3
01-704-133 2	Xanomeline High Dose	80	M		-	78.5	173
01-704-135 1	Placebo	70	M		-	73.5	175.3
01-704-138 8	Placebo	81	M		-	58.5	176.5
01-704-143 5	Placebo	74	M		-	76.2	167.6
01-704-144 5	Placebo	75	M		-	72.1	177.8

Investigator Site = 705

01-705-101 8	Placebo	69	F		-	49	147.3
01-705-103 1	Xanomeline Low Dose	56	F		-	71.7	157.5
01-705-105 9	Placebo	66	F		-	54	162.6
01-705-118 6	Placebo	84	F		-	39.9	142.2
01-705-119 9	Xanomeline Low Dose	87	M		-	64.4	161.3
01-705-128 0	Xanomeline High Dose	56	F		-	69.4	157.5
01-705-128 1	Xanomeline High Dose	73	F		-	73	152.4
01-705-128 2	Placebo	70	F		-	73	154.9
01-705-129 2	Xanomeline Low Dose	60	F		-	75.3	167.6
01-705-130 3	Xanomeline High Dose	72	M		-	84.4	175.3
01-705-131 0	Xanomeline High Dose	74	F		-	48.5	146.1

Demographic Characteristics
Randomized Analysis Set

Subject ID	Treatment group	Age (years)	Sex	Race	Race (Other)	Weight (kg)	Height (cm)
01-705-134 9	Placebo	86	F		-	44.5	144.8
01-705-137 7	Xanomeline High Dose	63	F		-	57.2	165.1
01-705-138 2	Xanomeline High Dose	82	M		-	96.2	170.2
01-705-139 3	Xanomeline Low Dose	84	F		-	56.3	144.8
01-705-143 1	Xanomeline Low Dose	68	F		-	54.4	149.9
 Investigator Site = 706							
01-706-104 1	Placebo	64	F		-	58.7	167.6
01-706-104 9	Xanomeline High Dose	60	F		-	57.8	167.6
01-706-138 4	Xanomeline Low Dose	74	F		-	76	157.5
 Investigator Site = 707							
01-707-103 7	Xanomeline Low Dose	72	F		-	55.3	152.4
01-707-120 6	Placebo	65	M		-	74.4	174
 Investigator Site = 708							
01-708-101 9	Xanomeline Low Dose	68	M		-	74.4	182.9
01-708-103 2	Xanomeline Low Dose	62	M		-	82.6	177.8
01-708-108 4	Xanomeline Low Dose	73	F		-	50.4	167.6
01-708-108 7	Placebo	74	F		-	66.7	157.5
01-708-115 8	Placebo	81	F		-	73.5	162.6
01-708-117 1	Placebo	77	F		-	54.9	162.6

Copyright @ DH

Demographic Characteristics
Randomized Analysis Set

Subject ID	Treatment group	Age (years)	Sex	Race	Race (Other)	Weight (kg)	Height (cm)
01-708-117 8	Xanomeline High Dose	77	F		-	62.8	165.1
01-708-121 3	Xanomeline High Dose	76	F		-	41.7	165.1
01-708-121 6	Xanomeline High Dose	78	M		-	77.1	172.7
01-708-123 6	Xanomeline High Dose	86	F		-	54.4	152.4
01-708-125 3	Placebo	61	M		-	75.8	185.4
01-708-127 2	Xanomeline Low Dose	82	M		-	74.4	172.7
01-708-128 6	Placebo	80	F		-	76.2	152.4
01-708-129 6	Placebo	57	M		-	80.7	170.2
01-708-129 7	Xanomeline Low Dose	61	M		-	78.9	185.4
01-708-131 6	Placebo	74	F		-	59.9	160
01-708-133 6	Xanomeline High Dose	73	M		-	87.5	190.5
01-708-134 2	Placebo	59	F		-	59	170.2
01-708-134 7	Xanomeline High Dose	61	F		-	74.8	160
01-708-134 8	Xanomeline Low Dose	79	F		-	60.3	160
01-708-135 3	Xanomeline Low Dose	87	F		-	50.4	157.5
01-708-137 2	Xanomeline High Dose	84	M		-	88.9	170.2
01-708-137 8	Placebo	67	M		-	70.3	170.2
01-708-140 6	Xanomeline High Dose	71	F		-	54.9	157.5
01-708-142 8	Xanomeline Low Dose	84	F		-	59	157.5

Investigator Site = 709

Copyright @ DH

Demographic Characteristics
Randomized Analysis Set

Subject ID	Treatment group	Age (years)	Sex	Race	Race (Other)	Weight (kg)	Height (cm)
01-709-100 1	Placebo	76	F		-	73	170.2
01-709-100 7	Xanomeline Dose	54	F		-	59.9	158.8
01-709-102 0	Xanomeline Dose	72	F		-	54.4	144.8
01-709-102 9	Xanomeline Dose	82	M		-	69	172.7
01-709-108 1	Xanomeline Dose	86	F		-	56.5	154.9
01-709-108 8	Placebo	69	M		-	79.4	179.1
01-709-109 9	Xanomeline Dose	79	F		-	53.5	165.1
01-709-110 2	Xanomeline Dose	71	F		-	88.9	166.4
01-709-116 8	Xanomeline Dose	72	F		-	62.1	149.9
01-709-121 7	Xanomeline Dose	77	M		-	68	171.5
01-709-123 8	Xanomeline Dose	69	M		-	82.6	170.2
01-709-125 9	Placebo	82	M		-	65.3	172.7
01-709-128 5	Xanomeline Dose	87	M		-	64.9	167.6
01-709-130 1	Placebo	62	F		-	50.4	146.1
01-709-130 6	Placebo	60	F		-	44.5	154.9
01-709-130 9	Xanomeline Dose	65	M		-	78.5	177.8
01-709-131 2	Placebo	68	F		-	53.5	160
01-709-132 6	Xanomeline Dose	75	F		-	74.8	161.3
01-709-132 9	Xanomeline Dose	70	M		-	76.7	170.2
01-709-133 9	Placebo	81	M		-	78	175.3
01-709-142 4	Xanomeline Dose	77	M		-	68.5	174

Copyright @ DH

Demographic Characteristics
Randomized Analysis Set

Subject ID	Treatment group	Age (years)	Sex	Race	Race (Other)	Weight (kg)	Height (cm)
Investigator Site = 710							
01-710-100 2	Xanomeline Dose	88	M		-	70.3	165.1
01-710-100 6	Xanomeline Dose	77	M		-	72.6	170.2
01-710-102 1	Xanomeline Dose	79	M		-	56.3	162.6
01-710-102 7	Placebo	83	M		-	70.8	170.2
01-710-104 5	Xanomeline Dose	83	F		-	58.1	162.6
01-710-105 3	Xanomeline Dose	84	F		-	51.7	157.5
01-710-106 0	Placebo	82	M		-	70.3	182.9
01-710-107 0	Xanomeline Dose	85	F		-	49	149.9
01-710-107 7	Placebo	76	F		-	49	162.6
01-710-107 8	Placebo	81	F		-	41.7	152.4
01-710-108 3	Placebo	89	F		-	47.2	157.5
01-710-113 7	Xanomeline Dose	79	F		-	65.3	165.1
01-710-114 2	Xanomeline Dose	76	F		-	57.6	152.4
01-710-115 4	Xanomeline Dose	84	M		-	82.6	160
01-710-116 6	Xanomeline Dose	81	F		-	54.9	157.5
01-710-118 3	Placebo	80	F		-	47.6	149.9
01-710-118 7	Xanomeline Dose	78	F		-	49.9	154.9
01-710-123 5	Xanomeline Dose	56	F		-	95.7	170.2
01-710-124 9	Xanomeline Dose	79	M		-	80.3	177.8

Copyright @ DH

Demographic Characteristics
Randomized Analysis Set

Subject ID	Treatment group	Age (years)	Sex	Race	Race (Other)	Weight (kg)	Height (cm)
01-710-126 4	Placebo	78	M		-	81.7	167.6
01-710-127 0	Xanomeline Dose	83	F		-	57.6	149.9
01-710-127 1	Placebo	86	F		-	47.6	149.9
01-710-127 8	Xanomeline Dose	81	M		-	71.7	177.8
01-710-130 0	Xanomeline Dose	78	F		-	46.7	152.4
01-710-131 4	Placebo	78	F		-	42.6	137.2
01-710-131 5	Placebo	83	F		-	56.3	152.4
01-710-135 4	Xanomeline Dose	73	M		-	89.4	182.9
01-710-135 8	Xanomeline Dose	82	M		-	82.1	162.6
01-710-136 8	Placebo	88	F		-	34	147.3
01-710-138 5	Xanomeline Dose	77	M		-	84.4	182.9
01-710-140 8	Xanomeline Dose	80	M		-	108	177.8
 Investigator Site = 711							
01-711-101 2	Xanomeline Dose	67	F		-	81	170.2
01-711-103 6	Placebo	70	M		-	69.2	172
01-711-114 3	Xanomeline Dose	76	F		-	64.6	163.1
01-711-143 3	Xanomeline Dose	84	F		-	51.9	157.5
 Investigator Site = 713							
01-713-104 3	Xanomeline Dose	78	F		-	51.3	165.1

Copyright @ DH

Demographic Characteristics
Randomized Analysis Set

Subject ID	Treatment group	Age (years)	Sex	Race	Race (Other)	Weight (kg)	Height (cm)
01-713-107 3	Xanomeline Dose	74	F		-	56.9	167.6
01-713-110 6	Xanomeline Dose	74	M		-	53.1	164.8
01-713-114 1	Xanomeline Dose	79	M		-	68	170
01-713-117 9	Placebo	64	F		-	55.3	165.1
01-713-120 9	Xanomeline Dose	77	F		-	52.2	165.1
01-713-125 6	Placebo	71	M		-	77.1	180.3
01-713-126 9	Placebo	73	M		-	75.3	185.4
01-713-144 8	Xanomeline Dose	71	F		-	78.5	175.3

Investigator Site = 714

01-714-103 5	Placebo	88	F		-	54.4	148.6
01-714-106 8	Xanomeline Dose	79	F		-	54.4	153.7
01-714-119 5	Xanomeline Dose	75	M		-	85.7	172.7
01-714-128 8	Xanomeline Dose	77	M		-	49.4	162.6
01-714-137 5	Placebo	78	F		-	57.6	149.9
01-714-142 5	Xanomeline Dose	81	M		-	91.6	177.8

Investigator Site = 715

01-715-108 5	Xanomeline Dose	77	F		-	57.6	162.6
01-715-110 7	Xanomeline Dose	65	M		-	69.4	172.7
01-715-115 5	Placebo	59	F		-	63.5	165.1

Demographic Characteristics
Randomized Analysis Set

Subject ID	Treatment group	Age (years)	Sex	Race	Race (Other)	Weight (kg)	Height (cm)
01-715-120 7	Placebo	78	F		-	49.4	152.4
01-715-131 9	Xanomeline High Dose	65	M		-	75.8	172.7
01-715-132 1	Xanomeline High Dose	75	F		-	59.9	162.6
01-715-139 7	Placebo	76	F		-	67.1	152.4
01-715-140 5	Xanomeline Low Dose	69	M		-	69.9	180.3

Investigator Site = 716

01-716-102 4	Placebo	87	F		-	54.4	154.9
01-716-102 6	Placebo	73	F		-	79.8	154.9
01-716-103 0	Xanomeline High Dose	83	F		-	75.3	150.6
01-716-104 4	Placebo	74	M		-	86.2	172.7
01-716-106 3	Xanomeline Low Dose	80	M		-	72.6	160
01-716-107 1	Xanomeline High Dose	78	F		-	76.7	154.9
01-716-109 4	Xanomeline Low Dose	82	M		-	80.7	168.9
01-716-110 3	Xanomeline Low Dose	79	M		-	69.9	165.1
01-716-110 8	Placebo	86	F		-	52.6	142.2
01-716-115 1	Xanomeline Low Dose	83	F		-	45.8	152.4
01-716-115 7	Xanomeline Low Dose	85	M		-	59.4	160
01-716-116 0	Placebo	83	F		-	59.9	157.5
01-716-116 7	Xanomeline Low Dose	68	M		-	62.6	158.8
01-716-117 7	Placebo	72	M		-	86.2	177.8

Demographic Characteristics
Randomized Analysis Set

Subject ID	Treatment group	Age (years)	Sex	Race	Race (Other)	Weight (kg)	Height (cm)
01-716-118 9	Xanomeline High Dose	81	M		-	73.5	163.8
01-716-122 9	Xanomeline High Dose	73	F		-	64	161.3
01-716-129 8	Xanomeline Low Dose	76	F		-	71.7	156.2
01-716-130 8	Placebo	76	F		-	58.5	157.5
01-716-131 1	Xanomeline Low Dose	78	M		-	80.7	172.7
01-716-136 4	Xanomeline High Dose	84	F		-	54	162.6
01-716-137 3	Xanomeline High Dose	74	M		-	69.4	147.3
01-716-141 8	Xanomeline High Dose	80	F		-	69	165.1
01-716-144 1	Placebo	85	M		-	57.6	144.8
01-716-144 7	Xanomeline High Dose	72	F		-	54.4	149.9

Investigator Site = 717

01-717-100 4	Xanomeline Low Dose	80	F		-	55.8	135.9
01-717-110 9	Xanomeline High Dose	84	M		-	44.5	180.3
01-717-117 4	Xanomeline High Dose	73	M		-	68	167.6
01-717-120 1	Placebo	85	F		-	68	160
01-717-134 4	Placebo	64	F		-	58.1	163.5
01-717-135 7	Xanomeline High Dose	77	M		-	81.3	181.6
01-717-144 6	Xanomeline Low Dose	75	F		-	47.2	156.2

Investigator Site = 718

Demographic Characteristics
Randomized Analysis Set

Subject ID	Treatment group	Age (years)	Sex	Race	Race (Other)	Weight (kg)	Height (cm)
01-718-106 6	Xanomeline Dose	Low 79	F		-	50.4	158.8
01-718-107 9	Xanomeline Dose	Low 67	F		-	50.4	158.8
01-718-110 1	Xanomeline Dose	High 82	M		-	80.3	186.2
01-718-113 9	Placebo	77	M		-	65.8	171.5
01-718-115 0	Placebo	73	F		-	54.9	156.2
01-718-117 0	Xanomeline Dose	Low 80	F		-	57.6	162.6
01-718-117 2	Placebo	74	M		-	66.2	174
01-718-125 0	Xanomeline Dose	Low 82	F		-	58.5	157.5
01-718-125 4	Xanomeline Dose	Low 78	M		-	82.1	170.2
01-718-132 8	Xanomeline Dose	High 86	M		-	63.5	170.2
01-718-135 5	Placebo	79	M		-	58.5	167.6
01-718-137 1	Xanomeline Dose	High 69	F		-	66.7	154.9
01-718-142 7	Xanomeline Dose	High 74	F		-	51.7	158.8