

Check Your Understanding: Answers



CloudSuite Industrial: Creating Reports Using Mongoose Reporting

Lesson 1: Using IDO Methods with DataViews

DataViews are advanced data grids that you can create to query a custom set of data.

- a) True
- b) False

When data is returned from a DataView query, the results are typically displayed in a basic _____ on the appropriate DataView results form.

- a) Grid
- b) Stored procedure
- c) Report type
- d) None of the above

Which of the following tabs are available on the DataViews Setup Form? Select all that apply.

- a) General
- b) Input Parameters
- c) User Permission
- d) Layouts
- e) None of the above

Select the two IDO methods from the list below.

- a) Standard Method
- b) Custom Method
- c) IDO Method
- d) IDO Collection

DataView reports can be produced from any type of DataView result.

- a) True
- b) False

Lesson 2: Creating a Report Type form

Report Type forms are specialized Mongoose forms that you can create to produce templates for your own custom reports.

- a) True
- b) False

What type of collections do report-template forms support? Select all that apply.

- a) Primary collections
- b) Secondary collections
- c) Sub-collections
- d) None of the above

To create a Report Type form, you need to be in Design Mode.

- a) True
- b) False

To create a Report Type form, you need to use the following.

- a) New Data Maintenance Wizard
- b) New Form Wizard
- c) Configuration Manager
- d) Configuration Wizard
- e) None of the above

Before you can specify containment for any property, you must first specify at least one container.

- a) True
- b) False

Lesson 3: Adding FlexLayout components

A FlexLayout component is not a container component which is used to flexibly house other components.

- a) True
- b) False

When using multiple regions, the FlexLayout component can be grouped as follows:

- a) Horizontally
- b) Vertically
- c) Diagonally
- d) None of the above

FlexLayout components can be embedded with regions of another FlexLayout component.

- a) True
- b) False

Other than **Region Type**, certain attributes are not available with all regions of the Main FlexLayout component (MainFlexLayout). The additional properties and attributes available depend on what **Region Type** is selected.

- a) True
- b) False

Mongoose character units are calculated in terms relative to the size of the base font designated for the Mongoose-based application.

- a) True
- b) False

Lesson 4: Adding components

WinStudio supports a wide variety of components for the presentation and manipulation of data in forms. These components are available for selection both in the Design Mode Toolbox and in the Component property sheet, Type property.

- a) True
- b) False

What are some of the valid components that can be added to a form?

- a) Combo Box
- b) Edit
- c) Notebook
- d) Grid
- e) All the above

You can add a component that is not on the Toolbox to a form.

- a) True
- b) False

Lesson 5: Using Secondary Collections

A Secondary Collection can be used as a sub-collection.

- a) True
- b) False

The collection hierarchy determines the order in which each collection's data is processed in the report output

- a) True
- b) False

Which of the following statements are true?

- a) A Secondary Collection is an additional IDO collection associated with, and bound to a form to extract data from different tables without having to write code.
- b) A Secondary Collection is an additional IDO collection associated with, and bound to a form to extract data from different tables and needs to be achieved by always writing code.
- c) You cannot link a secondary collection.
- d) None of the above is true.

Lesson 6: Adding a Sub-Report

Which of the following are true statements? Select all that apply.

- a) Sub-Reports are reports that can be referenced from within other reports.
- b) Any Report Type form can be used as a Sub-Report.
- c) When a region is specified to contain a Sub-Report, the entire region becomes a placeholder for the Sub-Report and cannot contain any additional components.
- d) All the above

Paging in a Sub-Report is ignored.

- a) True
- b) False

Lesson 7: Creating a Report Criteria form

A bound form is one that is used to retrieve and manipulate one or more collections.

- a) True
- b) False

The relationship between the form and an IDO is determined by specifying the collection to which the form is bound.

- a) True
- b) False

An unbound form is one that is not tied to a particular IDO.

- a) True
- b) False

Once you have the report definition file and the background task created for your report, you must make the report available to users before they can actually use it. To do this, you must create or modify a form in CloudSuite.

- a) True
- b) False

Typically, when creating a new Report Criteria form, you will perform the following tasks. Select all that apply.

- a) Add components
- b) Bind components to variables
- c) Add labels
- d) Add preview and print buttons
- e) Add Event Handlers
- f) All the above

Lesson 8: Using IDO Collections and Report Type forms

If you need to run a report type form directly off a report criteria form with parameters, you need to set a permanent filter on the report type form.

- a) True
- b) False

The target variables used in the report criteria form needs to be created in the report type form.

- a) True
- b) False