

Example rest-example-with-application can be browsed at https://github.com/apache/tomee/tree/master/examples/rest-example-with-application

Help us document this example! Click the blue pencil icon in the upper right to edit this page.

## **ApplicationConfig**

```
import javax.ws.rs.ApplicationPath;
import javax.ws.rs.core.Application;
import java.util.Arrays;
import java.util.HashSet;
import java.util.Set;

@ApplicationPath("/rest-prefix")
public class ApplicationConfig extends Application {
    public Set<Class<?>> getClasses() {
        return new HashSet<Class<?>> (Arrays.asList(SimpleRESTPojo.class,
        SimpleRESTEJB.class));
    }
}
```

## **SimpleRESTEJB**

```
import javax.ejb.Lock;
import javax.ejb.Singleton;
import javax.ws.rs.GET;
import javax.ws.rs.Path;
import java.util.Date;

@Singleton
@Lock(LockType.READ)
@Path("/ejb")
public class SimpleRESTEJB {
    @GET
    public String ejb() {
        return "ejb ok @ " + new Date().toString();
    }
}
```

## **SimpleRESTPojo**

```
import javax.ws.rs.GET;
import javax.ws.rs.Path;
import java.util.Date;

@Path("/pojo")
public class SimpleRESTPojo {
    @GET
    public String pojo() {
        return "pojo ok @ " + new Date().toString();
    }
}
```

## web.xml