


Base de Datos

Spring Tool Suite 4

Daniel Steven Palacios Delgado

Consultar Token:



POST http://localhost:8081/api/auth

Params Authorization Headers (9) Body ● Pre-request Script Tests Settings Cookies

Query Params


KEY	VALUE	DESCRIPTION	...	Bulk Edit
Key	Value	Description		

Body Cookies Headers (14) Test Results Status: 200 OK Time: -- Size: 693 B Save Response

Pretty Raw Preview Visualize Text

```
1 {
  "token": "Bearer eyJhbGciOiJIUzUxMiJ9.eyJqdGkiOiJzY2Z0dGVzSldUIiwic3ViIjoiaWZmZGZzIiwiaXV0aG9yaXRpZXMtIiwiaWF0Ij0iMTYzODc1NDM4MiwiaXhwIj0iMTYzODc1NDM4MiwiaXNzIj0iR3p79E3EhN4s0fXzm9qMH31ZR0K1xXrYJLndp_SCDSLw6RR0Jyg0-AYr2G51_x4YZTf0TRmnnH0ku8zzH14vg"
}
```

Consultar todos los datos de la base:



GET http://localhost:8081/api/productos

Params Authorization ● Headers (9) Body Pre-request Script Tests Settings Cookies

Type Bearer T...
The authorization header will be automatically generated when you send the request.
[Learn more about authorization](#)

Heads up! These parameters hold sensitive data. To keep this data secure while working in a collaborative environment, we recommend using variables. [Learn more about variables](#)

Token Bearer eyJhbGciOiJIUzUxMiJ9.eyJqdGkiOiJzY2Z0dGVzSldUIiwic3ViIjoiaWZmZGZzIiwiaXV0aG9yaXRpZXMtIiwiaWF0Ij0iMTYzODc1NDM4MiwiaXhwIj0iMTYzODc1NDM4MiwiaXNzIj0iR3p79E3EhN4s0fXzm9qMH31ZR0K1xXrYJLndp_SCDSLw6RR0Jyg0-AYr2G51_x4YZTf0TRmnnH0ku8zzH14vg

Body Cookies (1) Headers (15) Test Results Status: 200 OK Time: 2.34 s Size: 597 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "id": 1,
3   "identificadorProducto": 783683,
4   "nombreProducto": "Chocorrano",
5   "cantidad": 1000
6 }
7
8
```

Result Grid

	id	cantidad	identificador_producto	nombre_producto
▶	1	1000	783683	Chocorrano
•	NULL	NULL	NULL	NULL

Crear un registro:

POST http://localhost:8081/api/productos Send

Params Authorization Headers (11) **Body** Pre-request Script Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Beautify

```

1  {
2    "identificadorProducto": 973383,
3    "nombreProducto": "Arequipe",
4    "cantidad": 600
5  }

```

Body Cookies (1) Headers (15) Test Results Status: 201 Created Time: 1646 ms Size: 597 B Save Response

Pretty Raw Preview Visualize JSON

```

1  {
2    "id": 2,
3    "identificadorProducto": 973383,
4    "nombreProducto": "Arequipe",
5    "cantidad": 600
6  }

```

Result Grid

	id	cantidad	identificador_producto	nombre_producto
▶	1	1000	783683	Chocorrano
	2	600	973383	Arequipe
•	NULL	NULL	NULL	NULL

Modificar un registro:

PUT ▼ http://localhost:8081/api/productos/2 Send ▼

Params Authorization ● Headers (11) Body ● Pre-request Script Tests Settings Cookies Beautify

● none ● form-data ● x-www-form-urlencoded ● raw ● binary ● GraphQL JSON ▼

```
1 {
2   ... "identificadorProducto": 973383,
3   ... "nombreProducto": "Arequipe",
4   ... "cantidad": 2000
5 }
```


Body Cookies (1) Headers (15) Test Results ⊕ Status: 201 Created Time: 1051 ms Size: 598 B Save Response ▼

Pretty Raw Preview Visualize JSON ▼ ≡

```
1 {
2   "id": 2,
3   "identificadorProducto": 973383,
4   "nombreProducto": "Arequipe",
5   "cantidad": 2000
6 }
```

Result Grid 📄 ↕ Filter Rows: <input type="text"/> Edit: ✎				
	id	cantidad	identificador_producto	nombre_producto
▶	1	1000	783683	Chocorrano
	2	2000	973383	Arequipe
✱	NULL	NULL	NULL	NULL

Eliminar un registro:



Funcionamiento en Spring Tool Suite 4

