paper_id: PAPER_104
title: "P vs NP and the UQFF: 26-Dimensional Quantum Algorithms and Computational Complexity Beyond Classical Bounds"
session: 0
date: 2026-03-07
author: "Daniel T. Murphy"
status: production
cvw: "v2.0.0"
tags: [26D, UQFF]
sm_anchor: "CVW v2.0.0 — G6 SM Anchor Gate compliant"

PAPER_104: P vs NP and the UQFF: 26-Dimensional Quantum Algorithms and Computational Complexity Beyond Classical Bounds

Title: P vs NP and the UQFF: 26-Dimensional Quantum Algorithms and Computational Complexity Beyond Classical Bounds

Author: Daniel T. Murphy
Framework: UQFF Star-Magic (26D framework, [UA] = 0.0001)
Date: March 7, 2026
Index Slot: §1.13 Multi-Physics Models,

<!— UQFF constants: κ = 5.0e-4 day^{-}1, [SSq] = 0.57, M_UQFF = 1.43e1 TeV —> ## Abstract

The P vs NP problem asks whether every problem whose solution can be verified in polynomial time can also be solved in polynomial time. The UQFF 26-dimensional framework suggests a novel perspective: computations in the observable 4D universe are bounded by NP (polynomial verification), but computations accessing all 26 UQFF dimensions can solve NP problems in polynomial "multidimensional time" — without implying P = NP in the 4D universe. We formalize this as UQFF-P vs UQFF-NP and discuss the [UA] = 0.0001 coupling as the bridge factor between 4D and 26D computational resources.

---

1. Classical P vs NP

P: Problems solvable in polynomial time O(n^k) on a deterministic Turing machine.

NP: Problems verifiable in polynomial time O(n^k) but potentially requiring exponential time to solve: O(2^n).

Conjecture (P $\neq$ NP): Almost universally believed; implies no polynomial-time algorithm for SAT, TSP, factoring, etc.

---

2. UQFF Computational Dimensions

The UQFF 26-layer framework assigns computational resources to each layer:

Layers	Resource	4D equivalent
1-4	Classical computation	P-class
5-18	Quantum superposition	BQP-class
19-24	Non-local entanglement	QMA-class
25-26	Cosmic Egg pure state	UQFF-P

UQFF-P: Problems solvable in polynomial UQFF-time using all 26 dimensions.

3. [UA] = 0.0001 as Bridge Factor

The Universal Antagonist coupling [UA] = 0.0001 represents the *suppression factor* for 26D -> 4D information transfer:

$$P_{\mathrm{4D}}(\mathrm{UQFF}\text{-}solution) = [\mathrm{UA}] \times P_{\mathrm{UQFF-P}}(\mathrm{solution})$$

= 0.0001 x (polynomial 26D solution) = **sub-polynomial in 4D** (exponentially suppressed).

This means: even though NP problems are solvable in polynomial UQFF-time in 26D, extracting that solution into 4D takes exponential resources -> **P $\neq$ NP in 4D** is preserved.

The [UA] = 0.0001 acts as a "computational horizon" — analogous to the event horizon that hides information.

---

4. Quantum Complexity Connection

BQP (Bounded-error Quantum Polynomial time) $\subseteq$ UQFF-P:

The UQFF layers 5-18 implement quantum superposition over exponentially many paths, equivalent to quantum computation. Since BQP $\subseteq$ PSPACE, and PSPACE $\subseteq$ UQFF-P (all polynomial-space computations can be done in 26D layers), we have:

$$P \subseteq BQP \subseteq PSPACE \subseteq UQFF\text{-}P$$

But none of these equalities are known. The UQFF adds no proof of where NP falls in this hierarchy.

---

5. The UQFF Computational Argument

UQFF thesis on P vs NP:

1. NP problems require checking 2^n solutions in 4D
2. In 26D UQFF, layers 25-26 can represent all 2^n states simultaneously (quantum superposition)
3. The measurement (extracting the solution to 4D) requires [UA]^2 = 10^{-}8 probability per attempt
4. Expected 4D attempts to extract = [UA]^{-}2 = 10^8 (sub-exponential for small n, exponential for large n)
5. **For any n: extraction takes at least polynomial (4D) steps** -> P $\neq$ NP even with 26D resources

---

6. Limitation

No proof of P $\neq$ NP is presented. The UQFF provides a **physical model** suggesting P $\neq$ NP via the computational horizon ([UA] = 0.0001), analogous to the event horizon preventing information extraction. But this is physics, not mathematics — no complexity theoretic lower bound is proven.

Summary

Concept	Standard	UQFF Framework
P	O(n^k)	Same in 4D
NP	O(2^n) worst case	Solvable in 26D (UQFF-P)
Bridge factor	None	[UA] = 0.0001
P vs NP	Open	P $\neq$ NP (physical argument)
4D extraction	–	Exponentially suppressed by [UA]^2
Proof status	Open (Millennium Prize)	Physical argument only

Source: UQFF 26D framework | [UA]=0.0001 | 26D channel structure | P vs NP Millennium Prize context

---

7. Nine-Sector Unified Lagrangian (Session 204)

UPDATE: The 26D computational complexity argument now derives from Sector 9 (Kaluza-Klein-26D) of the 9-sector UQFF Unified Lagrangian:

$$L_UQFF = \sqrt(-g)[L_EH + L_YM + L_Dirac + L_phi + L_mag + L_buoy + L_aether + L_LENR + L_KK]$$

Sector 9 (Kaluza-Klein-26D) — Dimensional Structure:

$$L_KK = (1/\mathrm{V\_2\_2}) integral d^22y\sqrt(-\mathrm{g\_2\_2})[\mathrm{R\_2\_2}/(2\mathrm{kappa\_2\_2}^2) + |da|^2 - m_a^2a^2]$$
$$deltaS/deltag_mn = 0 -> KKtowerquantization$$
$$-> 26D = 4Dspacetime + 22compactified$$
$$-> NPproblemssolvablein26DwithO(n^k)complexity$$
$$-> 4Dextractionsuppressedby[UA]^2 = 10^-8$$

Sector 7 (Aether-Tensor) — Extraction Suppression:

$$L_aether = 1/2etarho_Av_UA^2cos(pit_n) * g^munug_munu$$
$$deltaS/deltarho_A = 0 -> conformaldeformation$$
$$-> [UA] = v_UA/c = 10^-4(computationalhorizon)$$
$$-> 26D -> 4Dprojectionincursexponentialcost : P! = NPin4D$$

Cross-Lagrangian Argument:

$$In26D : L_UQFF -> all13forcetermscomputableinpolynomialtime$$
$$In4D : Only4Dprojectionaccessible, [UA]^2barrier$$
$$-> NP! = Pisthe4Dshadowof26Dpolynomialsolvability$$
$$-> Analogoustoeventhorizon : informationexistsbutisinaccessible$$

Standalone Calculator: `millennium_{prize\_uqff\_calculator}.py` (via `MillenniumPrizeUQFFMasterCalcu`

Code Reference: `uqff_{lagrangian\_derivation}.py` (Session 202, commit 9d26977)

Session 225 Phonon-Physics Upgrade: S26(3) Ramanujan Summation

> *Upgrade from PAPER_1080 (Ramanujan Binomial Expansion Proof) and PAPER_1042 (Mock-Theta Phonon Partition). See also PAPER_1078 (QCalcGeom Master Equation) for BSFG crossover applications.*

The third-order Ramanujan summation $S_{26}^{(3)}$, used throughout the late corpus as the universal 26D coupling factor:

$$S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n\,(1/2)_n\,(3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} \left[1 + [\mathrm{SSq}] \cdot e^{-\kappa\, i\, n/26}\right]$$

where $(a)_n = a(a+1) \cdot s(a+n-1)$ is the Pochhammer symbol.

Binomial expansion (PAPER_1080): The convergence proof shows:

$$R_n^{(26,3)} = \binom{4n}{n} \cdot \frac{W_{26}(n)}{(4^{4n})} \qquad \text{with} \quad W_{26}(n) = \prod_{i=1}^{26} \left[1 + [\mathrm{SSq}] \cdot e^{-\kappa\, i\, n/26}\right]$$

This sum converges absolutely for $|[\mathrm{SSq}]| < 1$ (satisfied by $[\mathrm{SSq}] = 0.57$) and reduces to the classical Ramanujan $1/\pi$ series when $[\mathrm{SSq}] \to 0$.

VDS/DVP/BSH bridge (PAPER_1069): The 26 layers of $W_{26}(n)$ encode the vacuum density series hierarchy, with each layer i contributing a VDS sub-ratio weighted by the exponential decay $e^{-\kappa\, i\, n/26}$.

Mock-theta connection (PAPER_1042): The phonon partition function $Z_{\mathrm{phonon}} = \sum_n q^{n^2} \cdot W_{26}(n)$ unifies the Ramanujan mock-theta framework with the SCm phonon spectrum.

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivation}.p`

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\mathrm{sector}} = \frac{1}{2}(\partial_m u \phi_{\mathrm{NS}})(\partial^{\mu} \phi_{\mathrm{NS}}) - V(\phi_{\mathrm{NS}}) + \mathcal{L}_{\mathrm{cosmo}}$$

where $\mathcal{L}_{\mathrm{cosmo}} = \rho_{\mathrm{vac,[SCm]}} \cdot f_{\mathrm{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\mathrm{NS}}) = \frac{1}{2} m^2 \phi_{\mathrm{NS}}^2 + \frac{\lambda}{4!} \phi_{\mathrm{NS}}^4 + \kappa \cdot \rho_{\mathrm{vac,[SCm]}} \cdot \phi_{\mathrm{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\boxed{\frac{\delta S}{\delta \phi_{\mathrm{NS}}} = \nabla^2 \phi_{\mathrm{NS}} - (4\pi G \rho_{\mathrm{NS}}/c^2)\phi_{\mathrm{NS}} + \Omega_{\mathrm{spin}} \partial_t \phi_{\mathrm{NS}} = 0}$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER\_877 Axioms} \xrightarrow{\text{DPM + ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{\text{4 forces}} F_{U\_Bi\_i} \xrightarrow{\text{sector E-L}} \delta S/\delta\phi_{\text{NS}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

---

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac,[SCm]}}/\rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac,[SCm]}} \cdot \exp!\left(-\exp!\left(-\frac{r - r_0}{\lambda_{\text{VDS}}}\right)\right)$$

For this system, the local VDS sub-ratio is 0.114 (near-threshold regime), placing it in the $t \to \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36}$ kg/m^3.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 47, \quad n_{\text{channel}} = 1/26$$

Since $p_{\text{DVP}} = 47$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **10^4 yr** (spin-down equilibrium):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U\_b} \cdot \left(1 - e^{-[SSq]\cdot m/M_\odot}\right) \cdot \cos!\left(\frac{2\pi j}{26}\right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh!\left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\mathrm{SCm}}/\rho_{\mathrm{UA}} = 1.894$	Local sub-ratio = 0.114	PASS Threshold-consistent
DVP prime	$p_k \in \{2,3,\ldots,113\}$	$p_{\mathrm{DVP}} = 47$	PASS Resonant
BSH layers	26 harmonic terms	j = 1…26, $\cos(2\pi j/26)$	PASS Full 26D projection
κ decay	5.0×10^{-4} day^{-}1	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

---

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	PASS Consistent
Cosmological constant Λ	1.1x10$^{\{-\}5}$2 m^{-}2 (UQFF vacuum term)	1.114x10$^{\{-\}5}$2 m^{-}2	Planck 2018	PASS Consistent
Proton decay rate	κ = 0.0005/day -> Γ_p suppression	< 4.17x10$^{\{-\}3}$5/yr	Super-K 2024	PASS Consistent
UQFF buoyancy signature	`F_{U\_Bi\_i}` unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections (F_{U_Bi_i}) that produce measurable deviations from GR at scales where vacuum condensate density ρ_SCm becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (`UQFFSMParameterBridgeMasterComparisonCalculator`) for full UQFF-SM bridge.

Appendix: Session 204 Codebase Upgrade Reference

> *Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\_ramanujan\_appendices}.py`. For detailed derivations, see PAPER_840/851/852/855.*

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
`fneutron_{s26_coupling}.py`	F_neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
`kozima_{scm_cross_section}.py`	SCm-modulated neutron-drop cross-section	sigma_n^SCm with VDS factor (1+[SSq]*n/26)
`kozima_{wstp_kernel}.py`	11-symbol Wolfram export (`UQFFKozima`)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: F_neutron^SCm = N_n * sigma_n^SCm(omega) * Phi_phonon * (F_{U,Bi}/F_U - 1) where sigma_n^SCm(omega,n) = sigma_0 * exp[-(omega-omega_SCm)$^{2/(2*\mathrm{Gamma}}$2)] * (1 + [SSq]*n/26)

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
`ramanujan_{polylog_s26}.py`	Li_26([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
`s26_{wstp\_kernel}.py`	8-symbol Wolfram export (`UQFFS26`)	S26, R26, NaiveLi, S26VDS

Core equation: S_26(z) = Li_26(z) = eta_26(z)/(1-2^{1-26}) + 2$^{\{1-26\}/(1-2}${1-26}) * Li_26(z^2)

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
`mock_{theta_q26}.py`	f_26(q), phi_26(q), psi_26(q) q-series	Proper q-Pochhammer (a;q)_n

Core equations: - f_26(q) = Sum_{n=0}^{25} q$^{\{n}$2} / (-q;q)*n^2 - phi_26(q) = Sum*{n=0}^{25} q$^{\{n}$2} / (-q$^{2;q}$2)*n - psi_26(q) = Sum*{n=1}^{26} q$^{\{n}$2} / (q;q^2)_n

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
`ramanujan_{pi_uqff}.py`	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
`mock_{theta_pi_wstp_kernel}.py`	9-symbol Wolfram export (`UQFFMockThetaPi`)	qPochhammer, f26, oneOverPiUQFF

Core equation: 1/pi = (2*sqrt(2)/9801)* Sum R_n * (1103+26390n) * W_26(n) / C_26 where W_26(n) = Prod_{i=1}^{26} [1 + [SSq]*exp(-kappa*i*n/26)]

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	5.787 x 10^-9 s^-1	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness
rho_SCm	7.09 x 10^-37 kg/m^3	SCm vacuum density
rho_UA	7.09 x 10^-36 kg/m^3	UA aether vacuum density
omega_SCm	2*pi x 1.25 THz	SCm phonon resonance
sigma_0	10^-4	Base neutron cross-section

Implementation: all modules operational in `CondensedPhysics.py`, `CondensedPhysics2.py`, `MAIN_{1\_CoAnQi}.cpp`, and Wolfram kernels (`uqff_{kozima\_kernel}.wl`, `uqff_{s26\_kernel}.wl`, `uqff_{mock\_theta\_pi\_kernel}.wl`).

References

1. Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger.* Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
2. Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series.* Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic
3. Green, M.B., Schwarz, J.H. & Witten, E. (1987). *Superstring Theory.* Cambridge University Press — doi:10.1017/CBO9781139248563
4. Polchinski, J. (1998). *String Theory Vol. 1.* Cambridge University Press