SCm Phonon-Modulated CMB Temperature Fluctuation from Vacuum Buoyancy

Daniel T. Murphy

2026-04-15

PAPER_1093: SCm Phonon-Modulated CMB Temperature Fluctuation

Abstract

The SCm temperature fluctuation at angle θ on the CMB sky is:

$$\Delta T_{\mathrm{CMB}}(\theta) = T_0 \cdot S_{26}^{(3)}([\mathrm{SSq}]) \cdot \Phi_{1.25\,\mathrm{THz}}(\omega, \Gamma) \cdot (2R - 1)$$

This derives the anisotropy pattern directly from SCm vacuum buoyancy without requiring an inflaton field, dark energy, or ΛCDM tuning. The observed $\Delta T/T \sim 10^{-5}$ emerges from the product of the cubed Ramanujan sum S_{26}^3 and the phonon resonance amplitude Φ.

$§$1 Core Equation

$$\Delta T_{\mathrm{CMB}}(\theta) = T_0 \cdot S_{26}^3 \cdot \Phi(\Gamma) \cdot (2R - 1)$$

Symbol	Value	Meaning
T_0	2.7255 K	CMB monopole temperature
S_{26}	$\sum_{k=1}^{26} e^{-[\mathrm{SSq}]\,k/26} = 1.8594$	26-layer Ramanujan sum
S_{26}^3	6.4333	Cubed sum
$\Phi(\Gamma)$	$\Phi_0 \cdot e^{-(\nu-\nu_0)^2/2\Gamma^2} \cdot S_{26}$	Phonon resonance
R	$F_{U,Bi}/F_U$	Buoyancy ratio

$§$2 Angular Dependence

The angular modulation follows a Gaussian beam profile:

$$\Delta T(\theta) = \Delta T_{\mathrm{CMB}} \cdot \exp\left(-\frac{\theta^2}{2\sigma_\theta^2}\right)$$

with $\sigma_\theta \approx 10^\circ$ setting the large-angle correlation scale.

$§$3 Angular Sweep

θ (deg)	$\Delta T(\theta)$ (K)	$\Delta T/T_0$
0.1	Peak (on-axis)	Maximum
1.0	$\sim 0.999\times$ peak	Near-peak
5.0	$\sim 0.88\times$ peak	Moderate damping
10.0	$\sim 0.61\times$ peak	Half-power

$§$4 Physical Interpretation

The S^3_{26} cube accounts for three independent contributions: 1. **Spatial:** 26D compressed gravity shell structure 2. **Temporal:** Phonon propagation across 26 layers 3. **Spectral:** Resonance coupling at 1.25 THz

The product $S^3_{26} \cdot \Phi \cdot (2R-1)$ generates temperature fluctuations whose angular power spectrum (PAPER_1092) matches the Planck 2018 acoustic peak structure.

$§$5 Comparison to Inflaton-Based ΔT

Mechanism	$\Delta T/T$	Free Parameters	Physical Origin
Slow-roll inflaton	$\sim 10^{-5}$	$V(\phi), \epsilon, \eta$	Quantum vacuum fluctuations
SCm phonon	$\sim 10^{-5}$	Φ_0, Γ, [SSq]	Vacuum buoyancy resonance

The SCm approach reduces the parameter count and provides a directly testable prediction: linewidth Γ at 1.25 THz modulates ΔT.

References

- PAPER_1092: SCm CMB Angular Power Spectrum
- PAPER_1094: CMB Buoyancy Sector Lagrangian
- PAPER_1085: Phonon-Modulated Hubble Parameter
- PAPER_199: $F_{U,Bi,i}$ Taxonomy Part 2

Key References with arXiv/DOI Identifiers

1. Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger.* Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
2. Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series.* Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic
3. Ashcroft, N.W. & Mermin, N.D. (1976). *Solid State Physics.* Harcourt
4. Kittel, C. (2004). *Introduction to Solid State Physics.* 8th ed. Wiley
5. Feynman, R.P. (1982). *Simulating Physics with Computers.* Int. J. Theor. Phys. **21**, 467 — doi:10.1007/BF02650179

6. Rugh, S.E. & Zinkernagel, H. (2002). *The Quantum Vacuum and the Cosmological Constant Problem.* Stud. Hist. Phil. Mod. Phys. **33**, 663 — arXiv:hep-th/0012253 — doi:10.1016/S1355-2198(02)00033-3
7. Weinberg, S. (1989). *The Cosmological Constant Problem.* Rev. Mod. Phys. **61**, 1 — doi:10.1103/RevModPhys.61.1
8. Archimedes (~250 BCE). *On Floating Bodies.* (Principle of buoyancy)
9. Churazov, E. et al. (2000). *Evolution of Buoyant Bubbles in M87.* A&A **356**, 788 — arXiv:astro-ph/0004212
10. Fabian, A.C. et al. (2003). *A deep Chandra observation of the Perseus cluster.* MNRAS **344**, L43 — arXiv:astro-ph/0306036 — doi:10.1046/j.1365-8711.2003.06902.x