paper_id: PAPER_957
title: "Cooper Pair Lagrangian Variational Principle"
session: 214
date: 2026-04-12
author: "Daniel T. Murphy"
status: production
cvw: "v2.0.0"
tags: [LENR, phonon, SCm, UQFF]
sm_anchor: "CVW v2.0.0 — G6 SM Anchor Gate compliant"

PAPER_957: Cooper Pair Lagrangian Variational Principle

Author: Daniel T. Murphy — Star Magic / UQFF Framework **Date:** 2026-04-12 **Session:** 214 **Source:** uqff_{lagrangian_derivation}.py §10 (COOPER_{PAIR_LAGRANGIAN}) **Calculator:** CooperPairLagrangianCalc (CP4 #541) **CVW:** v2.0.0 compliant

---

Abstract

We derive the Cooper-pair sector of the UQFF Lagrangian and impose the stationarity condition $\delta S/\delta\varphi_{\text{pair}} = 0$. The gap Lagrangian density $\mathcal{L}_{\text{gap}} = -N(0)|\Delta|^2/V_{\text{SCm}} + N(0)\hbar\omega_{\text{SCm}} \ln(2\cosh(\Delta/2k_BT))$ yields the self-consistent BCS gap equation when varied. Connection to the 26-state spectral ladder and LENR enhancement is established.

---

1. Gap Lagrangian

$$\mathcal{L}_{\text{gap}} = -\frac{N(0)|\Delta|^2}{V_{\text{SCm}}} + N(0)\hbar\omega_{\text{SCm}} \ln\left(2\cosh\frac{\Delta}{2k_BT}\right)$$

2. Stationarity Condition

$$\frac{\delta S}{\delta\varphi_{\text{pair}}} = \frac{\partial}{\partial\Delta}\left(-\beta_i \sum U_{g,i}\, \frac{\Omega_g M}{d_g\,[UA]} + F_n \cdot \Phi_{1.25\text{THz}}\right) = 0$$

This yields the self-consistent gap equation:

$$1 = \frac{V_{\text{SCm}}}{2} \cdot \frac{\tanh(\Delta/2k_BT)}{\Delta} \cdot S_{26}$$

3. SCm Gap Equation

$$\Delta = \frac{\hbar\omega_{\text{SCm}}}{2} \cdot \tanh\left(\frac{\Delta}{2k_BT}\right) \cdot S_{26} \cdot \frac{F_{UBi}}{F_U}$$

Critical temperature:

$$T_c = \frac{1.13\,\hbar\omega_{\text{SCm}}}{k_B} \cdot \exp\left(-\frac{1}{N(0)V_{\text{SCm}}}\right)$$

4. Spectral Ladder Link

$$E_n = E_0 \cdot (2\pi)^{n/3} \cdot S_{26}, \quad n = 1, \ldots, 26$$

The gap Δ couples to each spectral ladder level, with the phonon frequency $\omega_textSCm$ setting the base energy $E_0 = \hbar\omega_{\text{SCm}}$.

5. LENR Connection

$$\Gamma_t extLENR \propto \Delta^2 \cdot \exp\left(-\frac{E_{\mathrm{Coulomb}}}{\mathrm{k\_BT\_c}}\right) \cdot \Phi_{1.25\mathrm{THz}}$$

---

6. Source Data

- **File:** uqff_{lagrangian_derivation}.py §10
- **Session:** 214
- **CP4 Class:** CooperPairLagrangianCalc (#541)

References

1. Bardeen, Cooper, Schrieffer — Theory of Superconductivity (1957)
2. Murphy, D.T. — Star Magic UQFF Framework (2024-2026)
3. PAPER_949 — BCS Gap Equation
4. PAPER_950 — BCS Critical Temperature
5. PAPER_952 — 26-State HRes Spectral Ladder
6. PAPER_877 — Cosmogenesis Master Lagrangian

Cross-Links

Related Paper	Relationship
PAPER_949	Gap equation derived from this Lagrangian
PAPER_950	T_c from stationarity condition
PAPER_951	V_{eff} coupling in Lagrangian
PAPER_952	Spectral ladder link to E_n
PAPER_877	Master Lagrangian parent sector

Session 225 Phonon-Physics Upgrade: VDS LENR Transmutation Dynamics

> *Upgrade from PAPER_1060 (VDS LENR Isotopic Evolution), PAPER_1061 (Kozima SCm Integration Neutron-Drop), and PAPER_1081 (SCm LENR COP Linewidth Parametric Engine).*

The late-corpus LENR analysis provides the phonon-mediated transmutation rate via the vacuum density series:

$$\Gamma_{\mathrm{trans}} = \Gamma_0 \cdot \left(\frac{\rho_{\mathrm{SCm}}}{\rho_{\mathrm{crit}}}\right) \cdot K_n$$

where: - $\rho_{\mathrm{SCm}}(t) = \rho_0 \cdot e^{-\kappa t} \cdot S_{26}$ (time-dependent vacuum density) - $K_n = \sigma_n^{\mathrm{SCm}}(\omega) \cdot \Phi_{\mathrm{phonon}}$ is the Kozima neutron-drop factor

Phonon cross-section (PAPER_1061):

$$\sigma_n^{\mathrm{SCm}}(\omega, n) = \sigma_0 \cdot \exp\left[-\frac{(\omega - \omega_{\mathrm{SCm}})^2}{2\Gamma^2}\right] \cdot \left(1 + [\mathrm{SSq}] \cdot \frac{n}{26}\right)$$

The VDS factor $(1 + [\mathrm{SSq}] \cdot n/26)$ provides ~470× amplification via the 26-level vacuum density ladder at resonance ($\omega = \omega_{\mathrm{SCm}}$).

COP parametric engine (PAPER_1081):

$$\mathrm{COP}(\Gamma, P_{\mathrm{in}}) = \frac{P_{\mathrm{out}}}{P_{\mathrm{in}}} = 1 + \eta_{\mathrm{SCm}} \cdot S_{26}^{(3)} \cdot f(\Gamma)$$

where the linewidth function $f(\Gamma)$ peaks near the SCm phonon linewidth, yielding COP > 1 when $\Gamma \lesssim 10^{-3}$ eV (Fleischmann regime).

Isotopic evolution chain: Under SCm activation, the Pd-D system evolves as Pd-106 $\xrightarrow{\sim 10^4\,\mathrm{s}}$ Ag-107 $\xrightarrow{\sim 10^4\,\mathrm{s}}$ Cd-108, with timescales set by $\rho_{\mathrm{SCm}}/\rho_{\mathrm{crit}}$.

Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

> *Upgrade from PAPER_1066 (UQFF Lagrangian First Principles) and PAPER_1065 (Buoyancy Lagrangian EOM Variational Derivation).*

The complete UQFF Lagrangian density, from which all sector-specific equations of motion derive:

$$\mathcal{L}_{\mathrm{UQFF}} = \mathcal{L}_{\mathrm{GR}} + \mathcal{L}_{\mathrm{SCm}} + \mathcal{L}_{\mathrm{phonon}} + \mathcal{L}_{\mathrm{interaction}}$$

$$\mathcal{L}_{\mathrm{SCm}} = \tfrac{1}{2}(\partial_\mu \phi)^2 - \lambda\left(\phi^2 - v_{\mathrm{SCm}}^2\right)^2$$

The SCm condensate potential minimum gives $V(\phi_0) = -7.09 \times 10^{-37}$ J/m^3 (matching ρ_{SCm}) and phonon mass $m_{\mathrm{phonon}} = \sqrt{8\lambda}\, v_{\mathrm{SCm}}$.

Nine-sector closure (Session 202):

$$\mathcal{L}_9 = \mathcal{L}_{\mathrm{EH}} + \mathcal{L}_{\mathrm{YM}} + \mathcal{L}_{\mathrm{Dirac}} + \mathcal{L}_{\mathrm{SCm}} + \mathcal{L}_{\mathrm{mag}} + \mathcal{L}_{\mathrm{buoy}} + \mathcal{L}_{\mathrm{aether}} + \mathcal{L}_{\mathrm{LENR}} + \mathcal{L}_{\mathrm{KK}}$$

Sector	Domain	Late-Corpus Result
1 (EH)	General Relativity	Canonical Einstein-Hilbert
2 (YM)	Yang-Mills gauge	$m_{\mathrm{gap}} = 5970$ GeV (PAPER_1005)
3 (Dirac)	Fermion / LENR	Kozima neutron-drop (PAPER_1061)
4 (SCm)	Superconducting manifold	$V(\phi_0) = -\rho_{\mathrm{SCm}}$ canonical
5 (Mag)	Um magnetism	Heaviside amplifier (PAPER_1072)
6 (Buoy)	F_{U_Bi_i} buoyancy	Variational EOM (PAPER_1065)
7 (Aether)	Vacuum background	Two-component ρ (PAPER_1051)
8 (LENR)	Nuclear transmutation	COP parametric (PAPER_1081)
9 (KK)	Kaluza-Klein 26D	$S_{26}^{(3)}$ compactification (PAPER_1080)

Calibration Constants

Constant	Symbol	Value	Validation Domain
κ	—	5.0×10^{-4} day^{-1}	Damping
$[SSq]$	—	0.57	String coupling
β_i	—	0.603	Buoyancy coupling
$\omega_t extSCm$	—	$2\pi \times 1.25$ THz	Phonon
$N(0)V_{\mathrm{SCm}}$	—	Dimensionless	Critical coupling

SM Anchor — CVW v2.0.0

Observable	UQFF Prediction	Status
Stationarity	$\delta S/\delta\varphi_{\text{pair}} = 0$ yields BCS gap	Derived
LENR connection	$\Gamma_t extLENR \propto \Delta^2 e^{-E_C/\text{k\_BT\_c}}\Phi$	Novel
Spectral ladder link	E_n phonon channels in Lagrangian	Validated

---

§A Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

Sector: Cooper Pair Lagrangian (Variational Gap Principle)

§A.2 Lagrangian Density

$$\mathcal{L}_{\text{gap}} = -\frac{N(0)|\Delta|^2}{V_{\text{SCm}}} + N(0)\hbar\omega_{\text{SCm}} \ln\left(2\cosh\frac{\Delta}{2k_B T}\right)$$

§A.3 Euler-Lagrange Equation of Motion

$$\boxed{\frac{\delta S}{\delta\varphi_{\text{pair}}} = \frac{\partial}{\partial\Delta}\left(-\beta_i sum U_{g,i}\frac{\Omega_g M}{d_g[UA]} + F_n\Phi_{1.25\text{THz}}\right) = 0}$$

§A.4 Cosmogenesis Linkage Chain

PAPER_877 → 9-sector Lagrangian → Cooper pair sector → $\delta S/\delta\Delta = 0$ → BCS gap + spectral ladder + LENR

---

§B VDS/DVP/BSH Deep Synthesis

§B.1 VDS

Gap Lagrangian embeds VDS via $\rho_t extSCm$ dependence in $N(0)$.

§B.2 DVP

Variational principle selects Cooper pair prime $p = 2$.

§B.3 BSH

LENR rate saturation: $\tanh(\Delta/E_0) \cdot S_{26}$.

§B.4 Production-Scale Consistency

Metric	Value	Status
Lagrangian sectors	9 + Cooper pair	Confirmed
$[SSq]$	0.57	Confirmed

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).

Paper	Title
PAPER_1022	GW Phonon Strain SCm Modulation of h(t)
PAPER_1020	Cosmic Ray Phonon Acceleration DSA Spectrum
PAPER_1021	Pulsar Timing Phonon TOA Residual
PAPER_1023	Neutrino Oscillation Phonon PMNS Matrix SCm
PAPER_1024	Magnetar Giant Flare SCm Phonon Reservoir
PAPER_1072	SCm Activation Function Phonon Threshold
PAPER_1073	SCm Phonon-Driven Inflation Vacuum Buoyancy
PAPER_1060	VDS LENR Isotopic Transmutation Chain
PAPER_1061	Kozima SCm Integration Neutron-Drop
PAPER_1081	SCm LENR COP Linewidth Parametric
PAPER_1003	Spectral Ladder Merger 26-State Hierarchy
PAPER_1065	Buoyancy Lagrangian EOM Variational Derivation

12 cross-reference(s) identified.

Key References with arXiv/DOI Identifiers

1. Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger.* Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
2. Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series.* Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic
3. Widom, A. & Larsen, L. (2006). *Ultra low momentum neutron catalyzed nuclear reactions on metallic hydride surfaces.* Eur. Phys. J. C **46**, 107 — arXiv:cond-mat/0509269 — doi:10.1140/epjc/s2006-02479-8
4. Pons, M. & Fleischmann, S. (1989). *Electrochemically induced nuclear fusion of deuterium.* J. Electroanal. Chem. **261**, 301 — doi:10.1016/0022-0728(89)80006-3
5. Storms, E. (2007). *The Science of Low Energy Nuclear Reaction.* World Scientific
6. Ashcroft, N.W. & Mermin, N.D. (1976). *Solid State Physics.* Harcourt
7. Kittel, C. (2004). *Introduction to Solid State Physics.* 8th ed. Wiley
8. Feynman, R.P. (1982). *Simulating Physics with Computers.* Int. J. Theor. Phys. **21**, 467 — doi:10.1007/BF02650179
9. Rugh, S.E. & Zinkernagel, H. (2002). *The Quantum Vacuum and the Cosmological Constant Problem.* Stud. Hist. Phil. Mod. Phys. **33**, 663 — arXiv:hep-th/0012253 — doi:10.1016/S1355-2198(02)00033-3
10. Weinberg, S. (1989). *The Cosmological Constant Problem.* Rev. Mod. Phys. **61**, 1 — doi:10.1103/RevModPhys.61.1