PAPER #91 MUGE Resonance: 14-Mode Gravity Framework

Title: MUGE Resonance Gravity: 14-Mode Framework from aDPM Base Through Wormhole Metric

Author: Daniel T. Murphy
Framework: MUGE Resonance, UQFF Star-Magic ([SSq] = 0.57, [SCm] $\approx$ 0.99)
Date: March 7, 2026
Source Data: validate_uqff_muge.py, source4.cpp (14 Resonance functions), compute_resonance_MUGE_SOURCE4
Index Slot: 1.12 UQFF Master Calculators, Paper #91

Abstract

MUGE Resonance extends compressed gravity with 14 mode-specific corrections, beginning from the anomalous Doppler modulation (aDPM) base and including terahertz, vacuum diffusion, super-frequency, aether resonance, Ug4 intensity, quantum frequency, aether frequency, fluid frequency, oscillation, expansion frequency, Toroidal Resonance Zone, and wormhole metric contributions. The `compute_resonance_MUGE_SOURCE4` function returns a complete resonance gravity value for any astrophysical system; `validate_uqff_muge.py` confirms all 14 terms are finite across 5 systems.

UQFF Discovery: Novel application of UQFF calibration constants (? = 5.0×10^{-}4 day^{-1}, [SSq] = 0.57) uniquely enabling this analysis establishing a new connection in the UQFF framework not present in Standard Model treatments.

---

1. The 14-Mode Resonance Decomposition

MUGE Resonance gravity:

$$g_{\text{MUGE}}^{\text{Res}}(r, \vec{\omega}) = g_{\text{aDPM}}(r) + \sum_{k=1}^{13} \delta_k^{\text{Res}}(r, \vec{\omega})$$

Mode k	Symbol	Frequency/Origin	Physical Effect
Base	aDPM	Anomalous Doppler	Doppler-modified gravity
1	aTHz	THz frequency	Terahertz coupling
2	Avac_diff	Vacuum diffusion	Vacuum polarization diffusion
3	aSuperFreq	SuperFreq (SGR1745)	Magnetar super-frequency
4	aAetherRes	Aether resonance	Quantum vacuum resonance
5	Ug4_i	Ug4 intensity mode	BH vacuum concentration
6	aQuantumFreq	QuantumFreq	Quantum oscillation modes
7	aAetherFreq	AetherFreq	Aether field frequency
8	aFluidFreq	FluidFreq	Navier-Stokes fluid resonance
9	Osc_term	General oscillation	Composite oscillation
10	aExpFreq	ExpFreq	Hubble expansion frequency
11	fTRZ	Toroidal Resonance Zone	f_TRZ = 0.01
12	Wormhole	Wormhole metric	Einstein-Rosen bridge topology

---

2. aDPM Base Grace

The anomalous Doppler modulation base:

$$g_{\mathrm{aDPM}}(r,v) = \frac{GM}{r^2} \cdot \frac{1 - v/c}{1 + v/c}$$

For bound circular orbital: v = (GM/r)^{1/2}, giving:

$$g_{\mathrm{aDPM}}(r) = g_{\mathrm{Newton}}(r) \cdot \left(1 - 2\sqrt{R_S/r}\right)^{1/2}$$

? At r = 10 R_S: correction = -6.30.1% (sub-GR post-Newtonian)

---

3. 5-Frequency Resonance (Source27/28 Origin)

Modes 1,3,6,7,8 correspond to the **5-frequency SuperFreq resonance** from source27/28:

Frequency	Symbol	Origin System
SuperFreq	aSuperFreq	SGR1745 Magnetar
QuantumFreq	aQuantumFreq	SgrA*
AetherFreq	aAetherFreq	Universal vacuum
FluidFreq	aFluidFreq	Accretion disk
ExpFreq	aExpFreq	Hubble expansion

Combined 5-frequency resonance amplitude:

$$A_{\mathrm{5freq}} = \prod_k (1 + a_k \cos(\omega_k t)) \approx 1 + \sum_k a_k \cos(\omega_k t)$$

For small amplitudes $a_k \ll 1$.

---

4. TRZ Mode (fTRZ Factor)

The Toroidal Resonance Zone mode:

$$\delta_{\mathrm{TRZ}}(r) = f_{\mathrm{TRZ}} \cdot g_{\mathrm{aDPM}}(r) = 0.01 \times g_{\mathrm{aDPM}}(r)$$

This is the same f_TRZ = 0.01 that modifies Hawking temperature (Paper #81) a universal UQFF factor. At the horizon scale, d_TRZ = 0.01 ?g provides a 1% enhancement observable in precision pulsar timing.

---

5. Wormhole Metric Contribution

The wormhole mode uses Ellis drainhole metric:

$$\delta_{\mathrm{WH}}(r) = g_{\mathrm{aDPM}}(r) \cdot \exp\left(-\frac{r^2}{l_{\mathrm{WH}}^2}\right)$$

Where l_WH = Planck-scale wormhole throat. For r » l_WH: d_WH 0 (undetectable). For Planck-regime: d_WH g_aDPM (full wormhole topology correction).

---

6. Validation Results (validate_uqff_muge.py)

All 14 resonance modes computed for all 5 systems:

System	g_total^Res (m/s)	All modes finite	aDPM correction
Sgr A* (r_horizon)	238.4	?	-1.7%
M87* (r_horizon)	2261	?	-1.9%
Sun (surface)	273.8	?	-0.003%
NeutronStar (surface)	1.63×10	?	-5.1%
Magnetar (surface)	1.75×10	?	-5.2%

---

7. Comparison: Compressed vs Resonance

Property	MUGE Compressed	MUGE Resonance
Terms	10 (static corrections)	14 (frequency-dependent)
Primary physics	Multi-scale corrections	Oscillation modes
Stable results	Always	When ?_k bounded
Dominant regime	Galaxycosmological	Near-compact object
TRZ included	No (Compressed uses d_Ug4 only)	Yes (explicit fTRZ mode)
Wormhole	No	Yes (Planck-scale)

Summary

The MUGE Resonance 14-mode framework provides the most complete gravity description for compact object environments, combining the 5-frequency resonance from source27/28 with TRZ, aDPM Doppler correction, and Planck-scale wormhole topology. All 14 modes are finite for 5 astrophysical systems.

Source: validate_uqff_muge.py | source4.cpp compute_resonance_MUGE_SOURCE4 | 14 modes 5 systems all finite

---

See also: PAPER_090 | Part of the Star-Magic UQFF Whitepaper Series. **UQFF computed:** MUGE buoyancy ratio U_bi/F_U = [SSq]?r/GM = 5.7e-15.0e-4 = 2.85e-4; compressed MUGE baseline g = 5.4e-7 m/s at r_ISCO.

Appendix: UQFF Production Framework Reference (v4.75+)

> *Added by upgrade_early_whitepapers.py (v4.75). This appendix cross-references the production physics constants and master equations to enable reproducibility against the current codebase state.*

A.1 Calibration Constants

Symbol	Value	Description
κ	5.0×10^{-4} day^{-1}	UQFF exponential decay rate
[SSq]	0.57	Universal Quantized Factor
β_i	0.60–0.61	Buoyancy coupling coefficient
k_1	1.5	Ug1 DPM-dipole coupling
k_2	1.2	Ug2 outer-bubble charge coupling
k_3	1.8	Ug3 string-rotation coupling
k_4	2.0	Ug4 vacuum-concentration coupling
η	10^{-22}	Inertia tensor scale
E_react(0)	10^{46} J	Reference reactive energy

A.2 F_U Master Equation (Complete — 4 terms)

$$F_U = U_{g1} + U_{g2} + U_{g3} + U_{g4} + U_{bi} + U_m - \sum_{i=1}^{4} [\lambda_i \cdot U_i(r,t) \cdot E_{\text{react}}]$$

Term	Description	Implementation
Ug1	DPM magnetic dipole	`compute_Ug1_SOURCE4` / `compute_Ug1()`
Ug2	Outer-field bubble (charge-reactivity)	`compute_Ug2_SOURCE4` / `compute_Ug2()`
Ug3	Magnetic string rotation	`compute_Ug3_SOURCE4` / `compute_Ug3()`
Ug4	Vacuum concentration (star-BH)	`compute_Ug4_SOURCE4` / `compute_Ug4()`
Ubi	Buoyancy force	`compute_Ubi_SOURCE4` / `compute_Ubi()`
Um	Universal Magnetism (Heaviside-amplified)	`compute_Um_SOURCE4` / `compute_Um()`
$-\Sigma\lambda_i \cdot U_i \cdot$E_react	4th dissipation term (PAPER_420)	`compute_FU_SOURCE4` / full pipeline

4th dissipation term parameters (PAPER_420):
$\lambda_1=10^{-10}$, $\lambda_2=10^{-12}$, $\lambda_3=10^{-11}$, $\lambda_4=10^{-13}$ (free parameters, not yet empirically calibrated)

A.3 Um Heaviside Phase-Transition Amplifier (PAPER_421)

$$U_m^{\text{full}} = U_m^{\text{base}} \times \left(1 + 10^{13}\,\Theta(\rho_{SCm} - \rho_c)\right) \times \left(1 + A_q \cos(\Delta\omega\, t)\right)$$

Symbol	Value	Description
ρ_c	10^{15} kg/m^3	SCm critical superconducting density
A_q	0.1	Quasi-periodic beating amplitude (10%)
$\Delta\omega$	2π/(434·365.25) rad/day	434-year Gleisberg supercycle

A.4 UQFF Four Operational Modes

Mode	Dominant Term	Primary Use Case
Compressed	Ug_sum + Newtonian base	Isolated stellar/BH systems
Resonant	5 resonance frequencies (aDPM, aTHz, …)	Multi-scale field interactions

Mode	Dominant Term	Primary Use Case
Buoyant	β_i × Ubi	Expanding nebulae, stellar winds
Superconductive	Um × (1+10^{13}·f_H)	Magnetars, SCm critical-density regime

Implementation status: all 4 modes operational in `MAIN_1_CoAnQi.cpp`, `CondensedPhysics.py`, and `CondensedPhysics2.py`.