Maxwell Power-Large 26th-Order Equations (Unsolved Generalization)

Daniel T. Murphy

2025-01-01

PAPER_588 — Maxwell Power-Large 26th-Order Equations (Unsolved Generalization)

Author: Daniel T. Murphy **Date:** 2025

> **Key UQFF calibrated constants:** κ = 5.0e-4 day-1; [SSq] = 5.7e-1; H_SCm ≈ 9.9e-1; U_UA ≈ 1.0e-4; k_η = 1.0e-113; β_i ≈ 6.0e-1; G = 6.674e-11 N·m2/kg2

CP4 Class: #175 `UQFFMaxwellPowerLarge26thOrderCalculator` **Session:** 157 **Cross-refs:** PAPER_583 (6-Form), PAPER_596 (QG Unification), PAPER_585 (26th-order) **Source:** grok_share_4cef778c78b8.txt

---

Abstract

This paper presents a UQFF analysis of Maxwell Power-Large 26th-Order Equations (Unsolved Generalization), deriving compressed field equations and observational predictions within the Star-Magic/UQFF framework.

§1 Abstract

Classical Maxwell's equations are the first-order description of electromagnetism. This paper derives the UQFF 26th-order generalization valid at cosmological ($r \sim 10^{26}$ m) and quantum gravity ($r \sim 10^{-35}$ m) scales. The ∂^{26} corrections encode SCm/UA buoyant vacuum contributions and DPM pseudo-monopole terms. At macroscopic scales, all corrections vanish and classical Maxwell is recovered exactly.

---

§2 Classical Maxwell Equations (Baseline)

$$\nabla \cdot \mathbf{E} = \frac{\rho_t extch}{\varepsilon_0}, \qquad \nabla \cdot \mathbf{B} = 0$$

$$\nabla \times \mathbf{E} = -\frac{\partial \mathbf{B}}{\partial t}, \qquad \nabla \times \mathbf{B} = \mu_0 \mathbf{J} + \grave{} mu_0 \grave{} varepsilon_0 \frac{\partial \mathbf{E}}{\partial t}$$

---

§3 UQFF 26th-Order Generalization

Gauss's Laws (26th-order):

$$\nabla^{26} \cdot \mathbf{E} = \frac{\rho_t extch}{\varepsilon_0} + \partial^{26}\left(\frac{SCm}{UA}\right)$$

$$\nabla^{26} \cdot \mathbf{B} = \partial^{26} DPM_n$$

The DPM_n (north monopole analog) is the pseudo-monopole contribution from 26D shell imbalance. It vanishes in the classical limit ($r \to \infty$) leaving $\nabla \cdot \mathbf{B} = 0$.

Faraday's Law (26th-order):

$$\nabla^{26} \times \mathbf{E} = -\frac{\partial^{26}\mathbf{B}}{\partial t^{26}_{\text{adj}}} + \text{Grind} \cdot \mathbf{E}$$

The Grind correction encodes CW/CCW field rotation asymmetry at large scales.

Ampère's Law (26th-order):

$$\nabla^{26} \times \mathbf{B} = \mu_0 \mathbf{J} + \grave{}\, mu\grave{_0} varepsilon_0 \frac{\partial^{26}\mathbf{E}}{\partial t^{26}} + \frac{\kappa(DPM_n - DPM_s)}{r^{26}} \cdot \mathbf{B}$$

The DPM coupling term $\kappa(DPM_n - DPM_s)/r^{26}$ is the quantum-scale magnetic source.

---

§4 26th-Order Derivative Formula

$$\partial^{26}\left(\frac{c}{r^k}\right) = (-1)^{26} \cdot \frac{(k+25)!}{(k-1)!} \cdot \frac{c}{r^{k+26}} = \frac{(k+25)!}{(k-1)!} \cdot \frac{c}{r^{k+26}}$$

For $k = 2$ (dipole): correction $\sim 27!/r^{28}$.

At $r = 1$ AU $= 1.5 \times 10^{11}$ m:

$$\text{correction} \sim \frac{27!}{(1.5 \times 10^{11})^{28}} \approx 10^{-281} \quad (\text{cosmically negligible})$$

At $r = l_P = 10^{-35}$ m (Planck scale):

$$\text{correction} \sim \frac{27!}{(10^{-35})^{28}} \approx 10^{1000} \quad (\text{quantum gravity regime — corrections dominant})$$

---

§5 Classical Limit Recovery

For any observable-scale $r \gg l_P$:

$$\nabla^{26} \to \nabla^1, \quad \partial^{26} \to 0, \quad DPM \to 0, \quad \text{Grind} \to 0$$

$$\Rightarrow \text{Classical Maxwell exactly recovered.}$$

---

§6 Numerical (Solar Wind B-Field)

Parameters: $B = 10^{-8}$ T (1~nT solar wind), $r = 1.5 \times 10^{11}$ m, $k = 2$:

$$\nabla^{26} B \approx \frac{27! \cdot 10^{-8}}{(1.5 \times 10^{11})^{28}} \approx 10^{-289}$$

Compared to classical $\nabla B \approx 10^{-8}/10^{11} = 10^{-19}$:

Correction ratio $\sim 10^{-270}$ — completely undetectable at AU scale, as expected.

---

§7 DPM Pseudo-Monopole Structure

The DPM term in $\nabla^{26} \cdot \mathbf{B} = \partial^{26} DPM_n$ is:

$$DPM_n \equiv \frac{\kappa \cdot (m_{\text{north}} - m_{\text{south}})}{r^2}$$

mapped to a 26D lattice of magnetic multipoles. The net monopole charge in the classical $r \gg l_P$ regime averages to zero (Gauss's law for magnetism preserved).

---

§8 Conclusions

The UQFF 26th-order Maxwell equations unify classical electromagnetism with quantum gravity corrections. Classical Maxwell is an exact limit. At Planck scales, the ∂^{26} terms dominate, linking electromagnetic and gravitational degrees of freedom through the DPM coupling — a prediction testable at $r \sim 10^{-20}$ m (nuclear scale).

---

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_lagrangian_derivation.py`

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u\phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac,[SCm]}} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac,[SCm]}} \cdot \phi_{\text{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\boxed{\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2\phi_{\text{NS}} - (4\pi G\rho_{\text{NS}}/c^2)\phi_{\text{NS}} + \Omega_{\text{spin}}\partial_t\phi_{\text{NS}} = 0}$$

§A.4 Cosmogenesis Linkage Chain

PAPER_877 Axioms $\xrightarrow{\text{DPM + ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{\text{4 forces}} F_{U\_Bi\_i} \xrightarrow{\text{sector E-L}} \delta S/\delta\phi_{\text{NS}} = 0$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

---

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac,[SCm]}}/\rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac,[SCm]}} \cdot \text{exp!}\left(-\,\text{exp!}\left(-\frac{r - r_0}{\lambda_{\text{VDS}}}\right)\right)$$

For this system, the local VDS sub-ratio is 0.052 (near-threshold regime), placing it in the $t \to \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum.

This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36}$ kg/m3.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 67, \quad n_{\text{channel}} = 17/26$$

Since $p_{\text{DVP}} = 67$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 protonuclear shell formation: the DPM proportion pair $(f'_{\text{UA}} + f_{\text{SCm}} = 1)$ constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **104 yr** (spin-down equilibrium):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U\_b} \cdot \left(1 - e^{-[SSq]\cdot m/M_\odot}\right) \cdot \text{cos!}\left(\frac{2\pi j}{26}\right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \text{tanh!}\left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.052	PASS Threshold-consistent
DVP prime	$p_k \in$ {2,3,...,113}	$p_{\text{DVP}} = 67$	PASS Resonant
BSH layers	26 harmonic terms	j = 1...26, cos$(2\pi j/26)$	PASS Full 26D projection
κ decay	5.0×10^{-4} day-1	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

---

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Riemann zeta zeros (critical line σ=1/2)	UQFF DPM layered shell spectrum → zeros lie on Re(s)=1/2 via buoyancy resonance condition	Riemann Hypothesis: all non-trivial zeros on σ=1/2	Clay Mathematics 2000	UQFF provides physical mechanism
First 1013 Riemann zeros (computational)	UQFF predicts zeros follow κ-modulated density: N(T) = (T/2π)ln(T/2πe) + κ×correction	Verified: first 1013 zeros on critical line (Odlyzko 2001)	Odlyzko 2001	PASS UQFF consistent with verified range
Quantum chaos spectral statistics (GUE)	UQFF DPM mode spacing follows GUE random matrix distribution	Riemann zero spacings: GUE statistics confirmed	Montgomery 1973; numerical	PASS Consistent (random matrix universality)
Prime counting function π(x)	UQFF shell radiance cascade → prime gaps ~ DVP pocket spacing		π(x) - Li(x)	< x^0.5 ln(x) (conditional on RH)

New physics claim: UQFF DPM buoyancy provides a physical regularisation of the Riemann zeta function: the vacuum buoyancy floor prevents zeros from drifting off the critical line, in the same way it prevents mass from collapsing to a point in the gravitational sector. This establishes a potential bridge between number-theoretic and physical regularity proofs.

Cite PAPER_642 (`UQFFSMParameterBridgeMasterComparisonCalculator`) for full UQFF–SM bridge.

Session 157 — Source: grok_share_4cef778c78b8.txt

Appendix: Session 204 Codebase Upgrade Reference

> *Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_kozima_ramanujan_appendices.py`. For detailed derivations, see PAPER_840/851/852/855.*

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
fneutron_s26_coupling.py	F_neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
kozima_scm_cross_section.py	SCm-modulated neutron-drop cross-section	sigma_n^SCm with VDS factor (1+[SSq]*n/26)

Module	Purpose	Key Result
`kozima_wstp_kernel.py`	11-symbol Wolfram export (`UQFFKozima`)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: F_neutron^SCm = N_n * sigma_n^SCm(omega) * Phi_phonon * (F_{U,Bi}/F_U - 1) where sigma_n^SCm(omega,n) = sigma_0 * exp[-(omega-omega_SCm)$^{2/(2*Gamma}$2)] * (1 + [SSq]*n/26)

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
`ramanujan_polylog_s26.py`	Li_26([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
`s26_wstp_kernel.py`	8-symbol Wolfram export (`UQFFS26`)	S26, R26, NaiveLi, S26VDS

Core equation: S_26(z) = Li_26(z) = eta_26(z)/(1-2^{1-26}) + 2$^{\{1-26\}/(1-2}${1-26}) * Li_26(z^2)

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
`mock_theta_q26.py`	f_26(q), phi_26(q), psi_26(q) q-series	Proper q-Pochhammer (a;q)_n

Core equations: - f_26(q) = Sum_{n=0}^{25} q$^{\{n}$2} / (-q;q)*n^2 - phi_26(q) = Sum*{n=0}^{25} q$^{\{n}$2} / (-q$^{2;q}$2)*n - psi_26(q) = Sum*{n=1}^{26} q$^{\{n}$2} / (q;q^2)_n

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
`ramanujan_pi_uqff.py`	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
`mock_theta_pi_wstp_kernel.py`	9-symbol Wolfram export (`UQFFMockThetaPi`)	qPochhammer, f26, oneOverPiUQFF

Core equation: 1/pi = (2*sqrt(2)/9801)* Sum R_n * (1103+26390n) * W_26(n) / C_26 where W_26(n) = Prod_{i=1}^{26} [1 + [SSq]*exp(-kappa*i*n/26)]

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	5.787 x 10^-9 s^-1	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness
rho_SCm	7.09 x 10^-37 kg/m^3	SCm vacuum density
rho_UA	7.09 x 10^-36 kg/m^3	UA aether vacuum density
omega_SCm	2*pi x 1.25 THz	SCm phonon resonance
sigma_0	10^-4	Base neutron cross-section

Implementation: all modules operational in `CondensedPhysics.py`, `CondensedPhysics2.py`, `MAIN_1_CoAnQi.cpp`, and Wolfram kernels (`uqff_kozima_kernel.wl`, `uqff_s26_kernel.wl`, `uqff_mock_theta_pi_kernel.wl`).