compute_a_wormhole() Implementation & MUGE Safety Infrastructure

Daniel T. Murphy

2025-01-01

PAPER_377 — compute_a_wormhole() Implementation & MUGE Safety Infrastructure

Author: Daniel T. Murphy **Date:** 2025

Source: grok_share_11254865.txt, lines 8600–10322 (C++ v8 and v9 final programs) **Session:** 102 (final unread block, confirmed from complete file read) **CP4 Class:** `WormholeMUGETermImplSafetyCalculator` (CP4 #26)

Abstract

$$F_{U,Bi} = \kappa \cdot \frac{\rho_{\mathrm{SCm}}}{\rho_{\mathrm{UA}}} \cdot (U_{g1} + U_{g2} + U_{g3} + U_{g4} + U_m + U_{bi})$$

This paper presents a UQFF analysis of compute_a_wormhole() Implementation & MUGE Safety Infrastructure, deriving compressed field equations and observational predictions within the Star-Magic/UQFF framework.

1. Overview

This paper captures the formal C++ implementation of the wormhole coupling term in the Resonance MUGE framework, along with division-by-zero error safety in the Compressed MUGE functions, a complete 24-test assertion suite, and full CSV I/O for MUGESystem data. These form the production-ready computational layer for the UQFF framework.

---

2. compute_a_wormhole() — Implemented Function

Canonical Form

```
double compute_a_wormhole(double r, double b = 1.0,
                          double f_worm = 1.0,
                          double Evac_neb = 7.09e-36) {
    return f_worm * Evac_neb * (1.0 / (b * b + r * r));
}
```

Physical Meaning

```
a_worm = f_worm · Evac_neb / (b2 + r2)
$$
\begin{aligned}
  & - `b = 1.0 m` - Morris-Thorne throat radius (PAPER_373 baseline) \\
  & - `f_worm = 1.0` - wormhole coupling constant (dimensionless, unit default) \\
  & - `Evac_neb = 7.09×10-36 J/m3` - nebular vacuum energy density \\
  & - Denominator `(b2 + r2)` - wormhole geometry: r→0 gives throat maximum, r→∞ → 0 \\
  & **Numerical values:**
\end{aligned}
$$
At r = 1e4 m,  b = 1.0:  a_worm = 7.09e-36 / (1 + 1e8)   7.09e-44 m/s2
At r = 1e12 m, b = 1.0:  a_worm = 7.09e-36 / 1e24 = 7.09e-60 m/s2
At r = 0.0 m,  b = 1.0:  a_worm = 7.09e-36 / 1.0  = 7.09e-36 m/s2  (throat max)
```

Integration into compute_resonance_MUGE()

```cpp
double compute_resonance_MUGE(const MUGESystem& sys, const ResonanceParams& res) {
    double aDPM          = compute_aDPM(sys, res);
    double aTHz          = compute_aTHz(aDPM, sys, res);
    double avac_diff     = compute_avac_diff(aDPM, sys, res);
    double asuper_freq   = compute_asuper_freq(aDPM, res);
    double aaether_res   = compute_aaether_res(aDPM, res);
    double Ug4i          = compute_Ug4i(aDPM, sys, res);
    double aquantum_freq = compute_aquantum_freq(aDPM, res);
    double aAether_freq  = compute_aAether_freq(aDPM, res);
    double afluid_freq   = compute_afluid_freq(sys, res);
    double Osc_term      = compute_Osc_term();
    double aexp_freq     = compute_aexp_freq(aDPM, sys, res);
    double fTRZ          = compute_fTRZ(res);
    double a_worm        = compute_a_wormhole(sys.r);   // ← NEW final term

    return aDPM + aTHz + avac_diff + asuper_freq + aaether_res
         + Ug4i + aquantum_freq + aAether_freq + afluid_freq
         + Osc_term + aexp_freq + fTRZ + a_worm;  // 13 total terms
}
```

---

3. Error-Safe Compressed MUGE Functions

Division-by-zero protection added to 4 compressed MUGE functions:

```cpp
double compute_compressed_base(const MUGESystem& sys) {
    if (sys.r == 0.0)
        throw std::runtime_error("Division by zero in r");
    return G * sys.M / (sys.r * sys.r);
}
```

```cpp
double compute_compressed_super_adj(const MUGESystem& sys) {
    if (sys.Bcrit == 0.0)
        throw std::runtime_error("Division by zero in Bcrit");
    return 1 - sys.B / sys.Bcrit;
}

double compute_compressed_quantum(double hbar, double Delta_x_p, ...) {
    if (Delta_x_p == 0.0)
        throw std::runtime_error("Division by zero in Delta_x_p");
    return (hbar / Delta_x_p) * integral_psi * (2 * PI / tHubble);
}

double compute_compressed_perturbation(const MUGESystem& sys) {
    if (sys.r == 0.0)
        throw std::runtime_error("Division by zero in r^3");
    return (sys.M + sys.M_DM) * (sys.delta_rho_rho + 3*G*sys.M / (sys.r*sys.r*sys.r));
}
---
## 4. Complete 24-Test Assertion Suite
The final test suite (`run_unit_tests()`) contains 24 tests:
| Test Function | Expected Value | Source |
|---|---|---|
| `test_compute_compressed_base` | G×M_sun/(1AU)2   0.0059 | DPM-emergent validation |
| `test_compute_compressed_expansion` | 1.0 (at t=0) | Zero-time boundary |
| `test_compute_compressed_super_adj` | 0.9 (B=1e10, Bcrit=1e11) | B/Bcrit = 0.1 |
| `test_compute_compressed_fluid` | 4.189e-2 |  ×V×g product |
| `test_compute_compressed_env` | 1.0 | Identity |
| `test_compute_compressed_Ug_sum` | 0.0 | Simplified |
| `test_compute_compressed_cosm` | 1.1e-52×c2/3 | Λ constant |
| `test_compute_compressed_quantum` | ( /1e-68)×2.176e-18×(2 /4.35e17) | Hubble time |
| `test_compute_compressed_perturbation` | M×(1e-5+3 _s (M_s/r)/r) | SGR1745 params |
| `test_compute_compressed_MUGE` | 1.782e39 m/s2 | SGR1745 vs document |
| `test_compute_aDPM` | 3.545e-42 m/s2 | SGR1745 |
| `test_compute_aTHz` | 1.182e-33 m/s2 | aDPM=3.545e-42, vexp=1e3 |
| `test_compute_avac_diff` | 3.545e-53 m/s2 | aDPM=3.545e-42, vexp=1e3 |
| `test_compute_asuper_freq` | 1.048e-21 m/s2 | aDPM=3.545e-42 |
| `test_compute_aaether_res` | 3.900e-38 m/s2 | aDPM=3.545e-42 |
| `test_compute_Ug4i` | 0.0 (Ereact 0 at t=3.799e10) | Decay asymptote |
| `test_compute_aquantum_freq` | 1.708e-66 m/s2 | Hubble resonance scale |
| `test_compute_aAether_freq` | 1.863e-84 m/s2 | Aether freq |
| `test_compute_afluid_freq` | 1.773e-9 m/s2 | SGR1745 afluid confirmation |
| `test_compute_Osc_term` | 0.0 | Identity |
| `test_compute_aexp_freq` | 1.623e-57 m/s2 | SGR1745 at t=3.799e10 |
| `test_compute_fTRZ` | 0.1 | Default value |
| `test_compute_resonance_MUGE` | 1.773e-9 m/s2 | SGR1745 total resonance |
| **`test_compute_a_wormhole`** | **1/(1+r2) (at Evac_neb=1, b=1)** | **NEW in v9** |cpp
void test_compute_a_wormhole() {
    double r = 1e4;
```

```cpp
    double b = 1.0;
    double expected = 1.0 / (1.0 + r * r);  // f_worm=1, Evac_neb=1 for test
    double result = compute_a_wormhole(r, b, 1.0, 1.0);
    assert(std::abs(result - expected) < 1e-6);
}
```

---

5. CSV File I/O — load_muge_systems()

Complete 18-field CSV parser for MUGESystem:

```cpp
std::vector<MUGESystem> load_muge_systems(const std::string& filename) {
    std::vector<MUGESystem> systems;
    std::ifstream in(filename);
    if (in.is_open()) {
        std::string line;
        while (std::getline(in, line)) {
            std::stringstream ss(line);
            MUGESystem sys;
            std::string token;
            std::getline(ss, sys.name, ',');
            std::getline(ss, token, ','); sys.I           = std::stod(token);
            std::getline(ss, token, ','); sys.A           = std::stod(token);
            std::getline(ss, token, ','); sys.omega1      = std::stod(token);
            std::getline(ss, token, ','); sys.omega2      = std::stod(token);
            std::getline(ss, token, ','); sys.Vsys        = std::stod(token);
            std::getline(ss, token, ','); sys.vexp        = std::stod(token);
            std::getline(ss, token, ','); sys.t           = std::stod(token);
            std::getline(ss, token, ','); sys.z           = std::stod(token);
            std::getline(ss, token, ','); sys.ffluid      = std::stod(token);
            std::getline(ss, token, ','); sys.M           = std::stod(token);
            std::getline(ss, token, ','); sys.r           = std::stod(token);
            std::getline(ss, token, ','); sys.B           = std::stod(token);
            std::getline(ss, token, ','); sys.Bcrit       = std::stod(token);
            std::getline(ss, token, ','); sys.rho_fluid   = std::stod(token);
            std::getline(ss, token, ','); sys.g_local     = std::stod(token);
            std::getline(ss, token, ','); sys.M_DM        = std::stod(token);
            std::getline(ss, token, ','); sys.delta_rho_rho = std::stod(token);
            systems.push_back(sys);
        }
    }
    return systems;
}
```

CSV Format (18 fields):

```
name,I,A,omega1,omega2,Vsys,vexp,t,z,ffluid,M,r,B,Bcrit,rho_fluid,g_local,M_DM,delta_rho_rho
```

---

6. Command-Line I/O

```
int main(int argc, char** argv) {
    std::string input_file;
    std::string output_file;
    for (int i = 1; i < argc; i += 2) {
        std::string arg = argv[i];
        if (arg == "-input"  && i + 1 < argc) input_file  = argv[i + 1];
        if (arg == "-output" && i + 1 < argc) output_file = argv[i + 1];
    }
    // If -input given: load_muge_systems(input_file)
    // If -output given: redirect std::cout to file
}
```

---

7. Multi-File Architecture (Proposed)

Header decomposition for modular build:

```
main.cpp         - command-line entry, orchestration
celestial.h/cpp  - CelestialBody struct, Ug1/Ug2/Ug3/Ug4/Um/FU functions
muge.h/cpp       - MUGESystem, ResonanceParams, compressed+resonance MUGE
fluidsolver.h/cpp - FluidSolver (Navier-Stokes), simulate_quasar_jet
```

CMakeLists.txt:

```
cmake_minimum_required(VERSION 3.10)
project(StarMagic)
set(CMAKE_CXX_STANDARD 11)
add_executable(star_magic main.cpp celestial.cpp muge.cpp fluidsolver.cpp)
```

---

8. Key Numerical Reference (Wormhole term across 7 systems)

System	r (m)	a_worm (m/s2)
Magnetar SGR 1745-2900	1e4	7.09e-36 / 1e8 7.09e-44
Sagittarius A*	1e12	7.09e-36 / 1e24 7.09e-60
Tapestry of Blazing Starbirth	3.086e17	7.09e-36 / 9.52e34 7.44e-71
Westerlund 2	3.086e17	same as Tapestry
Pillars of Creation	9.46e15	7.09e-36 / 8.95e31 7.92e-68
Rings of Relativity	3.086e17	7.09e-36 / 9.52e34 7.44e-71
Student's Guide	1e26	7.09e-36 / 1e52 7.09e-88

The wormhole term is always subdominant (« other MUGE terms), confirming it acts as a geometrically-grounded perturbation rather than a dominant contribution.

---

9. CP4 Class

Class: `WormholeMUGETermImplSafetyCalculator` **Category:** Physics Implementation / Validation Infrastructure **References:** PAPER_373 (Morris-Thorne), PAPER_375 (a_worm formula suggestion)

Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

> *Upgrade from PAPER_1066 (UQFF Lagrangian First Principles) and PAPER_1065 (Buoyancy Lagrangian EOM Variational Derivation).*

The complete UQFF Lagrangian density, from which all sector-specific equations of motion derive:

$$\mathcal{L}_{\mathrm{UQFF}} = \mathcal{L}_{\mathrm{GR}} + \mathcal{L}_{\mathrm{SCm}} + \mathcal{L}_{\mathrm{phonon}} + \mathcal{L}_{\mathrm{interaction}}$$

$$\mathcal{L}_{\mathrm{SCm}} = \frac{1}{2}(\partial_\mu \phi)^2 - \lambda\left(\phi^2 - v_{\mathrm{SCm}}^2\right)^2$$

The SCm condensate potential minimum gives $V(\phi_0) = -7.09 \times 10^{-37}$ J/m^3 (matching ρ_{SCm}) and phonon mass $m_{\mathrm{phonon}} = \sqrt{8\lambda}\, v_{\mathrm{SCm}}$.

Nine-sector closure (Session 202):

$$\mathcal{L}_9 = \mathcal{L}_{\mathrm{EH}} + \mathcal{L}_{\mathrm{YM}} + \mathcal{L}_{\mathrm{Dirac}} + \mathcal{L}_{\mathrm{SCm}} + \mathcal{L}_{\mathrm{mag}} + \mathcal{L}_{\mathrm{buoy}} + \mathcal{L}_{\mathrm{aether}} + \mathcal{L}_{\mathrm{LENR}} + \mathcal{L}_{\mathrm{KK}}$$

Sector	Domain	Late-Corpus Result
1 (EH)	General Relativity	Canonical Einstein-Hilbert
2 (YM)	Yang-Mills gauge	$m_{\mathrm{gap}} = 5970$ GeV (PAPER_1005)
3 (Dirac)	Fermion / LENR	Kozima neutron-drop (PAPER_1061)
4 (SCm)	Superconducting manifold	$V(\phi_0) = -\rho_{\mathrm{SCm}}$ canonical
5 (Mag)	Um magnetism	Heaviside amplifier (PAPER_1072)
6 (Buoy)	F_U_Bi_i buoyancy	Variational EOM (PAPER_1065)
7 (Aether)	Vacuum background	Two-component ρ (PAPER_1051)
8 (LENR)	Nuclear transmutation	COP parametric (PAPER_1081)
9 (KK)	Kaluza-Klein 26D	$S_{26}^{(3)}$ compactification (PAPER_1080)

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **wormhole-metric** sector of the 9-sector UQFF Lagrangian (see `uqff_lagrangian_derivation.py`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u\phi_{\text{WH}})(\partial^\mu \phi_{\text{WH}}) - V(\phi_{\text{WH}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac,[SCm]}} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{WH}}) = \frac{1}{2}m^2\phi_{\text{WH}}^2 + \frac{\lambda}{4!}\phi_{\text{WH}}^4 + \kappa \cdot \rho_{\text{vac,[SCm]}} \cdot \phi_{\text{WH}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\boxed{\frac{\delta S}{\delta \phi_{\text{WH}}} = R_{\mu\nu} + \Phi'(r)/r - b(r)/(r^2(1 - b/r)) + 8\pi G\rho_{\text{vac,[SCm]}} = 0}$$

§A.4 Cosmogenesis Linkage Chain

PAPER_877 Axioms $\xrightarrow{\text{DPM + ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{\text{4 forces}} F_{U\_Bi\_i} \xrightarrow{\text{sector E-L}} \delta S/\delta\phi_{\text{WH}} = 0$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

---

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac,[SCm]}}/\rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac,[SCm]}} \cdot \text{exp!}\left(-\text{exp!}\left(-\frac{r - r_0}{\lambda_{\text{VDS}}}\right)\right)$$

For this system, the local VDS sub-ratio is 0.057 (near-threshold regime), placing it in the $t \to \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36}$ kg/m3.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 61, \quad n_{\text{channel}} = 14/26$$

Since $p_{\mathrm{DVP}} = 61$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\mathrm{UA}} + f_{\mathrm{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **throat crossing time** (geodesic stabilization):

$$\mathcal{F}_{\mathrm{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U\_b} \cdot \left(1 - e^{-[SSq] \cdot m/M_\odot}\right) \cdot \cos! \left(\frac{2\pi j}{26}\right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\mathrm{BSH,sat}} = \mathcal{F}_{\mathrm{BSH}} \cdot \left(1 - \tanh! \left(\frac{t - t_{\mathrm{sat}}}{\tau_{\mathrm{BSH}}}\right)\right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\mathrm{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\mathrm{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\mathrm{SCm}}/\rho_{\mathrm{UA}} = 1.894$	Local sub-ratio = 0.057	PASS Threshold-consistent
DVP prime	$p_k \in$ {2,3,...,113}	$p_{\mathrm{DVP}} = 61$	PASS Resonant
BSH layers	26 harmonic terms	j = 1...26, $\cos(2\pi j/26)$	PASS Full 26D projection
decay	5.0×10^{-4} day-1	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

---

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant	UQFF reproduces via Ug1 dipole coupling	1/137.036	PDG 2024	PASS Consistent
Cosmological constant Λ	1.1×10-52 m-2 (UQFF vacuum term)	1.114×10-52 m-2	Planck 2018	PASS Consistent

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Proton decay rate	= 0.0005/day → Γ_p suppression	< 4.17×10-35/yr	Super-K 2024	PASS Consistent
UQFF buoyancy signature	`F_U_Bi_i` unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections (F_U_Bi_i) that produce measurable deviations from GR at scales where vacuum condensate density _SCm becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (`UQFFSMParameterBridgeMasterComparisonCalculator`) for full UQFF–SM bridge.

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_corpus_crossrefs.py` (Session 225, April 2026).

Paper	Title
PAPER_1004	QGP Vacuum Density with SCm S26 Phonon Coupling
PAPER_1033	Galactic Bar Resonance SCm Pattern Speed
PAPER_1072	SCm Activation Function Phonon Threshold
PAPER_1073	SCm Phonon-Driven Inflation Vacuum Buoyancy
PAPER_1069	VDS-DVP-BSH Hybrid Calculator Unified
PAPER_1049	Source10 GPU DPM Spectral Atlas ALMA Overlay
PAPER_1050	MUGE F_U_Bi_i Unified 9-System Synthesis
PAPER_1075	3D Volumetric MUGE Gravitational Field Generator

9 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_kozima_ramanujan_appendices.py`. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
fneutron_s26_coupling.py	F_neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
kozima_scm_cross_section.py	SCm-modulated neutron-drop cross-section	sigma_n^SCm with VDS factor (1+[SSq]*n/26)
kozima_wstp_kernel.py	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: F_neutron^SCm = N_n * sigma_n^SCm(omega) * Phi_phonon * (F_{U,Bi}/F_U - 1) where sigma_n^SCm(omega,n) = sigma_0 * exp[-(omega-omega_SCm)$^{2/(2*\mathrm{Gamma}}$2)] * (1 + [SSq]*n/26)

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
ramanujan_polylog_s26.py	Li_26([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
s26_wstp_kernel.py	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: S_26(z) = Li_26(z) = eta_26(z)/(1-2^{1-26}) + 2$^{\{1-26\}/(1-2}${1-26}) * Li_26(z^2)

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
mock_theta_q26.py	f_26(q), phi_26(q), psi_26(q) q-series	Proper q-Pochhammer (a;q)_n

Core equations: - f_26(q) = Sum_{n=0}^{25} q$^{\{n}$2} / (-q;q)*n^2 - phi_26(q) = Sum*{n=0}^{25} q$^{\{n}$2} / (-q$^{2;q}$2)*n - psi_26(q) = Sum*{n=1}^{26} q$^{\{n}$2} / (q;q^2)_n

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
ramanujan_pi_uqff.py	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
mock_theta_pi_wstp_kernel.py	9-symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: 1/pi = (2*sqrt(2)/9801)* Sum R_n * (1103+26390n) * W_26(n) / C_26 where W_26(n) = Prod_{i=1}^{26} [1 + [SSq]*exp(-kappa*i*n/26)]

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	5.787 x 10^-9 s^-1	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness
rho_SCm	7.09 x 10^-37 kg/m^3	SCm vacuum density
rho_UA	7.09 x 10^-36 kg/m^3	UA aether vacuum density
omega_SCm	2*pi x 1.25 THz	SCm phonon resonance
sigma_0	10^-4	Base neutron cross-section

Implementation: all modules operational in `CondensedPhysics.py`, `CondensedPhysics2.py`, `MAIN_1_CoAnQi.cpp`, and Wolfram kernels (`uqff_kozima_kernel.wl`, `uqff_s26_kernel.wl`, `uqff_mock_theta_pi_kernel.wl`).