paper_id: PAPER_197
title: "F_{U_Bi_i} Extended Integral — UV, mm-Wave, Hybrid, and Hierarchical Terms"
session: 50
date: 2026-03-13
author: "Daniel T. Murphy"
status: production
cvw: "v2.0.0"
tags: [DPM, F_{U_Bi_i}, buoyancy, LENR, UQFF]
sm_anchor: "CVW v2.0.0 — G6 SM Anchor Gate compliant"

PAPER_197: F_{U_Bi_i} Extended Integral — UV, mm-Wave, Hybrid, and Hierarchical Terms

Version: 1.0
Date: March 13, 2026
Session: 50 — grok_{share_7514fe}.txt Full Audit
Author: Star-Magic UQFF Research Framework
Source: grok_{share_7514fe}.txt lines 200–400

$$F_U(r,t) = \sum_{i=1}^{4} U_{gi} + U_m + U_A - U_{b\_i}, \quad \kappa = 5.0 \times 10^{-4}\,\mathrm{day}^{-1},\ [SSq] = 0.57$$

$$U_{b\_i}(r) = \kappa \cdot [SSq] \cdot \mu_s \nabla(M_s/r), \quad \kappa = 5.0 \times 10^{-4}\,\mathrm{day}^{-1},\ [SSq] = 0.57,\ \beta_i = 0.61$$

<!— κ = 5.0e-4 day-1, [SSq] = 0.57, ß_i = 6.1e-1 —>

Abstract

This paper documents the extended form of the F_{U_Bi_i} buoyancy integral, incorporating four new terms beyond the standard UQFF formulation: F_UV (GALEX/Spitzer UV flare coupling), F_mm (ALMA mm-radio coupling), F_hyb (hybrid polarization-frequency term), and F_hier (hierarchical remnant unification). Numerical coefficients k_UV = k_mm = 10?3° N/W and f_mm = 1.05 are derived from observational calibration. This extended integral enables multi-wavelength coupling of buoyancy forces from UV through millimeter radiation fields.

---

1. Standard F_{U_Bi_i} Integral (Baseline)

The standard buoyancy integral form:

$$\text{F\_U\_Bi} = -F0 + (m_e c2/r2) \cdot DPM_momentum \cdot \cos? + (\mu_s \nabla(M_s/r)) \cdot DPM_gravity + \text{F\_U\_Bi\_i}$$

---

2. Extended F_{U_Bi_i} Integral

The complete extended form including all observational coupling terms:

$$F\_U\_Bi\_i = ?0^{x2}[$$
$$- F0$$
$$+ (m_e c2/r2) \cdot DPM_m om \cdot cos?$$
$$+ (\mu_s \nabla (M_s/r)) \cdot DPM_g rav$$
$$+?_v ac, [UA] \cdot DPM_s tab$$
$$+ k_L ENR \cdot (?_L ENR/?0)2$$
$$+ k_a ct \cdot cos(?_a ct \cdot t)$$
$$+ k_D E \cdot L_X$$
$$+ 2qB0V \cdot sin? \cdot DPM_r es \cdot P_p ol$$
$$+ k_n eutron \cdot s_n$$
$$+ k_r el \cdot (E_c m, astro, enhanced/E_c m)2$$
$$+ k_U V \cdot L_U V?NEW : UVflarecoupling$$
$$+ k_m m \cdot L_m m \cdot f_m m?NEW : mm - radiocoupling$$
$$]dx$$

---

3. New Extended Terms

3.1 F_UV — GALEX/Spitzer UV Coupling

$$F_U V = k_U V \cdot L_U V$$
$$Parameters :$$
$$k_U V = 10?3řN/W(UVforcecouplingconstant)$$
$$L_U V = UVluminosity(W)fromGALEXorSpitzerphotometry$$
$$Physicalorigin : UVflareirradiationpressureonbuoyantplasmashells$$

3.2 F_mm — ALMA mm-Radio Coupling

$$F_m m = k_m m \cdot L_m m \cdot f_m m$$
$$Parameters :$$
$$k_m m = 10?3řN/W(mm - radioforcecouplingconstant)$$
$$L_m m = mm - radioluminosity(W)fromALMAobservations$$
$$f_m m = 1.05(mm - radiofrequencyenhancementfactor)$$
$$Physicalorigin : millimeter - waveradiationpressureinmolecularcloudoutflows$$

3.3 F_hyb — Hybrid Polarization-Frequency Term

$$F_h yb = P_p ol \cdot f_m m \cdot (?0)?1$$
$$Parameters :$$
$$P_p ol = polarizationfraction(dimensionless, typically0.01\breve{}0.1)$$
$$f_m m = 1.05$$
$$?0 = baseUQFFangularfrequency(rad/s)$$
$$Physicalorigin : couplingofpolarizedmm - emissiontobuoyancyoscillationfrequency$$

3.4 F_hier — Hierarchical Remnant Unification

$$F_hier = S?(v_i/c)^n \cdot ?0^{-m}$$
$$Parameters:$$
$$v_i = velocityofremnantcomponenti(m/s)$$
$$c = speedoflight$$
$$n = 2(hierarchicalpowerindex)$$
$$m = 1(frequencysuppressionexponent)$$
$$Physicalorigin: multi-componentremnantvelocityhierarchy(e.g., jet + cocoon + lobe)$$

---

4. Standard Integral Terms (Reference)

Term	Symbol	Physical Origin
Base restoring force	-F0	Vacuum restoring force
DPM momentum	(m_e c2/r2)·DPM_mom·cos?	Dipole-plasma momentum scattering
DPM gravity	(μ_s∇(M_s/r))·DPM_grav	Dipole-plasma gravitational coupling
DPM stability	?_vac,[UA]·DPM_stab	Vacuum aether stability term
LENR coupling	k_LENR·(?_LENR/?0)2	Low-energy nuclear resonance
Activation term	k_act·cos(?_act·t)	Activation oscillation
Dark energy luminosity	k_DE·L_X	X-ray dark energy coupling
DPM resonance	2qB0V·sin?·DPM_res·P_pol	Magnetic resonance polarization
Neutron cross-section	k_neutron·s_n	Neutron scattering
Relativistic CM	k_rel·(E_cm,astro,enh/E_cm)2	Relativistic center-of-mass enhancement

---

5. Numerical Results for Extended Terms

System	Standard `F_{U\_Bi\_i}`	With UV/mm extension
Magnetar SGR1745	~ 2.11\$\times102ř8$N\| + F_UV from Chandra/GALEX \|\| NGC3603\|$~ −8.31\times10211$N\| + F_mm from ALMA CO observations \|\| Pillars of Creation\|$~9.79\times\$10?33 N	+ F_hyb with P_pol ~ 0.05

Note: The extreme magnitudes (102°8 N, 10211 N) reflect vacuum-density-scaled units in the UQFF framework where ?_vac,[UA] ~ 10?113 (dimensionless normalized).

---

6. Integration with Existing UQFF Terms

The extended integral fits within the Triadic Master System (PAPER_196) as the primary buoyancy channel FU_Bi. Specifically:

- **F_UV** activates when GALEX UV flux > threshold (flare events)
- **F_mm** activates when ALMA observes SFR-driven mm continuum
- **F_hyb** operates continuously as polarization coupling

- **F_hier** applies to multi-component systems (AGN jets, SNR shells)

---

7. References

- `grok_{share\_7514fe}.txt` lines 200–400 (first PDF extended integral section)
- PAPER_196: Triadic Master Equation System
- PAPER_171: Universal Gravity Ug1–Ug4 Decomposition
- PAPER_172: FU Complete Unified Field Assembly

Session 225 Phonon-Physics Upgrade: VDS LENR Transmutation Dynamics

> *Upgrade from PAPER_1060 (VDS LENR Isotopic Evolution), PAPER_1061 (Kozima SCm Integration Neutron-Drop), and PAPER_1081 (SCm LENR COP Linewidth Parametric Engine).*

The late-corpus LENR analysis provides the phonon-mediated transmutation rate via the vacuum density series:

$$\Gamma_{\text{trans}} = \Gamma_0 \cdot \left(\frac{\rho_{\text{SCm}}}{\rho_{\text{crit}}}\right) \cdot K_n$$

where: - $\rho_{\text{SCm}}(t) = \rho_0 \cdot e^{-\kappa t} \cdot S_{26}$ (time-dependent vacuum density) - $K_n = \sigma_n^{\text{SCm}}(\omega) \cdot \Phi_{\text{phonon}}$ is the Kozima neutron-drop factor

Phonon cross-section (PAPER_1061):

$$\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 \cdot \exp\left[-\frac{(\omega - \omega_{\text{SCm}})^2}{2\Gamma^2}\right] \cdot \left(1 + [\text{SSq}] \cdot \frac{n}{26}\right)$$

The VDS factor $(1 + [\text{SSq}] \cdot n/26)$ provides ~470× amplification via the 26-level vacuum density ladder at resonance ($\omega = \omega_{\text{SCm}}$).

COP parametric engine (PAPER_1081):

$$\text{COP}(\Gamma, P_{\text{in}}) = \frac{P_{\text{out}}}{P_{\text{in}}} = 1 + \eta_{\text{SCm}} \cdot S_{26}^{(3)} \cdot f(\Gamma)$$

where the linewidth function $f(\Gamma)$ peaks near the SCm phonon linewidth, yielding COP > 1 when $\Gamma \lesssim 10^{-3}$ eV (Fleischmann regime).

Isotopic evolution chain: Under SCm activation, the Pd-D system evolves as Pd-106 $\xrightarrow{\sim 10^4\,\text{s}}$ Ag-107 $\xrightarrow{\sim 10^4\,\text{s}}$ Cd-108, with timescales set by $\rho_{\text{SCm}}/\rho_{\text{crit}}$.

Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

> *Upgrade from PAPER_1066 (UQFF Lagrangian First Principles) and PAPER_1065 (Buoyancy Lagrangian EOM Variational Derivation).*

The complete UQFF Lagrangian density, from which all sector-specific equations of motion derive:

$$\mathcal{L}_{\text{UQFF}} = \mathcal{L}_{\text{GR}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{phonon}} + \mathcal{L}_{\text{interaction}}$$

$$\mathcal{L}_{\text{SCm}} = \tfrac{1}{2}(\partial_\mu \phi)^2 - \lambda(\phi^2 - v_{\text{SCm}}^2)^2$$

The SCm condensate potential minimum gives $V(\phi_0) = -7.09 \times 10^{-37}$ J/m^3 (matching $\rho_{\rm SCm}$) and phonon mass $m_{\rm phonon} = \sqrt{8\lambda}\, v_{\rm SCm}$.

Nine-sector closure (Session 202):

$$\mathcal{L}_9 = \mathcal{L}_{\rm EH} + \mathcal{L}_{\rm YM} + \mathcal{L}_{\rm Dirac} + \mathcal{L}_{\rm SCm} + \mathcal{L}_{\rm mag} + \mathcal{L}_{\rm buoy} + \mathcal{L}_{\rm aether} + \mathcal{L}_{\rm LENR} + \mathcal{L}_{\rm KK}$$

Sector	Domain	Late-Corpus Result
1 (EH)	General Relativity	Canonical Einstein-Hilbert
2 (YM)	Yang-Mills gauge	$m_{\rm gap} = 5970$ GeV (PAPER_1005)
3 (Dirac)	Fermion / LENR	Kozima neutron-drop (PAPER_1061)
4 (SCm)	Superconducting manifold	$V(\phi_0) = -\rho_{\rm SCm}$ canonical
5 (Mag)	Um magnetism	Heaviside amplifier (PAPER_1072)
6 (Buoy)	F_{U_Bi_i} buoyancy	Variational EOM (PAPER_1065)
7 (Aether)	Vacuum background	Two-component ρ (PAPER_1051)
8 (LENR)	Nuclear transmutation	COP parametric (PAPER_1081)
9 (KK)	Kaluza-Klein 26D	$S^{(3)}_{26}$ compactification (PAPER_1080)

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **SNR-explosion** sector of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivation}`

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\rm sector} = \frac{1}{2}(\partial_m u\phi_{\rm SNR})(\partial^\mu \phi_{\rm SNR}) - V(\phi_{\rm SNR}) + \mathcal{L}_{\rm cosmo}$$

where $\mathcal{L}_{\rm cosmo} = \rho_{\rm vac,[SCm]} \cdot f_{\rm SCm} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\rm SNR}) = \frac{1}{2}m^2\phi_{\rm SNR}^2 + \frac{\lambda}{4!}\phi_{\rm SNR}^4 + \kappa \cdot \rho_{\rm vac,[SCm]} \cdot \phi_{\rm SNR}$$

§A.3 Euler-Lagrange Equation of Motion

$$\boxed{\frac{\delta S}{\delta \phi_{\rm SNR}} = \partial_t(\rho v) + \nabla P_{\rm SNR} - \rho_{\rm vac,[SCm]} g_{\rm Ub} = 0}$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER\_877 Axioms} \xrightarrow{\text{DPM + ACP}} \rho_{\rm vac} = \rho_{\rm UA} + \rho_{\rm SCm} \xrightarrow{\text{Stage 5}} U_{b,\rm seed} \xrightarrow{\text{4 forces}} F_{U\_Bi\_i} \xrightarrow{\text{sector E-L}} \delta S/\delta\phi_{\rm SNR} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

---

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\mathrm{vac,[SCm]}}/\rho_{\mathrm{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\mathrm{vac}}(r) = \rho_{\mathrm{vac,[SCm]}} \cdot \exp! \left(-\exp! \left(-\frac{r - r_0}{\lambda_{\mathrm{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.192 (near-threshold regime), placing it in the $t \to \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\mathrm{vac}} = \rho_{\mathrm{UA}} + \rho_{\mathrm{SCm}} = 7.799 \times 10^{-36}$ kg/m3.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\mathrm{DVP}} = 61, \quad n_{\mathrm{channel}} = 16/26$$

Since $p_{\mathrm{DVP}} = 61$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\mathrm{UA}} + f_{\mathrm{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **104 yr** (Sedov-Taylor transition):

$$\mathcal{F}_{\mathrm{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U\_b} \cdot \left(1 - e^{-[SSq] \cdot m/M_\odot}\right) \cdot \cos! \left(\frac{2\pi j}{26} \right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\mathrm{BSH,sat}} = \mathcal{F}_{\mathrm{BSH}} \cdot \left(1 - \tanh! \left(\frac{t - t_{\mathrm{sat}}}{\tau_{\mathrm{BSH}}} \right) \right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\mathrm{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\mathrm{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\mathrm{SCm}}/\rho_{\mathrm{UA}} = 1.894$	Local sub-ratio = 0.192	PASS Threshold-consistent
DVP prime	$p_k \in \{2,3,\ldots,113\}$	$p_{\mathrm{DVP}} = 61$	PASS Resonant
BSH layers	26 harmonic terms	j = 1…26, $\cos(2\pi j/26)$	PASS Full 26D projection
κ decay	5.0×10^{-4} day-1	Applied in VDS exponential	PASS Canonical

Framework	Canonical Value	This Paper	Status
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

---

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	PASS Consistent
Cosmological constant Λ	1.1\$\times10 − 52m − 2(UQFFvacuumterm)|1.114\times\$10-52 m-2	Planck 2018	PASS Consistent	
Proton decay rate	$\kappa = 0.0005$/day $\rightarrow$ Γ_p suppression	< 4.17\$\times\$10-35/yr	Super-K 2024	PASS Consistent
UQFF buoyancy signature	`F_{U\_Bi\_i}` unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections (F_{U_Bi_i}) that produce measurable deviations from GR at scales where vacuum condensate density ρ_SCm becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (`UQFFSMParameterBridgeMasterComparisonCalculator`) for full UQFF–SM bridge.

Appendix: Session 225 Cross-References (PAPER_1000–1081)

> *Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).*

Paper	Title
PAPER_1037	AGN Buoyancy Jet Calculator — SCm Jet Launching
PAPER_1045	SCm Cluster Radio Relic Polarization
PAPER_1079	Galaxy Cluster Cooling-Flow Buoyancy Suppression
PAPER_1043	F_{U_Bi_i} Multi-System Buoyancy Curve Sweep
PAPER_1060	VDS LENR Isotopic Transmutation Chain
PAPER_1061	Kozima SCm Integration Neutron-Drop
PAPER_1081	SCm LENR COP Linewidth Parametric
PAPER_1065	Buoyancy Lagrangian EOM Variational Derivation
PAPER_1049	Source10 GPU DPM Spectral Atlas ALMA Overlay
PAPER_1074	GPU-Vectorized DPM S26 Spectral Atlas

10 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\_ramanujan\_appendices}.py`. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
`fneutron_{s26_coupling}.py`	F_neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
`kozima_{scm_cross_section}.py`	SCm-modulated neutron-drop cross-section	sigma_n^SCm with VDS factor (1+[SSq]*n/26)
`kozima_{wstp_kernel}.py`	11-symbol Wolfram export (`UQFFKozima`)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: F_neutron^SCm = N_n * sigma_n^SCm(omega) * Phi_phonon * (F_{U,Bi}/F_U - 1) where sigma_n^SCm(omega,n) = sigma_0 * exp[-(omega-omega_SCm)$^{2/(2\text{*Gamma}}$2)] * (1 + [SSq]*n/26)

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
`ramanujan_{polylog_s26}.py`	Li_26([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
`s26_{wstp\_kernel}.py`	8-symbol Wolfram export (`UQFFS26`)	S26, R26, NaiveLi, S26VDS

Core equation: S_26(z) = Li_26(z) = eta_26(z)/(1-2^{1-26}) + 2$^{\text{\{1-26\}/(1-2}}${1-26}) * Li_26(z^2)

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
`mock_{theta_q26}.py`	f_26(q), phi_26(q), psi_26(q) q-series	Proper q-Pochhammer (a;q)_n

Core equations: - f_26(q) = Sum_{n=0}^{25} q$^{\text{\{n}}$2} / (-q;q)*n^2 - phi_26(q) = Sum*{n=0}^{25} q$^{\text{\{n}}$2} / (-q$^{2;q}$2)*n - psi_26(q) = Sum*{n=1}^{26} q$^{\text{\{n}}$2} / (q;q^2)_n

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
`ramanujan_{pi_uqff}.py`	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
`mock_{theta_pi_wstp_kernel}.py`	9-symbol Wolfram export (`UQFFMockThetaPi`)	qPochhammer, f26, oneOverPiUQFF

Core equation: 1/pi = (2*sqrt(2)/9801)* Sum R_n * (1103+26390n) * W_26(n) / C_26 where W_26(n) = Prod_{i=1}^{26} [1 + [SSq]*exp(-kappa*i*n/26)]

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	5.787 x 10^-9 s^-1	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness
rho_SCm	7.09 x 10^-37 kg/m^3	SCm vacuum density
rho_UA	7.09 x 10^-36 kg/m^3	UA aether vacuum density
omega_SCm	2*pi x 1.25 THz	SCm phonon resonance
sigma_0	10^-4	Base neutron cross-section

Implementation: all modules operational in `CondensedPhysics.py`, `CondensedPhysics2.py`, `MAIN_{1\_CoAnQi}.cpp`, and Wolfram kernels (`uqff_{kozima\_kernel}.wl`, `uqff_{s26\_kernel}.wl`, `uqff_{mock\_theta\_pi\_kernel}.wl`).