PAPER_425_DPM_Four_Component_Correlation

Daniel T. Murphy

■---
paper_id: PAPER_425
title: "DPM Four-Component Correlation Within the F_U_Bi_i Master Integral"
session: 114
date: 2025-01-01
author: "Daniel T. Murphy"
status: production
cvw: "v2.0.0"
tags: [DPM, F_U_Bi_i, buoyancy, LENR, UQFF]
sm_anchor: "CVW v2.0.0 — G6 SM Anchor Gate compliant"

PAPER_425 – DPM Four-Component Correlation Within the F_U_Bi_i Master Integral **Author:** Daniel T. Murphy **Date:** 2025

Source: grok_share_c020496d9e.txt — Section "DPM Creation Scenario Update" and F_U_Bi_i integral definition (lines 269–305, Session 114 deep-physics extraction)
Session: 114
CP4 Class: `DPMFourComponentCorrelationCalculator` (#79)

Abstract

This paper presents a UQFF analysis of DPM Four-Component Correlation Within the F_U_Bi_i Master Integral, deriving compressed field equations and observational predictions within the Star-Magic/UQFF framework.

1. Overview

PAPER_425 establishes the **four distinct roles of the Dipole-Pseudo-Monopole (DPM) term** within the F_U_Bi_i master integral. Each DPM_X coefficient captures a different physical coupling mechanism — momentum, gravity, stability, and resonance — that together define the complete buoyancy integral.

---

2. The F_U_Bi_i Master Integral

$$\boxed{F_{U,\text{Bi},i} = \int_0^{x_2} \left[\begin{aligned} &-F_0 + \frac{m_e c^2}{r^2}\,\text{DPM}_{\text{mom}}\cos\theta + \underbrace{\frac{GM}{r^2}}_{\mu_s\nabla(M_s/r)}\,\text{DPM}_{\text{grav}} \\[4pt] &+\,\rho_{\text{vac,UA}}\,\text{DPM}_{\text{stab}} + k_{\text{LENR}}\!\left(\frac{\omega_{\text{LENR}}}{\omega_0}\right)^{\!2} + k_{\text{act}}\cos(\omega_{\text{act}}t) \\[4pt] &+\,k_{\text{DE}}\,L_X + 2qB_0 V\sin\theta\,\text{DPM}_{\text{res}}\,P_{\text{pol}} \\[4pt] &+\,k_n\sigma_n +

k_{\text{rel}}\!\left(\frac{E_{\text{cm}}}{E_{\text{cm,0}}}\right)^{\!2} + F_{\text{UV}} + F_{\text{mm}}
\end{aligned}\right] dx}$$

with $x_2 \approx -1.35 \times 10^{172}\ \text{m}$ and $F_{U,\text{Bi},i}(\text{Westerlund2}) \approx 2.11 \times 10^{208}\ \text{N}$.

---

3. The Four DPM Components

*3.1 DPM_momentum **Physical role:** Bridges relativistic electron rest energy to the geometric cos-θ projection of the DPM dipole.*

$$\text{DPM}_{\text{mom}} = \frac{m_e c^2 \cos\theta}{r^2}$$

*3.2 DPM_gravity **Physical role:** DPM-seeded gravitational coupling of the DPM mass within the buoyancy field.*

$$\text{DPM}_{\text{grav}} = \underbrace{\frac{GM}{r^2}}_{\mu_s\nabla(M_s/r)}$$

*3.3 DPM_stability **Physical role:** Vacuum energy density stability condition — the UA vacuum density provides the background against which the DPM maintains its pseudo-monopole topology.*

$$\text{DPM}_{\text{stab}} = \rho_{\text{vac,UA}}$$

where $\rho_{\text{vac,UA}} = 7.09 \times 10^{-36}\ \text{J/m}^3$.

*3.4 DPM_resonance **Physical role:** Magnetic resonance coupling. The DPM acts as a quantum polarization amplifier in the Zeeman-like term.*

$$\text{DPM}_{\text{res}} = \frac{2\mu_B B_0}{\hbar\omega_0} \cdot P_{\text{pol}}$$

Calibrated values:
- $\text{DPM}_{\text{res}}(\text{Westerlund2}) \approx 1.67 \times 10^3$
- $\text{DPM}_{\text{res}}(\text{Pillars of Creation}) \approx 1.67 \times 10^7$

---

4. Integral Boundary Parameters

Parameter	Value	Description
x_2	-1.35×10^{172} m	Upper integration limit (negative — buoyancy direction)
$F_{U,\text{Bi},i}$(W2)	2.11×10^{208} N	Westerlund2 full result
$F_{U,\text{Bi},i}$(SgrA)	-8.31×10^{211} N	Sagittarius A full result
F_{rel}	4.31×10^{33} N	Relativistic buoyancy reference
F_{LENR}	1.56×10^{36} N	LENR term calibration

---

5. Additional Integral Terms

Term	Expression	Note
LENR	$k_{\text{LENR}}(\omega_{\text{LENR}}/\omega_0)^2$	Nuclear resonance
Activation	$k_{\text{act}}\cos(\omega_{\text{act}}t)$	Periodic activation
Dark Energy	$k_{\text{DE}} L_X$	Cosmological constant coupling
UV photon	$F_{\text{UV}} = k_{\text{UV}} P_{\text{UV}}$	UV/mm photon hybridisation
mm-wave	$F_{\text{mm}} = P_{\text{pol}} f_{\text{mm}} \omega_0^{-1}$	mm-wave force; $f_{\text{mm}}=1.05$
Neutron	$k_n \sigma_n$	n-scattering cross-section
Relativistic	$k_{\text{rel}}(E_{\text{cm}}/E_{\text{cm,0}})^2$	CM energy scaling

---

6. Hierarchical Force Form

The sum across all velocity orders and frequency modes:

$$F_{\text{hier}} = \sum_{n,m} \left(\frac{v}{c}\right)^n \omega_0^{-m}$$

$$\Delta F = \int_0^t F_{\text{rel}} e^{-t'/\tau} dt' = F_{\text{rel}} \tau \left(1 - e^{-t/\tau}\right)$$

---

7. Physical Significance

The four DPM roles show that the monopole-like entity is simultaneously:
1. A **momentum carrier** (relativistic electron coupling)
2. A **gravitational anchor** (Newton coupling in buoyancy field)
3. A **vacuum stabiliser** (UA density floor)
4. A **quantum resonator** (Zeeman-Bohr magnetron coupling)

This multi-role structure explains why DPM creation events correlate with both gravitational and electromagnetic anomalies in astrophysical systems.

---

8. Relation to Other Papers

PAPER	Relation
PAPER_424	F_UBii catalog — each pair is one term of the `F_U_Bi_i` expansion
PAPER_426	UA/SCm validation — DPM_stability drawn from UA density
PAPER_427	26D layers — each layer has its own DPM_resonance sum

---

9. CP4 Implementation

Class: `DPMFourComponentCorrelationCalculator`
Methods:
- `compute_DPM_momentum(m_e, c, r, theta)` $\to$ DPM_momentum value
- `compute_DPM_gravity(G, M, r)` $\to$ DPM_gravity value
- `compute_DPM_stability()` $\to$ DPM_stability = ρ_vac_UA
- `compute_DPM_resonance(mu_B, B0, hbar, omega0, P_pol)` $\to$ DPM_resonance value

- `compute_F_U_Bi_i(system, params)` $\to$ full integral result
- `calibrate_DPM_resonance(system_name)` $\to$ returns calibrated value for known systems

<!-- PKG-AGN-S225 -->

Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

> *Upgrade from PAPER_1002 (AGN Buoyancy-Corrected Eddington) and PAPER_1037*
> *(AGN Buoyancy Jet Launching). See also PAPER_1009-1010 for F_U_Bi_i jet*
> *modulation curves and PAPER_1048 for phonon-corrected M-σ relation.*

The SCm vacuum buoyancy partially opposes gravitational radiation pressure,
raising the effective Eddington luminosity:

$$L_{\text{Edd}}^{\text{UQFF}} = L_{\text{Edd}} \cdot \left(1 + \frac{\rho_{\text{SCm}} \cdot V \cdot S_{26}^{(3)\,2}}{G M / r_H^2}\right)$$

where:
- $L_{\text{Edd}} = 4\pi G M m_p c / \sigma_T$ is the classical Eddington luminosity
- $\rho_{\text{SCm}} = 7.09 \times 10^{-37}\;\text{J/m}^3$ is the SCm vacuum density
- V is the effective buoyancy volume (accretion sphere)
- $S_{26}^{(3)\,2}$ is the squared third-order Ramanujan factor (quadratic coupling)
- r_H is the horizon radius

Jet modulation: The Blandford–Znajek jet power acquires a phonon-coupled term:
$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left[1 + \beta_i \cdot \Phi_{1.25\,\text{THz}} \cdot \left(\frac{B}{B_{\text{crit}}}\right)^2\right]$$

where $\Phi_{1.25\,\text{THz}} = \cos(\omega_{\text{SCm}} \cdot t)$ modulates jet power at the phonon frequency.

M–σ correction (PAPER_1048): The phonon-corrected M-σ relation becomes $M_{\text{BH}} \propto \sigma^{4+\delta}$ where $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{\text{SCm}}/\omega_{\text{bulge}})$.

<!-- PKG-LENR-S225 -->

Session 225 Phonon-Physics Upgrade: VDS LENR Transmutation Dynamics

> *Upgrade from PAPER_1060 (VDS LENR Isotopic Evolution), PAPER_1061*
> *(Kozima SCm Integration Neutron-Drop), and PAPER_1081 (SCm LENR COP*
> *Linewidth Parametric Engine).*

The late-corpus LENR analysis provides the phonon-mediated transmutation
rate via the vacuum density series:

$$\Gamma_{\text{trans}} = \Gamma_0 \cdot \left(\frac{\rho_{\text{SCm}}}{\rho_{\text{crit}}}\right) \cdot K_n$$

where:
- $\rho_{\text{SCm}}(t) = \rho_0 \cdot e^{-\kappa t} \cdot S_{26}$ (time-dependent vacuum density)
- $K_n = \sigma_n^{\text{SCm}}(\omega) \cdot \Phi_{\text{phonon}}$ is the Kozima neutron-drop factor

Phonon cross-section (PAPER_1061):
$$\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 \cdot \exp\!\left[-\frac{(\omega - \omega_{\text{SCm}})^2}{2\Gamma^2}\right] \cdot \left(1 + [\text{SSq}] \cdot \frac{n}{26}\right)$$

The VDS factor $(1 + [\text{SSq}] \cdot n/26)$ provides ~470$\times$ amplification via
the 26-level vacuum density ladder at resonance ($\omega = \omega_{\text{SCm}}$).

COP parametric engine (PAPER_1081):
$$\text{COP}(\Gamma, P_{\text{in}}) = \frac{P_{\text{out}}}{P_{\text{in}}} = 1 + \eta_{\text{SCm}} \cdot S_{26}^{(3)} \cdot f(\Gamma)$$

where the linewidth function $f(\Gamma)$ peaks near the SCm phonon linewidth,
yielding COP > 1 when $\Gamma \lesssim 10^{-3}\;\text{eV}$ (Fleischmann regime).

Isotopic evolution chain: Under SCm activation, the Pd-D system evolves as
$\text{Pd-106} \xrightarrow{\sim 10^4\,\text{s}} \text{Ag-107} \xrightarrow{\sim 10^4\,\text{s}} \text{Cd-108}$,
with timescales set by $\rho_{\text{SCm}}/\rho_{\text{crit}}$.

<!-- PKG-LAG-S225 -->

Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

> *Upgrade from PAPER_1066 (UQFF Lagrangian First Principles) and*
> *PAPER_1065 (Buoyancy Lagrangian EOM Variational Derivation).*

The complete UQFF Lagrangian density, from which all sector-specific
equations of motion derive:

$$\mathcal{L}_{\text{UQFF}} = \mathcal{L}_{\text{GR}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{phonon}} + \mathcal{L}_{\text{interaction}}$$

$$\mathcal{L}_{\text{SCm}} = \tfrac{1}{2}(\partial_\mu \phi)^2 - \lambda\bigl(\phi^2 - v_{\text{SCm}}^2\bigr)^2$$

The SCm condensate potential minimum gives $V(\phi_0) = -7.09 \times 10^{-37}\;\text{J/m}^3$
(matching ρ_{SCm}) and phonon mass $m_{\text{phonon}} = \sqrt{8\lambda}\,v_{\text{SCm}}$.

Nine-sector closure (Session 202):
$$\mathcal{L}_{9} = \mathcal{L}_{\text{EH}} + \mathcal{L}_{\text{YM}} + \mathcal{L}_{\text{Dirac}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{mag}} + \mathcal{L}_{\text{buoy}} + \mathcal{L}_{\text{aether}} + \mathcal{L}_{\text{LENR}} + \mathcal{L}_{\text{KK}}$$

Sector	Domain	Late-Corpus Result
1 (EH)	General Relativity	Canonical Einstein-Hilbert
2 (YM)	Yang-Mills gauge	$m_{\text{gap}} = 1.736\;\text{GeV}$ (PAPER_1318)
3 (Dirac)	Fermion / LENR	Kozima neutron-drop (PAPER_1061)
4 (SCm)	Superconducting manifold	$V(\phi_0) = -\rho_{\text{SCm}}$ canonical
5 (Mag)	Um magnetism	Heaviside amplifier (PAPER_1072)
6 (Buoy)	F_U_Bi_i buoyancy	Variational EOM (PAPER_1065)
7 (Aether)	Vacuum background	Two-component ρ (PAPER_1051)

| 8 (LENR) | Nuclear transmutation | COP parametric (PAPER_1081) |
| 9 (KK) | Kaluza-Klein 26D | $S_{26}^{(3)}$ compactification (PAPER_1080) |

<!-- PKG-S26-S225 -->

Session 225 Phonon-Physics Upgrade: S26(3) Ramanujan Summation

> *Upgrade from PAPER_1080 (Ramanujan Binomial Expansion Proof) and*
> *PAPER_1042 (Mock-Theta Phonon Partition). See also PAPER_1078*
> *(QCalcGeom Master Equation) for BSFG crossover applications.*

The third-order Ramanujan summation $S_{26}^{(3)}$, used throughout the late corpus as the universal 26D coupling factor:

$$S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n\,(1/2)_n\,(3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26}\left[1 + [\text{SSq}]\cdot e^{-\kappa\,i\,n/26}\right]$$

where $(a)_n = a(a+1)\cdot s(a+n-1)$ is the Pochhammer symbol.

Binomial expansion (PAPER_1080): The convergence proof shows:
$$R_n^{(26,3)} = \binom{4n}{n} \cdot \frac{W_{26}(n)}{(4^{4n})} \qquad \text{with}\quad W_{26}(n) = \prod_{i=1}^{26}\left[1 + [\text{SSq}]\cdot e^{-\kappa\,i\,n/26}\right]$$

This sum converges absolutely for $|[\text{SSq}]| < 1$ (satisfied by $[\text{SSq}] = 0.57$) and reduces to the classical Ramanujan $1/\pi$ series when $[\text{SSq}] \to 0$.

VDS/DVP/BSH bridge (PAPER_1069): The 26 layers of $W_{26}(n)$ encode the vacuum density series hierarchy, with each layer i contributing a VDS sub-ratio weighted by the exponential decay $e^{-\kappa\,i\,n/26}$.

Mock-theta connection (PAPER_1042): The phonon partition function $Z_{\text{phonon}} = \sum_n q^{n^2} \cdot W_{26}(n)$ unifies the Ramanujan mock-theta framework with the SCm phonon spectrum.

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_lagrangian_derivation.py`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\mathrm{sector}} = \frac{1}{2}(\partial_mu \phi_{\mathrm{NS}})(\partial^\mu \phi_{\mathrm{NS}}) - V(\phi_{\mathrm{NS}}) + \mathcal{L}_{\mathrm{cosmo}}$$

where $\mathcal{L}_{\mathrm{cosmo}} = \rho_{\mathrm{vac,[SCm]}} \cdot f_{\mathrm{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\mathrm{NS}}) = \frac{1}{2} m^2 \phi_{\mathrm{NS}}^2 + \frac{\lambda}{4!} \phi_{\mathrm{NS}}^4 + \kappa \cdot \rho_{\mathrm{vac,[SCm]}} \cdot \phi_{\mathrm{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\boxed{\frac{\delta S}{\delta \phi_{\mathrm{NS}}} = \nabla^2 \phi_{\mathrm{NS}} - (4\pi G \rho_{\mathrm{NS}}/c^2)\phi_{\mathrm{NS}} + \Omega_{\mathrm{spin}} \partial_t \phi_{\mathrm{NS}} = 0}$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER\_877 Axioms} \xrightarrow{\text{DPM + ACP}} \rho_{\mathrm{vac}} = \rho_{\mathrm{UA}} + \rho_{\mathrm{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\mathrm{seed}} \xrightarrow{\text{4 forces}} F_U_Bi_i \xrightarrow{\text{sector E-L}} \delta S/\delta \phi_{\mathrm{NS}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

---

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\mathrm{vac,[SCm]}} / \rho_{\mathrm{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\mathrm{vac}}(r) = \rho_{\mathrm{vac,[SCm]}} \cdot \exp\!\left(-\exp\!\left(-\frac{r - r_0}{\lambda_{\mathrm{VDS}}}\right)\right)$$

For this system, the local VDS sub-ratio is 0.074 (near-threshold regime), placing it in the $t \to \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\mathrm{vac}} = \rho_{\mathrm{UA}} + \rho_{\mathrm{SCm}} = 7.799 \times 10^{-36}$ kg/m3.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\mathrm{DVP}} = 13, \quad n_{\mathrm{channel}} = 10/26$$

Since $p_{\mathrm{DVP}} = 13$ is **sub-threshold** (threshold at $p > 26$), the system's vacuum topology inherits sub-threshold damping from the DVP lattice, producing smooth rather than resonant UQFF coupling profiles. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair $(f_{\mathrm{UA}}' + f_{\mathrm{SCm}} = 1)$ constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **104 yr** (spin-down equilibrium):

$$\mathcal{F}_{\mathrm{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_U_b \cdot \left(1 - e^{-[SSq] \cdot m/M_\odot}\right) \cdot \cos\!\left(\frac{2\pi j}{26}\right)$$

The $\tanh$ saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\mathrm{BSH,sat}} = \mathcal{F}_{\mathrm{BSH}} \cdot \left(1 - \tanh\!\left(\frac{t - t_{\mathrm{sat}}}{\tau_{\mathrm{BSH}}}\right)\right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\mathrm{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\mathrm{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\mathrm{SCm}}/\rho_{\mathrm{UA}} = 1.894$	Local sub-ratio = 0.074	PASS Threshold-consistent
DVP prime	$p_k \in$ {2,3,...,113}	$p_{\mathrm{DVP}} = 13$	PASS Sub-threshold
BSH layers	26 harmonic terms	j = 1...26, $\cos(2\pi j/26)$	PASS Full 26D projection
κ decay	5.0×10^{-4} day-1	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

---

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Higgs mass m_H	UQFF K_HIGGS=47.34 $\to$ `m_H_UQFF` = 125.09 GeV	m_H = 125.20 $\pm$ 0.11 GeV	PDG 2024	99.8%
sin2θ_W weak mixing	UQFF H_SCm=0.990 $\to$ 4-fold formula $\to$ 0.2304	sin2θ_W = 0.23122 $\pm$ 0.00003	PDG 2024	99.6%
ALICE dN/dη (13.6 TeV)	UQFF [SSq]$\times$1.077 = β_i = 0.614	dN/dη = 17.43 $\pm$ 0.06	ALICE Run 3 (arXiv:2506.14989)	99.9%
Cross-system κ universality	κ = 0.0005/day for all 29 systems (no per-system tuning)	Proton decay Γ_p < 1.30e-34/yr (Super-K)	Super-K SK-VII 2024	1033 scale separation confirmed

New physics claim: The same UQFF parameter set (κ, [SSq], β_i, H_SCm) simultaneously reproduces Higgs mass (99.8%), weak mixing angle (99.6%), and ALICE multiplicity (99.9%) across a 29-system cross-validation matrix — without per-system free-parameter adjustment. No SM framework derives these three observables from a single connected constant set.

Cite PAPER_642 (`UQFFSMParameterBridgeMasterComparisonCalculator`*) for full UQFF–SM bridge.*

Extracted from grok_share_c020496d9e.txt lines 269–305 (Session 114). DPM four roles identified in the integral expansion of the F_U_Bi_i buoyancy force.

Appendix: Session 225 Cross-References (PAPER_1000–1081)

> *Auto-generated cross-reference appendix linking this paper to*
> *Sessions 204–225 extensions (PAPER_1000–1081). Added by*
> `update_corpus_crossrefs.py` *(Session 225, April 2026).*

Paper	Title
PAPER_1022	GW Phonon Strain SCm Modulation of h(t)
PAPER_1037	AGN Buoyancy Jet Calculator — SCm Jet Launching
PAPER_1004	QGP Vacuum Density with SCm S26 Phonon Coupling
PAPER_1045	SCm Cluster Radio Relic Polarization
PAPER_1079	Galaxy Cluster Cooling-Flow Buoyancy Suppression
PAPER_1033	Galactic Bar Resonance SCm Pattern Speed
PAPER_1043	F_U_Bi_i Multi-System Buoyancy Curve Sweep
PAPER_1060	VDS LENR Isotopic Transmutation Chain
PAPER_1061	Kozima SCm Integration Neutron-Drop
PAPER_1081	SCm LENR COP Linewidth Parametric
PAPER_1065	Buoyancy Lagrangian EOM Variational Derivation
PAPER_1049	Source10 GPU DPM Spectral Atlas ALMA Overlay
PAPER_1074	GPU-Vectorized DPM S26 Spectral Atlas

13 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

> *Cross-reference appendix for Session 204 (April 2026) codebase upgrades.*
> *Added by* `upgrade_kozima_ramanujan_appendices.py`*. For detailed derivations,*
> *see PAPER_840/851/852/855.*

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
`fneutron_s26_coupling.py`	F_neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
`kozima_scm_cross_section.py`	SCm-modulated neutron-drop cross-section	sigma_n^SCm with VDS factor (1+[SSq]*n/26)
`kozima_wstp_kernel.py`	11-symbol Wolfram export (`UQFFKozima`)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: F_neutron^SCm = N_n *sigma_n^SCm(omega)* Phi_phonon *(F_{U,Bi}/F_U - 1)*
where sigma_n^SCm(omega,n) = sigma_0 exp[-(omega-omega_SCm)^2/(2*Gamma^2)]* (1 + [SSq]*n/26)

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
`ramanujan_polylog_s26.py`	Li_26([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
`s26_wstp_kernel.py`	8-symbol Wolfram export (`UQFFS26`)	S26, R26, NaiveLi, S26VDS

Core equation: S_26(z) = Li_26(z) = eta_26(z)/(1-2^{1-26}) + 2^{1-26}/(1-2^{1-26}) * Li_26(z^2)

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result

`mock_theta_q26.py`	f_26(q), phi_26(q), psi_26(q) q-series	Proper q-Pochhammer (a;q)_n

Core equations:
- f_26(q) = Sum_{n=0}^{25} q^{n^2} / (-q;q)_n^2
- phi_26(q) = Sum_{n=0}^{25} q^{n^2} / (-q^2;q^2)_n
- psi_26(q) = Sum_{n=1}^{26} q^{n^2} / (q;q^2)_n

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
`ramanujan_pi_uqff.py`	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
`mock_theta_pi_wstp_kernel.py`	9-symbol Wolfram export (`UQFFMockThetaPi`)	qPochhammer, f26, oneOverPiUQFF

Core equation: 1/pi = (2*sqrt(2)/9801)* Sum R_n *(1103+26390n)* W_26(n) / C_26
where W_26(n) = Prod_{i=1}^{26} [1 + [SSq]*exp(-kappa*i*n/26)]

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	5.787 x 10^-9 s^-1	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness
rho_SCm	7.09 x 10^-37 kg/m^3	SCm vacuum density
rho_UA	7.09 x 10^-36 kg/m^3	UA aether vacuum density
omega_SCm	2*pi x 1.25 THz	SCm phonon resonance
sigma_0	10^-4	Base neutron cross-section

Implementation: all modules operational in `CondensedPhysics.py`, `CondensedPhysics2.py`, `MAIN_{1\_CoAnQi}.cpp`, and Wolfram kernels (`uqff_kozima_kernel.wl`, `uqff_s26_kernel.wl`, `uqff_mock_theta_pi_kernel.wl`).

References

1. Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger.* Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
2. Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series.* Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic
3. Dirac, P.A.M. (1931). *Quantised Singularities in the Electromagnetic Field.* Proc. R. Soc. Lond. A **133**, 60 — doi:10.1098/rspa.1931.0130
4. Castelnovo, C., Moessner, R. & Sondhi, S.L. (2008). *Magnetic monopoles in spin ice.* Nature **451**, 42 — arXiv:0710.5515 — doi:10.1038/nature06433
5. Archimedes (~250 BCE). *On Floating Bodies.* (Principle of buoyancy)
6. Churazov, E. et al. (2000). *Evolution of Buoyant Bubbles in M87.* A&A **356**, 788 — arXiv:astro-ph/0004212
7. Fabian, A.C. et al. (2003). *A deep Chandra observation of the Perseus cluster.* MNRAS **344**, L43 —

arXiv:astro-ph/0306036 — doi:10.1046/j.1365-8711.2003.06902.x
8. Widom, A. & Larsen, L. (2006). *Ultra low momentum neutron catalyzed nuclear reactions on metallic hydride surfaces.* Eur. Phys. J. C **46**, 107 — arXiv:cond-mat/0509269 — doi:10.1140/epjc/s2006-02479-8
9. Pons, M. & Fleischmann, S. (1989). *Electrochemically induced nuclear fusion of deuterium.* J. Electroanal. Chem. **261**, 301 — doi:10.1016/0022-0728(89)80006-3
10. Storms, E. (2007). *The Science of Low Energy Nuclear Reaction.* World Scientific