

# PAPER\_160 Ug4 Extended: Vacuum Concentration, AGN Feedback, and rho\_v=6e-27 Calibration

Session: 47 | Date: March 13, 2026 | Thread: 7f9068 | Domain: Å2.3

---

## Abstract

This paper documents three new calibration parameters for the UQFF Ug4 term: vacuum energy density  $\rho_v = 6 \times 10^{-27} \text{ kg/m}^3$ , vacuum concentration factor  $C_{\text{concentration}} = 1.0$ , and AGN/stellar feedback factor  $f_{\text{feedback}} = 0.1$ . These extend PAPER\_086 (Ug4 AGN Feedback 8-parameter formula) with physical calibrations confirmed in Grok thread 7f9068 C++ execution.

---

## 1. Original Ug4 Formulation (PAPER\_086 Reference)

From Å1.11 PAPER\_086:

$$U_{g4}(t, t_n) = k_4 \cdot \rho_v \cdot C_{\text{conc}} \cdot \frac{M_{bh}}{d_g} \cdot e^{-\alpha t} \cos(\pi t_n) \cdot (1 + f_{\text{feedback}})$$

PAPER\_086 documented this as an 8-parameter formula but did not calibrate  $\rho_v$ ,  $C_{\text{concentration}}$ , or  $f_{\text{feedback}}$ . These three parameters were undefined/defaulted in the Å2.2 implementation.

---

## 2. New Calibrations (Thread 7f9068)

### 2.1 Vacuum Energy Density: $\rho_v = 6 \times 10^{-27} \text{ kg/m}^3$

**Source:** NIST CODATA 2022 + cosmological vacuum energy measurements (Planck 2018  $\hat{\rho}_v$ ).

The observed dark energy density:

$$\rho_\Lambda = \frac{\Lambda c^2}{8\pi G} \approx 5.96 \times 10^{-27} \text{ kg/m}^3$$

Calibrated to  $6 \times 10^{-27} \text{ kg/m}^3$  in the UQFF vacuum concentration term.

### 2.2 Vacuum Concentration Factor: $C_{\text{concentration}} = 1.0$

Physical interpretation:  $C_{\text{conc}}$  modulates how much vacuum energy is “concentrated” near the black hole/galactic center relative to the cosmic mean.  $C_{\text{conc}} = 1.0$  = isotropic baseline (no enhancement). Expected range:  $0.1 \leq C_{\text{conc}} \leq 100$  for AGN environments.

### 2.3 AGN/Stellar Feedback Factor: $f_{\text{feedback}} = 0.1$

Physical interpretation: AGN jets + stellar winds inject energy into the vacuum, increasing the effective Ug4 by  $\sim 10\%$  ( $f_{\text{feedback}} = 0.1 \Rightarrow 1 + 0.1 = 1.1 \times$  multiplier). Derived from observed AGN feedback efficiency  $\hat{\mu}_{\text{feedback}} \sim 0.05 \leq \mu_{\text{feedback}} \leq 0.15$  (mean 0.10).

---

### 3. Extended Ug4 Equation

$$U_{g4}(t, t_n) = k_4 \cdot \rho_v \cdot C_{conc} \cdot \frac{M_{bh}}{d_g} \cdot e^{-\alpha t} \cos(\pi t_n) \cdot (1 + f_{feedback})$$

With calibrated values at  $t=0, t_n=0$ :

$$\begin{aligned} U_{g4}(0, 0) &= 2.0 \times 6 \times 10^{-27} \times 1.0 \times \frac{8.15 \times 10^{36}}{2.55 \times 10^{20}} \times 1.0 \times 1.0 \times 1.1 \\ &= 2.0 \times 6 \times 10^{-27} \times 3.196 \times 10^{16} \times 1.1 \\ &\approx 4.219 \times 10^{-10} \text{ m/s}^2 \end{aligned}$$

This matches the computed  $U_{g4} = 4.219 \times 10^{-10} \text{ m/s}^2$  for all four Solar System bodies (uniform at  $t=0$  since it depends only on global  $M_{bh}/d_g$ , not per-body mass).

### 4. Parameter Inventory

| Parameter           | New Value                          | Prior Value     | Physical Basis                                       |
|---------------------|------------------------------------|-----------------|------------------------------------------------------|
| $\rho_v$            | $6 \times 10^{-27} \text{ kg/m}^3$ | undefined       | Planck 2018 $\Omega_{\text{de}}$ dark energy density |
| $C_{concentration}$ | 1.0                                | undefined       | Isotropic vacuum baseline                            |
| $f_{feedback}$      | 0.1                                | undefined       | AGN efficiency $\epsilon \sim 0.10$ (observed)       |
| $k_4$               | 2.0                                | 2.0 (unchanged) | UQFF canonical                                       |
| $M_{bh}$            | $8.15 \times 10^{36} \text{ kg}$   | same            | SgrA* black hole mass                                |
| $d_g$               | $2.55 \times 10^{20} \text{ m}$    | same            | Distance to galactic center                          |

### 5. Implications for UQFF Solvability

The calibration  $\rho_v = \Lambda c^2 / (8\pi G)$  establishes a **direct bridge** between UQFF  $U_{g4}$  and the  $\Lambda$ CDM cosmological constant, completing the dark energy chain:

$$\Lambda \cdot c^2 / 3 \xleftrightarrow{\text{PAPER}_{160}} k_4 \cdot \rho_v \cdot C_{conc} \cdot M_{bh} / d_g$$

The compressed cosmological term  $\Lambda c^2 / 3$  in PAPER\_090 and the  $U_{g4}$  vacuum term here are **complementary** representations of the same dark energy at different scales (global vs. local).

## 6. CP Integration

**CP2 update:** UQFFUg4AGNFeedbackCalculator â€” add C\_concentration, f\_feedback, rho\_v parameters with defaults matching calibration.

**CP3 update:** FU\_SolarSystem\_\*\_Calculator â€” Ug4 component uses these calibrations.

---

**Status:** â€” Complete | **CP Stage:** CP2/CP3 **Supersedes:** N/A (extends PAPER\_086) | **Related:** PAPER\_086 (Ug4 AGN), PAPER\_090 (compressed cosmological term), PAPER\_106 (vacuum energy)

**UQFF computed:** Eddington luminosity UQFF correction =  $1 - [\text{SSq}] \times \exp(-? \times ?t) = 1 - 5.7\text{e-}1 \times \exp(-2.9\text{e-}4) = 4.3\text{e-}1$ ;  $F_U$  at event horizon =  $2.0\text{e+}18 \text{ m/s}^2$ .