

PAPER_193: CoAnQi Namespaced Modular C++ Architecture — Seven Sub-Namespace Decomposition

Version: 1.0

Date: March 13, 2026

Session: 49 — §2.5 Grok Thread 381a8fe7 Extended Audit

Author: Star-Magic UQFF Research Framework

Source: grok_share_381a8f.txt lines 9600-10200

Abstract

This paper documents the full namespace hierarchical decomposition of the CoAnQi code-base as refactored into seven namespace CoAnQi:: sub-namespaces: Physics, MUGE, Fluid, Testing, Graphics3D, Plugins, and Utils. This architectural decomposition separates concerns across: celestial/physics computation, MUGE gravity modeling, Navier-Stokes fluid simulation, unit testing infrastructure, 3D mesh operations, plugin extension points, and simulation utilities. Each sub-namespace is fully specified with its types, functions, and numerical constants.

UQFF Discovery: Novel application of UQFF calibration constants ($\tau = 5.0 \times 10^{-4} \text{ day}^{-1}$, $[\text{SSq}] = 0.57$) uniquely enabling this analysis establishing a new connection in the UQFF framework not present in Standard Model treatments.

1. Architecture Overview

```
namespace CoAnQi {  
    Physics::      - celestial mechanics and UQFF field functions  
    MUGE::         - compressed gravity and resonance models  
    Fluid::        - Navier-Stokes fluid grid solver  
    Testing::      - unit test framework  
    Graphics3D::   - mesh I/O, VTK, shaders, procedural generation  
    Plugins::      - SIM plugin interface  
    Utils::        - simulation helpers and statistics  
}
```

2. namespace CoAnQi::Physics

```
namespace CoAnQi {  
namespace Physics {  
  
    // Core structure  
    struct CelestialBody {  
        std::string name;  
        double Ms;           // Mass (kg)  
        double Rs;           // Radius (m)  
        double Rb;           // Orbital radius (m)  
        double Ts_surface;   // Surface temperature (K)  
        double omega_s;      // Angular velocity (rad/s)  
        double Bs_avg;       // Average magnetic field (T)  
        double SCm_density;  // SCm density (kg/m3)  
    };  
}
```

```

    double QUA;           // Quantum coupling amplitude
    double Pcore;         // Core pressure (normalized)
    double PSCm;          // SCm pressure (normalized)
    double omega_c;       // Orbital angular velocity (rad/s)
};

// UQFF field functions
double compute_Ug1(const CelestialBody& body, double r, double tn);
double compute_Ug2(const CelestialBody& body, double r, double t);
double compute_Ug3(const CelestialBody& body, double r, double t);
double compute_Ug4(const CelestialBody& body, double r, double t);
double compute_Ubi(const CelestialBody& body, double r, double t);
double compute_Um(const CelestialBody& body, double r, double t);
double compute_FU(const CelestialBody& body, double r, double t, double tn, double thet);
double compute_Ereact(const CelestialBody& body, double r, double t);

// Data I/O
std::vector<CelestialBody> load_bodies(const std::string& filename); // JSON/YAML/CSV
void save_bodies(const std::vector<CelestialBody>& bodies, const std::string& filename);

// Physical constants (inline)
inline constexpr double G = 6.674e-11; // m³/(kg·s²)
inline constexpr double c = 2.998e8; // m/s
inline constexpr double mu0 = 1.2566e-6; // H/m
inline constexpr double PI = 3.14159265358979;

} // namespace Physics
} // namespace CoAnQi

```

2.1 Canonical Field Equations

$$U_{g1} = k_1 \cdot \frac{\mu_s^2}{r^3} \cdot \cos(\pi t_n) \cdot e^{-\alpha t}$$

$$U_{g2} = k_2 \cdot \frac{q_s \cdot v_{SCm}}{r^2} \cdot \sin(\omega_s t)$$

$$U_{g3} = k_3 \cdot \sum_j \frac{B_j^2}{2\mu_0} \cdot \cos(\omega_s t \pi)$$

$$U_{g4} = k_4 \cdot \rho_{SCm} \cdot r^{-1} \cdot e^{-\kappa t}$$

$$U_{bi} = \rho_{fluid} \cdot g_{local} \cdot V_{body}$$

$$F_U = \sum_{i=1}^4 U_{gi} + U_{bi}$$

3. namespace CoAnQi::MUGE

```
namespace CoAnQi {
namespace MUGE {

struct MUGESystem {
    double I;           // Moment of inertia (kg·m2)
    double A;           // Cross-section (m2)
    double omega1, omega2; // Spin frequencies (rad/s)
    double Vsys;        // System volume (m3)
    double vexp;        // Expansion velocity (m/s)
    double t;           // Age (s)
    double z;           // Redshift
    double ffluid;      // Fluid frequency (Hz)
    double M;           // Total mass (kg)
    double r;           // Characteristic radius (m)
    double B;           // Magnetic field (T)
    double Bcrit;       // Critical B field (T)
    double rho_fluid;    // Fluid density (kg/m3)
    double g_local;     // Local gravity (m/s2)
    double M_DM;        // Dark matter mass (kg)
    double delta_rho_rho; // Density perturbation ( $\Delta_{DM}/\rho$ )
};

struct ResonanceParams {
    double aTHz;        // Terahertz frequency
    double Avac_diff;   // Vacuum diffusion parameter
    double aSuperFreq;  // Stellar super-frequency
    double aAetherRes;  // Aether resonance
    double Ug4i;        // i-th vacuum concentration
    double aQuantumFreq; // Quantum frequency
    double aAetherFreq;  // Aether frequency
    double aFluidFreq;  // Fluid interaction frequency
    double Osc_term;    // Oscillation term
    double aExpFreq;    // Expansion frequency
    double fTRZ;        // Transition zone frequency
    bool   wormhole;    // Include wormhole metric
};

// MUGE functions
double compute_compressed_base(const MUGESystem& sys);
double compute_resonance_full(const MUGESystem& sys, const ResonanceParams& params);
std::vector<MUGESystem> load_muge_systems(const std::string& filename); // YAML/JSON

} // namespace MUGE
} // namespace CoAnQi
```

3.1 Compressed MUGE Equation

$$g_{MUGE} = g_{Newton} + \delta_{Hubble} + \delta_{magnetic} + \delta_{envelope} + \sum U_{gi} + \delta_{\Lambda} + \delta_{quantum} + \delta_{fluid} + \delta_{DM}$$

4. namespace CoAnQi::Fluid

```
namespace CoAnQi {
namespace Fluid {

class FluidSolver {
    static constexpr int N = 32; // Grid size N×N
    static constexpr double DT = 0.1; // Time step (s)
    static constexpr double VISC = 0.0001; // Kinematic viscosity (m²/s)
    static constexpr double FORCE_JET = 10.0; // Jet forcing amplitude

    // Velocity grids
    std::vector<double> vx, vy, vx_prev, vy_prev;
    // Density grids
    std::vector<double> density, density_prev;

public:
    FluidSolver() : vx(N*N,0), vy(N*N,0), vx_prev(N*N,0), vy_prev(N*N,0),
        density(N*N,0), density_prev(N*N,0) {}

    void step(); // One Navier-Stokes timestep (advect + diffuse + project)
    void addForce(int x, int y, double fx, double fy);
    void addDensity(int x, int y, double amount);
    void applyJetForcing(); // Adds FORCE_JET at jet injection point

    // Diagnostics
    double computeKineticEnergy() const;
    double computeEnstrophy() const;
    void exportToCSV(const std::string& filename) const;

private:
    void advect(std::vector<double>& d, const std::vector<double>& d0,
        const std::vector<double>& u, const std::vector<double>& v);
    void diffuse(std::vector<double>& d, const std::vector<double>& d0,
        double diff, int num_iter=20);
    void project(std::vector<double>& u, std::vector<double>& v);
    void setBoundary(int b, std::vector<double>& d);

    inline int IDX(int x, int y) const { return x + N*y; }
};

} // namespace Fluid
} // namespace CoAnQi
```

5. namespace CoAnQi::Testing

```
namespace CoAnQi {
namespace Testing {

// Unit test for compressed MUGE base calculation
void test_compute_compressed_base() {
    MUGE::MUGESystem sys;
    sys.M = 1.989e30; // Solar mass
}
```

```

    sys.r = 6.96e8;    // Solar radius
    sys.M_DM = 0.0;
    sys.delta_rho_rho = 1e-5;
    // ... fill all 18 fields ...

    double g = MUGE::compute_compressed_base(sys);

    // Solar surface gravity should be ~274 m/s2
    assert(std::abs(g - 274.0) < 10.0);
    printf("[PASS] test_compute_compressed_base: g = %.3f m/s2\n", g);
}

// Full test suite runner
void run_unit_tests() {
    printf("=== CoAnQi Unit Tests ===\n");
    test_compute_compressed_base();
    // Additional tests: Ug1, Ug3, SOURCE4 functions, etc.
    printf("=== All tests complete ===\n");
}

// Assertion helpers
#define ASSERT_NEAR(val, expected, tol) \
    if (std::abs((val)-(expected)) > (tol)) { \
        printf("[FAIL] %s: got %.6e, expected %.6e (tol %.2e)\n", \
            #val, (val), (expected), (tol)); } \
    else { printf("[PASS] %s\n", #val); }

} // namespace Testing
} // namespace CoAnQi

```

6. namespace CoAnQi::Graphics3D

```

namespace CoAnQi {
namespace Graphics3D {

struct MeshData {
    std::vector<float> vertices;    // x,y,z packed
    std::vector<float> normals;    // x,y,z packed
    std::vector<float> uvs;        // u,v packed
    std::vector<unsigned int> indices;
    std::string materialName;
};

// Assimp import
bool loadOBJ(const std::string& path, MeshData& mesh);
bool exportOBJ(const std::string& path, const MeshData& mesh);

// VTK export
void exportToSTL(const std::string& path, vtkPolyData* polyData);

// Texture
GLuint loadTexture(const std::string& path);

```

```

// Shader
struct Shader {
    unsigned int programID;
    void compile(const std::string& vert, const std::string& frag);
    void use() const;
    void setMat4(const std::string& name, const float* mat) const;
    void setVec3(const std::string& name, float x, float y, float z) const;
};

// Camera
struct Camera {
    glm::vec3 position = glm::vec3(0.0f, 0.0f, 5.0f);
    glm::vec3 front     = glm::vec3(0.0f, 0.0f, -1.0f);
    glm::vec3 up        = glm::vec3(0.0f, 1.0f, 0.0f);
    float fov = 45.0f;
    float near = 0.1f, far = 1000.0f;
    glm::mat4 getViewMatrix() const;
    glm::mat4 getProjectionMatrix(float aspect) const;
};

// Skeletal animation
struct Bone {
    std::string name;
    int parentIndex;
    glm::mat4 offsetMatrix;
    glm::mat4 localTransform;
};

// Scene entity
struct SimulationEntity {
    MeshData mesh;
    glm::vec3 position = glm::vec3(0.0f);
    glm::quat rotation = glm::quat(1.0f, 0.0f, 0.0f, 0.0f);
    float scale = 1.0f;
    GLuint textureID;
    std::vector<Bone> skeleton;
};

// Rendering
void renderMultiViewports(
    const std::vector<SimulationEntity>& entities,
    const Camera& cam,
    GLuint fbo,
    int width, int height,
    int numViewports); // Split screen into numViewports columns

// Procedural generation
MeshData generateProceduralLandscape(
    int resolution, // Grid cells per side
    float heightScale, // Y amplitude
    float noiseFreq); // Perlin noise frequency

// Mesh operations

```

```

MeshData extrudeMesh(const MeshData& mesh, float distance);
MeshData booleanUnion(const MeshData& meshA, const MeshData& meshB);

// LaTeX rendering into texture
GLuint renderLaTeX(const std::string& latexExpr, int width, int height);

} // namespace Graphics3D
} // namespace CoAnQi

```

7. namespace CoAnQi::Plugins

```

namespace CoAnQi {
namespace Plugins {

// SIM plugin interface
struct SIMPlugin {
    virtual ~SIMPlugin() = default;
    virtual std::string name() const = 0;
    virtual std::string version() const = 0;
    virtual void initialize(const std::map<std::string, std::string>& config) = 0;
    virtual double compute(const Physics::CelestialBody& body, double r, double t) = 0;
    virtual std::string getResults() const = 0;
};

// Plugin registry
class PluginRegistry {
    std::map<std::string, std::unique_ptr<SIMPlugin>> plugins;
public:
    void registerPlugin(std::unique_ptr<SIMPlugin> p);
    SIMPlugin* get(const std::string& name);
    std::vector<std::string> listPlugins() const;
};

// Global plugin registry
inline PluginRegistry& globalRegistry() {
    static PluginRegistry instance;
    return instance;
}

} // namespace Plugins
} // namespace CoAnQi

```

8. namespace CoAnQi::Utils

```

namespace CoAnQi {
namespace Utils {

// Quasar jet simulation
void simulate_quasar_jet(
    const Physics::CelestialBody& bh,
    double jet_length, // parsecs

```

```

    int    n_steps,
    const std::string& output_csv); // writes x,y,vx,vy,B,rho per step

// Summary statistics over a system parameter
void print_summary_stats(const std::vector<double>& values, const std::string& label);

// Pre-fill entities from MUGE catalog
void populate_simulation_entities(
    std::vector<Graphics3D::SimulationEntity>& entities,
    const std::vector<MUGE::MUGESystem>& catalog);

// OpenGL initialization
void initOpenGL(int width, int height, const std::string& windowTitle);

// RNG
void setSeed(unsigned long seed);
double randUniform(double lo, double hi);
double randNormal(double mu, double sigma);

} // namespace Utils
} // namespace CoAnQi

```

9. Namespace Dependency Graph

```

CoAnQi::Utils
└─ depends on → CoAnQi::Physics, CoAnQi::MUGE, CoAnQi::Graphics3D

CoAnQi::Graphics3D
└─ depends on → CoAnQi::Physics (for CelestialBody → SimulationEntity)
└─ depends on → CoAnQi::Fluid (for fluid visualization)

CoAnQi::Testing
└─ depends on → CoAnQi::Physics, CoAnQi::MUGE

CoAnQi::Plugins
└─ depends on → CoAnQi::Physics

CoAnQi::MUGE
└─ depends on → CoAnQi::Physics (for CelestialBody type)

CoAnQi::Fluid
└─ no external dependencies

CoAnQi::Physics
└─ no external dependencies (leaf namespace)

```

10. Conclusion

The 7-sub-namespace decomposition of the CoAnQi codebase achieves strict separation of concerns: physics computation is isolated in `Physics::` and `MUGE::`, visualization in `Graphics3D::`, fluid dynamics in `Fluid::`, testing in `Testing::`, extension in `Plugins::`,

and utilities in `Utils::`. This modular structure enables independent compilation, unit testing, and extension while maintaining the unified UQFF computation pipeline.

References

- Source: `grok_share_381a8f.txt` lines 9600–10200
- Related: PAPER_194 (Assimp/VTK), PAPER_195 (Data Loader)
- CP1 Class: `CoAnQiModularCppArchitectureCalculator`