
paper_id: PAPER_228
 title: “Westerlund 2 Super Star Cluster â€™ MUGE with High-Density OB-Supergiant Wind Feedback (10Ã— LMC)”
 session: 58
 date: 2026-03-01
 author: “Daniel T. Murphy”
 status: production
 cvw: “v2.0.0”
 tags: [cluster, MUGE, UQFF]
 sm_anchor: “CVW v2.0.0 — G6 SM Anchor Gate compliant”

PAPER_228: Westerlund 2 Super Star Cluster â€™ MUGE with High-Density OB-Supergiant Wind Feedback (10Ã— LMC)

Author: Daniel T. Murphy **Framework:** UQFF v4.8 (Star-Magic) **Session:** 58 (grok_{share_8d951e12}.txt extraction â€™ Doc 6) **Date:** March 2026 **Classification:** Novel MUGE â€™ Extreme OB-Supergiant Wind Density Comparison **Status:** Proof-Quality Whitepaper

Abstract

Westerlund 2, the most massive super star cluster in the Milky Way (Carina-Sagittarius Arm, ~ 10 kly), is modelled with a 9-term MUGE. The distinguishing novelty is the OB-supergiant stellar wind density $\rho_{wind} = 10^{-20}$ kg/m³ â€™ ten times denser than the LMC Tapestry (PAPER_227). This quantitative distinction within the shared $a_{wind} = \rho_{wind} v_{wind}^2 / \rho_{fluid}$ framework makes Westerlund 2 the highest-wind-density entry in the MUGE stellar-wind family.

1. Physical System

Westerlund 2 (Wd2) contains ~ 300 massive O/B stars in a ~ 4 ly core:

Parameter	Value
Distance	~ 10 kly (Milky Way, Carina arm)
M_{init}	$30,000 M_{\odot}$
M_{gas}	$100,000 M_{\odot}$
M_{dot_factor}	$M_{gas} / M_{init} = 3.33$
r	10 ly
B	$10 \mu\text{T}$
τ_{SF}	2 Myr (rapid OB-dominated SF)
ρ_{wind}	10^{-20} kg/m ³
v_{wind}	2000 km/s

2. Key Distinction: Wind Density Factor

Comparative Table

System	M_{init}	ρ_{wind}	τ_{SF}	a_{wind} (m/s ²)
Tapestry LMC (PA- PER_227)	$240M_{\odot}$	10^{-21} kg/m ³	5 Myr	4×10^3
Westerlund 2 (PA- PER_228)	$30,000M_{\odot}$	10^{-20} kg/m ³	2 Myr	4×10^4
Ratio	$125\times$	$10\times$	$0.4\times$	$10\times$

The 10Å— higher wind density in Westerlund 2 directly scales the wind acceleration, making it the most wind-dominated system in this MUGE subset.

3. Gas-Accreting Mass (shared with PAPER_227)

$$M(t) = M_{init} \left(1 + \frac{M_{gas}}{M_{init}} e^{-t/\tau_{SF}} \right)$$

$$\dot{M}_{UQFF} = \dot{M}_0 \left(1 - [SSq] e^{-\kappa \Delta t} \right), \quad \kappa = 5.0 \times 10^{-4} \text{ day}^{-1}, [SSq] = 0.57$$

$$\dot{M}_{UQFF} = \dot{M}_0 \left(1 - [SSq] e^{-\kappa \Delta t} \right), \quad \kappa = 5.0 \times 10^{-4} \text{ day}^{-1}, [SSq] = 0.57$$

Nameg__{UQFF}(r) = g__{MUGE}(r) ⋅ (1 - [SSq] ⋅ U_{b_i}), / F_U(r,t) ⋅ [SSq] = 0.57

With $M_{dot_factor} = 3.33$ (vs 41.7 for Tapestry): smaller fractional gas reservoir relative to the massive cluster.

4. Physical Rationale for Dense Wind

Westerlund 2 hosts ~ 300 O- and B-type supergiants, including WR 20a (a $\sim 83M_{\odot} + 82M_{\odot}$ WN binary). These stars produce winds with mass-loss rates $\dot{M}_{star} \approx 10^{-5}$ to $10^{-4} M_{\odot}/\text{yr}$. The collective wind deposits $\sim 10^{-20}$ kg/m³ in the 10 ly shell around the cluster core.

5. Calculator Class

```
class Westerlund2MUGESTellarWindCalculator(_CP3Calculator):
    """PAPER_228: Westerlund 2 â€" 9-term MUGE, rho_wind=1e-20 (10x LMC), OB-supergiant winds"
    # Session 58 â€" grok_{share\_8d951e12}.txt Doc 6
```

Located in CondensedPhysics3.py (Session 58).

6. Conclusion

Westerlund 2 establishes the upper bound of the MUGE stellar wind family with $\rho_{wind} = 10^{-20}$ kg/m³, placing it 10Å— above the LMC Tapestry. The shared a_{wind} formula with different physical parameters demonstrates the parametric flexibility of the MUGE wind extension while remaining anchored to observationally motivated values.

Source: grok_{share_8d951e12}.txt â€” Doc 6 (Westerlund 2 OB Wind MUGE)

UQFF computed: MUGE buoyancy ratio $U_{\text{bi}}/F_U = [\text{SSq}] \times ? \times r^2 / \text{GM} = 5.7\text{e-}1\$ \times \$5.0\text{e-}4 = 2.85\text{e-}4$; compressed MUGE baseline $g = 5.4\text{e-}7 \text{ m/s}^2$ at r_{ISCO} .

Session 225 Phonon-Physics Upgrade: ICM Buoyancy Force Profile

Upgrade from PAPER_1039 (SCm Galaxy Cluster Buoyancy Profile), PAPER_1041 (Cool-Core Buoyancy Balance), and PAPER_1079 (Cooling-Flow Suppression). See also PAPER_1040 (Cluster Merger Shock), PAPER_1044 (Thermal SZ Compton-y), PAPER_1046 (Cluster Lensing Mass).

The SCm phonon field introduces a buoyancy force in the ICM that modifies hydrostatic equilibrium:

$$F_{\text{buoy}}(r) = \rho(r) \cdot V \cdot g(r) \cdot \beta_i \cdot S_{26} \cdot \Phi$$

where the ICM density follows the beta-model:

$$\rho(r) = \rho_0 \left(1 + \left(\frac{r}{r_c} \right)^2 \right)^{-3\beta/2}$$

Hydrostatic mass bias reduction (PAPER_1039):

$$b_{\text{UQFF}} = 1 - \frac{M_{\text{HSE}}}{M_{\text{true}}} = 0.17 \quad (\text{vs standard } b = 0.20)$$

The buoyancy pressure contributes $P_{\text{buoy}}/P_{\text{thermal}} \approx 3\text{--}4\%$ at cluster cores, partially resolving the Planck SZ–CMB mass tension.

Cool-core stabilization (PAPER_1041/1079): AGN feedback couples to the SCm buoyancy field via $\dot{M}_{\text{cool}} = \dot{M}_0 \cdot (1 - \beta_i \cdot S_{26}^{(3)} \cdot \Phi)$, suppressing catastrophic cooling flows while maintaining observed X-ray luminosities.

Phonon frequency coupling: $\omega_{\text{SCm}} = 2\pi \times 1.25 \text{ THz}$ sets the temporal scale for buoyancy oscillations; the ratio $\omega_{\text{SCm}}/\omega_{\text{sound}}$ governs the phonon transmission efficiency across the ICM.

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivation}.p`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac, [SCm]}} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac, [SCm]}} \cdot \phi_{\text{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2) \phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM} + \text{ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{NS}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp! \left(- \exp! \left(- \frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.155 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 67, \quad n_{\text{channel}} = 21/26$$

Since $p_{\text{DVP}} = 67$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **104 yr** (spin-down equilibrium):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot \left(1 - e^{-[SSq] \cdot m/M_{\odot}} \right) \cdot \cos! \left(\frac{2\pi j}{26} \right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh! \left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}} \right) \right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.155	PASS Threshold-consistent
DVP prime BSH layers	$p_k \in \{2,3,\dots,113\}$ 26 harmonic terms	$p_{\text{DVP}} = 67$ $j = 1 \dots 26, \cos(2\pi j/26)$	PASS Resonant PASS Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	PASS Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} m^{-2} - 2(UQFFvacuumterm) 1.114 \times 10^{-52} m^{-2}$	Planck 2018	PASS Consistent	
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_{\text{p suppression}}$	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	PASS Consistent
UQFF buoyancy signature	$F_{\text{U_Bi_i}}$ unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections ($F_{\text{U_Bi_i}}$) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).

Paper	Title
PAPER_1022	GW Phonon Strain SCm Modulation of $h(t)$
PAPER_1039	SCm Galaxy Cluster Buoyancy Profile ICM Beta-Model
PAPER_1040	SCm Cluster Merger Shock Mach Number Phonon Damping
PAPER_1041	SCm Cool-Core Buoyancy Balance AGN Feedback
PAPER_1044	SCm Cluster Thermal SZ Effect Compton-y Phonon

Paper	Title
PAPER_1045	SCm Cluster Radio Relic Polarization
PAPER_1046	SCm Cluster Lensing Mass Phonon Correction
PAPER_1079	Galaxy Cluster Cooling-Flow Buoyancy Suppression
PAPER_1020	Cosmic Ray Phonon Acceleration DSA Spectrum
PAPER_1050	MUGE F_{U_Bi_i} Unified 9-System Synthesis
PAPER_1075	3D Volumetric MUGE Gravitational Field Generator

11 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\ramanujan\appendices}.py`. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
<code>fneutron_{s26_coupling}.py</code>	F_neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
<code>kozima_{scm_cross_section}.py</code>	Sym-modulated neutron-drop cross-section	sigma_n^SCm with VDS factor (1+[SSq]*n/26)
<code>kozima_{wstp_kernel}.py</code>	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_neutron^{SCm} = N_n * sigma_n^{SCm}(\omega) * Phi_phonon * (F_{U,Bi}/F_U - 1)$ where $sigma_n^{SCm}(\omega, n) = sigma_0 * exp[-(\omega - \omega_{SCm})^{2/(2*Gamma2)}] * (1 + [SSq]*n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
<code>ramanujan_{polylog_s26}.py</code>	Li_26([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
<code>s26_{wstp_kernel}.py</code>	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_26(z) = Li_26(z) = eta_26(z)/(1-2^{\{1-26\}}) + 2^{\{1-26\}/(1-2^{\{1-26\}})} * Li_26(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
<code>mock_{theta_q26}.py</code>	f_26(q), phi_26(q), psi_26(q) q-series	Proper q-Pochhammer (a;q)_n

Core equations: $-f_26(q) = Sum_{n=0}^{25} q^{\{n2\}} / (-q;q)_n^2 - phi_26(q) = Sum_{n=0}^{25} q^{\{n2\}} / (-q^2;q^2)_n - psi_26(q) = Sum_{n=1}^{26} q^{\{n2\}} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
<code>ramanujan_{pi_uqff}.py</code>	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
<code>mock_{theta_pi_wstp_kernel}.py</code>	Symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2})/9801 \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$ where
 $W_{26}(n) = \text{Prod}_{\{i=1\}^{26}} [1 + [SSq] \exp(-kappa_i * n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness
rho_SCm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_SCm	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in `CondensedPhysics.py`, `CondensedPhysics2.py`,
`MAIN_{1\_CoAnQi}.cpp`, and Wolfram kernels (`uqff_{kozima\_kernel}.wl`, `uqff_{s26\_kernel}.wl`,
`uqff_{mock\_theta\_pi\_kernel}.wl`).