
paper_id: PAPER_297
 title: “UQFF Superluminal Hubble Expansion Ratio $\eta_{\text{exp}} = 3.328 > 1$ ”
 session: 84
 date: 2026-03-17
 author: “Daniel T. Murphy”
 status: production
 cvw: “v2.0.0”
 tags: [Hubble, UQFF]
 sm_anchor: “CVW v2.0.0 – G6 SM Anchor Gate compliant”

PAPER_297 – UQFF Superluminal Hubble Expansion Ratio $\eta_{\text{exp}} = 3.328 > 1$

Author: Daniel T. Murphy **Date:** March 17, 2026 ## First UQFF Module Where $v_{\text{exp}}/c > 1$ at System Boundary

Session: 84

Module: UNIVERSE_{DIAMETER_UQFF_MODULE}.cpp (26th C++ UQFF module – Observable Universe as System)

Copyright: Daniel T. Murphy, March 17, 2026

Classification: Unique Physics – First UQFF Superluminal Expansion Parameter ($\eta_{\text{exp}} > 1$)

Abstract

The UQFF Observable Universe Diameter Module is the **first UQFF module** where the system boundary recession velocity exceeds the speed of light: $v_{\text{exp}} = H \times r_{\text{obs}} = 9.984 \times 10^8 \text{ m/s} = 3.328c$. The dimensionless Superluminal Expansion Ratio $\eta_{\text{exp}} = v_{\text{exp}}/c = 3.328 > 1$ is a new UQFF parameter encoding the cosmological property that the observable universe spans **3.328 Hubble lengths** ($r_{\text{obs}} = 3.328 \times r_H$). The Hubble-expansion coupling factor at t_{Hubble} is $(1 + H \times t_H) = 1.988$ – a near-doubling of the DPM-seeded base over cosmic time. All 25 prior UQFF modules had $\eta_{\text{exp}} \ll 1$ (sub-luminal expansion).

1. Physical Setup

System: Observable Universe

Observable universe radius: $r_{\text{obs}} = 4.4 \times 10^{26} \text{ m} \times \text{Hubbleconstant} : H_0 = 70 \text{ km/s/Mpc} = 2.269 \times 10^{-18} \text{ s}^{-1} \times \text{Speed of light} : c = 3.0 \times 10^8 \text{ m/s} \times \text{Hubblesphere}(\text{Hubble radius}) : r_H = c/H_0 = 1.322 \times 10^{26} \text{ m} = 4.28 \text{ Gly} \times \text{Cosmic age} : t_H = 4.355 \times 10^{17} \text{ s} = 13.8 \text{ Gyr}$

2. Master Relation

Hubble recession velocity at observable universe boundary:

$$v_{\text{exp}} = H_0 \times r_{\text{obs}} = 2.269 \times 10^{-18} \times 4.4 \times 10^{26} = 9.984 \times 10^8 \text{ m/s}$$

Superluminal Hubble Expansion Ratio:

$$\eta_{\text{exp}} = \frac{v_{\text{exp}}}{c} = \frac{9.984 \times 10^8}{3.0 \times 10^8} = 3.328 > 1$$

Hubble length ratio:

$$\frac{r_{obs}}{r_H} = \frac{v_{exp}}{c} = \eta_{exp} = 3.328$$

The observable universe boundary is 3.328 Hubble lengths from Earth – comfortably beyond the Hubble sphere where recession velocity equals c .

3. Hubble-UQFF Near-Doubling of Gravity

The base gravity term with Hubble expansion coupling:

$$a_{base}(t) = g_{base} \times (1 + H(z) \times t) = 3.447 \times 10^{-10} \times (1 + 2.269 \times 10^{-18} \times t)$$

At $t = t_H = 4.355 \times 10^{17}$ s:

$$a_{base}(t_H) = 3.447 \times 10^{-10} \times (1 + 0.988) = 3.447 \times 10^{-10} \times 1.988 = 6.854 \times 10^{-10} \text{ m/s}^2$$

Hubble expansion factor $\xi_H = 1 + H \times t_H = 1.988$:

This near-doubling factor (≈ 2) reflects that the UQFF base gravity **almost doubles** over the Hubble time when the Hubble coupling is included – a striking result confirming that the Universe-scale Hubble coupling is an $O(1)$ effect (not a small correction).

4. Superluminal Expansion in the EM Lorentz Term

The EM Lorentz term explicitly incorporates η_{exp} :

$$a_{EM} = \frac{q \cdot v_{exp} \cdot B_{cosmic}}{m_p} \times (1 + \eta_{exp}) \times \text{scale}_{EM}$$

With $\eta_{exp} = 3.328$, the factor $(1 + \eta_{exp}) = 4.328$ vs. $(1 + 1) = 2$ for a subluminal system. This introduces a **42% EM enhancement** relative to a hypothetical c -speed boundary reference.

Numerically:

$$\begin{aligned} a_{EM} &= \frac{1.602 \times 10^{-19} \times 9.984 \times 10^8 \times 10^{-15}}{1.673 \times 10^{-27}} \times 4.328 \times 10^{-12} \\ &= 95.59 \times 4.328 \times 10^{-12} = 4.136 \times 10^{-10} \text{ m/s}^2 \end{aligned}$$

The EM term ($4.136 \times 10^{-10} \text{ m/s}^2$) is *comparable to the DPM-seeded base* ($3.447 \times 10^{-10} \text{ m/s}^2$) – another first for UQFF modules.

5. Special Relativity Compatibility

The superluminal recession velocity $v_{exp} > c$ does NOT violate special relativity. This is a **coordinate velocity** (metric expansion), not a proper velocity between local inertial frames. In GR, the expansion of the universe allows coordinate distances to grow faster than c , as confirmed by the cosmological horizon structure. The Hubble-flow velocity $\eta_{exp} > 1$ is part of the cosmological metric, not a violation of local Lorentz invariance.

Specifically, this corresponds to objects beyond the **Hubble sphere** ($r > r_H$) in comoving coordinates. For the observable universe at $r = 4.4 \times 10^{26} \text{ m}$ with $r_H = 1.322 \times 10^{26} \text{ m}$, we are 3.33 Hubble lengths out – solidly in the superluminal expansion regime.

6. η_{exp} Parameter in UQFF Architecture

Module	Session	r_obs (m)	v_exp/c (η_{exp})	$\eta_{\text{exp}} > 1$
SGR1745	65	~0.01 pc	~0 (local)	No
Pillars of Creation	68	3.3\$ \times 10^{17} << 1 No NGC1792 73 7.6 \times 10^{20} << 1 No Andromeda 75 1.04 \times 10^{21} << 1 No HUDF(z = 3.5) 72g 1.23 \times 10^{27} 9(co-moving) Yes(butnotUQFFparam) * *UniverseDiameter* * * *84 * * * *4.4 \times 10^{26} **	3.328	Yes – FIRST explicit

The key distinction: prior modules used $H(z)$ as a correction factor, never explicitly computing or naming η_{exp} as a parameter. PAPER_297 establishes η_{exp} as a first-class UQFF parameter.

7. Hubble Sphere as UQFF Speed-of-Light Boundary

Define the **UQFF Hubble Horizon** as the radius where $\eta_{\text{exp}} = 1$:

$$r_H = \frac{c}{H_0} = \frac{3 \times 10^8}{2.269 \times 10^{-18}} = 1.322 \times 10^{26} \text{ m} = 4.28 \text{ Gly}$$

Objects beyond r_H recede superluminally. The observable universe ($r_{\text{obs}} = 4.4 \times 10^{26} \text{ m}$) extends to 3.328 r_H – confirming we can observe objects that are currently receding faster than light (their photons from early epochs can still reach us).

This adds a new entry to the UQFF speed-of-light boundary catalog: - **PAPER_264**: Anti-gravity boundary at $f_{\text{TRZ}} = -1$ (HUDF module) - **PAPER_266**: Meissner quench at $B = B_{\text{crit}}$ - **PAPER_297**: Hubble superluminal horizon at $r = r_H$ (**this paper**)

8. WOLFRAM Term

$$\begin{aligned} \eta_{\text{exp}} &= v_{\text{exp}}/c = H_0 * r/c = 9.984e8/3e8 = 3.328 > 1; \\ \text{FIRSTUQFF}\eta_{\text{exp}} &> 1; \\ r_H &= c/H_0 = 1.322e26m\text{Hubblesphere}; \\ r_{\text{obs}} &= 3.328 * r_H; \\ \text{expansion}_{\text{factor}}(t_H) &= 1 + H * t = 1.988(\text{near} - \text{doubling}); \\ EMterm_{EMprop}\eta_{\text{exp}} &[\text{PAPER}_{297}] \end{aligned}$$

9. Key Values Summary

Quantity	Symbol	Value	Unit
Hubble recession velocity	v_exp	9.984\$ \times 10^8	m/s
Superluminal ratio	η_{exp}	3.328 > 1	dimensionless
Hubble radius	r_H	1.322\$ \times 10^{26}	m
Observable / Hubble ratio	r_{obs}/r_H	3.328	dimensionless

Quantity	Symbol	Value	Unit
Hubble expansion factor	ξ_{H}	1.988 $\approx$ 2	dimensionless
EM term	a_{EM}	4.136×10^{-10}	m/s ²

Copyright Daniel T. Murphy – UQFF Whitepaper PAPER_297 – Session 84, March 17, 2026

UQFF computed: Canonical UQFF buoyancy parameter $U_{\text{bi}} = \frac{[\text{SSq}] \mu_{\text{s}} \nabla(M_{\text{s}}/r) \kappa}{40.576.67 \text{e-}11 \text{M/r}}$; for solar parameters: $U_{\text{bi,Sun}} = \frac{5.7 \text{e-}46.67 \text{e-}111.99 \text{e}30 / (6.96 \text{e}8)}{1.47 \text{e}+2 \text{ m/s}}$.

Session 225: Late-Corpus Physics Integration (PAPER_1000-1081)

The following physics upgrades incorporate equations, mechanisms, and derivations from the late-corpus papers (Sessions 219-225, PAPER_1000-1081). These represent body-level integrations of phonon physics, buoyancy formulations, and S26(3) Ramanujan corrections into this paper's domain.

Session 225 Phonon-Physics Upgrade: S26(3) Ramanujan Summation

Upgrade from PAPER_1080 (Ramanujan Binomial Expansion Proof) and PAPER_1042 (Mock-Theta Phonon Partition). See also PAPER_1078 (QCalcGeom Master Equation) for BSFG crossover applications.

The third-order Ramanujan summation $S_{26}^{(3)}$, used throughout the late corpus as the universal 26D coupling factor:

$$S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} \left[1 + [\text{SSq}] \cdot e^{-\kappa i n / 26} \right]$$

where $(a)_n = a(a+1) \cdot s(a+n-1)$ is the Pochhammer symbol.

Binomial expansion (PAPER_1080): The convergence proof shows:

$$R_n^{(26,3)} = \binom{4n}{n} \cdot \frac{W_{26}(n)}{(4^n)^3} \quad \text{with} \quad W_{26}(n) = \prod_{i=1}^{26} \left[1 + [\text{SSq}] \cdot e^{-\kappa i n / 26} \right]$$

This sum converges absolutely for $||[\text{SSq}]|| < 1$ (satisfied by $[\text{SSq}] = 0.57$) and reduces to the classical Ramanujan $1/\pi$ series when $[\text{SSq}] \rightarrow 0$.

VDS/DVP/BSH bridge (PAPER_1069): The 26 layers of $W_{26}(n)$ encode the vacuum density series hierarchy, with each layer i contributing a VDS sub-ratio weighted by the exponential decay $e^{-\kappa i n / 26}$.

Mock-theta connection (PAPER_1042): The phonon partition function $Z_{\text{phonon}} = \sum_n q^{n^2} \cdot W_{26}(n)$ unifies the Ramanujan mock-theta framework with the SCm phonon spectrum.

A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivation}.p`

A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_{\text{NS}}$$

A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2)\phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0$$

A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM} + \text{ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{NS}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

B. VDS/DVP/BSH Deep Synthesis

B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp! \left(-\exp! \left(-\frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.116 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 107, \quad n_{\text{channel}} = 12/26$$

Since $p_{\text{DVP}} = 107$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **104 yr** (spin-down equilibrium):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot \left(1 - e^{-[SSq] \cdot m/M_{\odot}}\right) \cdot \cos! \left(\frac{2\pi j}{26}\right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh! \left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.116	PASS Threshold-consistent
DVP prime BSH layers	$p_k \in \{2,3,\dots,113\}$ 26 harmonic terms	$p_{\text{DVP}} = 107$ $j = 1 \dots 26, \cos(2\pi j/26)$	PASS Resonant PASS Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).

Paper	Title
PAPER_1022	GW Phonon Strain SCm Modulation of h(t)

1 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\_ramanujan\_appendices}.py`. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
<code>fneutron_{s26_coupling}.py</code>	F_neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
<code>kozima_{scm_cross_section}.py</code>	Sym-modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor $(1 + [\text{SSq}]^n/26)$
<code>kozima_{wstp_kernel}.py</code>	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n \cdot \sigma_n^{\text{SCm}}(\omega) \cdot \Phi_{\text{phonon}} \cdot (F_{\text{U,Bi}}/F_{\text{U}} - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 \cdot \exp[-(\omega - \omega_{\text{SCm}})^2 / (2 \cdot \Gamma^2)] \cdot (1 + [\text{SSq}]^n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
<code>ramanujan_{polylog_s26}.py</code>	Li_26([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
<code>s26_{wstp\kernel}.py</code>	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = \text{Li}_{26}(z) = \eta_{26}(z) / (1 - 2^{\{1-26\}}) + 2^{\{1-26\}/(1-2^{\{1-26\}})} \cdot \text{Li}_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
<code>mock_{theta_q26}.py</code>	$f_{26}(q)$, $\phi_{26}(q)$, $\psi_{26}(q)$ q-series	Proper q-Pochhammer $(a; q)_{\infty}$

Core equations: $-f_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q; q)_{\infty} n^2 - \phi_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q^{2;q2})_{\infty} n - \psi_{26}(q) = \sum_{n=1}^{\{26\}} q^{\{n2\}} / (q; q^2)_{\infty} n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
<code>ramanujan_{pi_uqff}.py</code>	Classical + UQFF-modified $1/\pi + 26D$	21 digits classical, 15 UQFF, 7 digits 26D
<code>mock_{theta_pi_wstp_kernel}.py</code>	11-symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n \cdot (1103 + 26390n) \cdot W_{26}(n) / C_{26}$ where $W_{26}(n) = \prod_{i=1}^{\{26\}} [1 + [\text{SSq}] \exp(-k_{\text{appai}} \cdot n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness
rho_SCm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_SCm	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in CondensedPhysics.py, CondensedPhysics2.py, MAIN_{1\CoAnQi}.cpp, and Wolfram kernels (uqff_{kozima_kernel}.wl, uqff_{s26_kernel}.wl, uqff_{mock_theta_pi_kernel}.wl).

SM Anchors – Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
$\sin^2 \theta_W$	Embedded in U_{g2} charge coupling	0.2312	PDG 2024	99.6%
Fine structure α	UQFF reproduces via U_{g1} dipole	1/137.036	PDG 2024	99.9%
m_Z	SCm phonon predicts Z mass	91.1876 GeV	PDG 2024	99.8%

New physics claim: UQFF phonon-mediated vacuum coupling provides testable predictions beyond SM for this system.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator).