
paper_id: PAPER_672
 title: “UQFF Evaporation Timescale”
 session: 0
 date: 2026-04-02
 author: “Daniel T. Murphy”
 status: production
 cvw: “v2.0.0”
 tags: [Hubble, Hawking, DPM, SCm, BEC, black-hole, UQFF]
 sm_anchor: “CVW v2.0.0 — G6 SM Anchor Gate compliant”

PAPER_672: UQFF Evaporation Timescale

Author: Daniel T. Murphy **Subtitle:** Full UQFF evaporation timescale formula, mass boundary calculations for universe-age crossings, and U_m sensitivity sweep. **Module:** UQFFEvaporationTimescale
Session: Session 172
Date: April 2, 2026
Version: v5.29
Status: Complete — CP4 #256 | UQFF Session 172

Abstract

We derive the complete UQFF black hole evaporation timescale and calculate the mass at which τ_{UQFF} equals the Hubble time, demarcating the boundary between stable and evaporating black holes.

1. Standard Timescale

$$\tau_{\text{Hawking}} = \frac{5120\pi G^2 M^3}{\hbar c^4}$$

2. UQFF Timescale

$$\tau_{\text{UQFF}} = \frac{\tau_{\text{Hawking}}}{1 - f_{\text{TRZ}}} \cdot \frac{\rho_{\text{UA}}}{\rho_{\text{SCm}}} \cdot \exp\left(\frac{U_m}{k_B T_H}\right)$$

Factor $\approx 30 \times (1.11 \times 10 \times 2.718)$.

3. Universe-Age Boundary Masses

Standard: $M_{\text{cross,std}} = \left(\frac{\hbar c^4 t_H}{5120\pi G^2}\right)^{1/3} \approx 5.5 \times 10^{11} \text{ kg}$

UQFF: $M_{\text{cross,UQFF}} = M_{\text{cross,std}} / (30)^{1/3} \approx 1.8 \times 10^{11} \text{ kg}$

UQFF shifts the evaporation boundary $3.1 \times$ lower in mass.

4. Sensitivity to U_m

U_m/k_{BT\H}	τ factor over τ_{std}
0	11.1
1	30.2
2	82
3	222
5	1660

$$\overline{\overline{U_m/k_{\{BT_H\}} \quad \tau \text{ factor over } \tau_std}}$$

5. Physical Implications

PBHs in the previously evaporating mass range $1.8 \times 10^{11} \sim 5.5 \times 10^{11}$ kg become stable under UQFF.

6. C++ Module

UQFFEvaporationTimescale.h / .cpp — Session 172 CP4 #256 — UQFFEvaporationTimescaleCalculator

PAPER_672
/ Ses-
sion
172 /
Star-
Magic
UQFF
Frame-
work
v5.29
/
Daniel
Mur-
phy

Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

Upgrade from PAPER_1066 (UQFF Lagrangian First Principles) and PAPER_1065 (Buoyancy Lagrangian EOM Variational Derivation).

The complete UQFF Lagrangian density, from which all sector-specific equations of motion derive:

$$\mathcal{L}_{\text{UQFF}} = \mathcal{L}_{\text{GR}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{phonon}} + \mathcal{L}_{\text{interaction}}$$

$$\mathcal{L}_{\text{SCm}} = \frac{1}{2}(\partial_\mu \phi)^2 - \lambda(\phi^2 - v_{\text{SCm}}^2)^2$$

The SCm condensate potential minimum gives $V(\phi_0) = -7.09 \times 10^{-37}$ J/m³ (matching ρ_{SCm}) and phonon mass $m_{\text{phonon}} = \sqrt{8\lambda} v_{\text{SCm}}$.

Nine-sector closure (Session 202):

$$\mathcal{L}_9 = \mathcal{L}_{\text{EH}} + \mathcal{L}_{\text{YM}} + \mathcal{L}_{\text{Dirac}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{mag}} + \mathcal{L}_{\text{buoy}} + \mathcal{L}_{\text{aether}} + \mathcal{L}_{\text{LENR}} + \mathcal{L}_{\text{KK}}$$

Sector	Domain	Late-Corpus Result
1 (EH)	General Relativity	Canonical Einstein-Hilbert
2 (YM)	Yang-Mills gauge	$m_{\text{gap}} = 5970$ GeV (PAPER_1005)
3 (Dirac)	Fermion / LENR	Kozima neutron-drop (PAPER_1061)
4 (SCm)	Superconducting manifold	$V(\phi_0) = -\rho_{\text{SCm}}$ canonical
5 (Mag)	Um magnetism	Heaviside amplifier (PAPER_1072)

Sector	Domain	Late-Corpus Result
6 (Buoy)	F_{U_Bi_i} buoyancy	Variational EOM (PAPER_1065)
7 (Aether)	Vacuum background	Two-component ρ (PAPER_1051)
8 (LENR)	Nuclear transmutation	COP parametric (PAPER_1081)
9 (KK)	Kaluza-Klein 26D	$S_{26}^{(3)}$ compactification (PAPER_1080)

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **BH-gravity** sector of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivation}.py`

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{BH}})(\partial^\mu \phi_{\text{BH}}) - V(\phi_{\text{BH}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac, [SCm]}} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{BH}}) = \frac{1}{2}m^2\phi_{\text{BH}}^2 + \frac{\lambda}{4!}\phi_{\text{BH}}^4 + \kappa \cdot \rho_{\text{vac, [SCm]}} \cdot \phi_{\text{BH}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{BH}}} = R_{\mu\nu} - \frac{1}{2}g_{\mu\nu}R + \rho_{\text{vac, [SCm]}}g_{\mu\nu} + F_{U_Bi_i}/r^2 = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM} + \text{ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b, \text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{BH}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac, [SCm]}}/\rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac, [SCm]}} \cdot \exp! \left(- \exp! \left(- \frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.095 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system’s characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 41, \quad n_{\text{channel}} = 23/26$$

Since $p_{\text{DVP}} = 41$ is **resonant** (threshold at $p > 26$), the system’s vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **106 M_BH/M_{M_sun} yr** (quasi-normal mode ringdown):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot \left(1 - e^{-[SSq] \cdot m/M_{\odot}}\right) \cdot \cos!\left(\frac{2\pi j}{26}\right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh!\left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.095	PASS Threshold-consistent
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\text{DVP}} = 41$	PASS Resonant
BSH layers	26 harmonic terms	$j = 1 \dots 26, \cos(2\pi j/26)$	PASS Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	PASS Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} \text{ m}^{-2} - 2(UQFFvacuumterm) 1.114 \times 10^{-52} \text{ m}^{-2}$	Planck 2018	PASS Consistent	

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_{\text{p}}$ suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	PASS Consistent
UQFF buoyancy signature	$F_{\text{U_Bi_i}}$ unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections ($F_{\text{U_Bi_i}}$) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).

Paper	Title
PAPER_1022	GW Phonon Strain SCm Modulation of $h(t)$
PAPER_1072	SCm Activation Function Phonon Threshold
PAPER_1073	SCm Phonon-Driven Inflation Vacuum Buoyancy
PAPER_1068	Wolfram Physics Bridge WSTP Symbolic Export
PAPER_1049	Source10 GPU DPM Spectral Atlas ALMA Overlay
PAPER_1074	GPU-Vectorized DPM S26 Spectral Atlas

6 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\_ramanujan\_appendices}.py`. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
<code>fneutron_{s26_coupling}.py</code>	$F_{\text{neutron}} \times S_{26}$ buoyancy-polylog coupling	$\sim 470\times$ amplification via 26-level VDS
<code>kozima_{scm_cross_section}.py</code>	S_{dyn} -modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor $(1 + [\text{SSq}] \cdot n/26)$
<code>kozima_{wstp_kernel}.py</code>	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\{U,Bi\}}/F_U - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^{2/(2*\Gamma_2)}] * (1 + [\text{SSq}]^n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
<code>ramanujan_{polylog_s26}.py</code>	Li_26([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
<code>s26_{wstp_kernel}.py</code>	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = Li_{26}(z) = \eta_{26}(z)/(1-2^{\{1-26\}}) + 2^{\{1-26\}/(1-2^{\{1-26\}})} * Li_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
<code>mock_{theta_q26}.py</code>	f_26(q), phi_26(q), psi_26(q) q-series	Proper q-Pochhammer (a;q)_n

Core equations: $-f_{26}(q) = \sum_{n=0}^{25} q^{\{n2\}} / (-q;q)_{n^2} - \phi_{26}(q) = \sum_{n=0}^{25} q^{\{n2\}} / (-q^{2;q})_n - \psi_{26}(q) = \sum_{n=1}^{26} q^{\{n2\}} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
<code>ramanujan_{pi_uqff}.py</code>	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
<code>mock_{theta_pi_wstp_kernel}.py</code>	8-symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$ where $W_{26}(n) = \prod_{i=1}^{26} [1 + [\text{SSq}] \exp(-\kappa_i n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness
rho_SCm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_SCm	$2*\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in CondensedPhysics.py, CondensedPhysics2.py, MAIN_{1_CoAnQi}.cpp, and Wolfram kernels (uqff_{kozima_kernel}.wl, uqff_{s26_kernel}.wl, uqff_{mock_theta_pi_kernel}.wl).