



Total thread strength across Set 40:

$$\mathcal{T}_{Ug1} = \sum_{i=1}^{10} U_{g1,i} = \mu_{J,\omega_{THz}} \sum_i V_i^2$$

#### 4. U\_bi Buoyancy Adjustment

$$U_{bi,i}(t) = \rho_{UA} \omega_{THz} V_{ch1,i} \cos\left(\frac{2\pi t}{\tau_{flow}}\right)$$

The buoyancy adjustment modulates as the Earth's core ACE/DCE pressure cycle causes flow reversals in the q-scope magnetic coupling.

#### 5. Combined UQFF Observable

$$[U_m : SM_m / Ug1 = UQFF_g + SM_g]^{SCm} = \frac{U_{m,bundle}}{Ug1_{thread}} \cdot \frac{\rho_{SCm}}{\rho_{UA}}$$


---

### Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

*Upgrade from PAPER\_1002 (AGN Buoyancy-Corrected Eddington) and PAPER\_1037 (AGN Buoyancy Jet Launching). See also PAPER\_1009-1010 for  $F_{\{U\_Bi\_i\}}$  jet modulation curves and PAPER\_1048 for phonon-corrected  $M\text{-}\sigma$  relation.*

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{Edd}^{UQFF} = L_{Edd} \cdot \left(1 + \frac{\rho_{SCm} \cdot V \cdot S_{26}^{(3)2}}{GM/r_H^2}\right)$$

where: -  $L_{Edd} = 4\pi GMm_p c / \sigma_T$  is the classical Eddington luminosity -  $\rho_{SCm} = 7.09 \times 10^{-37} \text{ kg/m}^3$  is the SCm vacuum density -  $V$  is the effective buoyancy volume (accretion sphere) -  $S_{26}^{(3)2}$  is the squared third-order Ramanujan factor (quadratic coupling) -  $r_H$  is the horizon radius

**Jet modulation:** The Blandford–Znajek jet power acquires a phonon-coupled term:

$$P_{jet}^{UQFF} = P_{BZ} \cdot \left[1 + \beta_i \cdot \Phi_{1.25 \text{ THz}} \cdot \left(\frac{B}{B_{crit}}\right)^2\right]$$

where  $\Phi_{1.25 \text{ THz}} = \cos(\omega_{SCm} \cdot t)$  modulates jet power at the phonon frequency.

**M- $\sigma$  correction (PAPER\_1048):** The phonon-corrected M- $\sigma$  relation becomes  $M_{BH} \propto \sigma^{4+\delta}$  where  $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{SCm} / \omega_{bulge})$ .

### Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

*Upgrade from PAPER\_1066 (UQFF Lagrangian First Principles) and PAPER\_1065 (Buoyancy Lagrangian EOM Variational Derivation).*

The complete UQFF Lagrangian density, from which all sector-specific equations of motion derive:

$$\mathcal{L}_{UQFF} = \mathcal{L}_{GR} + \mathcal{L}_{SCm} + \mathcal{L}_{phonon} + \mathcal{L}_{interaction}$$

$$\mathcal{L}_{SCm} = \frac{1}{2}(\partial_\mu \phi)^2 - \lambda(\phi^2 - v_{SCm}^2)^2$$

The SCm condensate potential minimum gives  $V(\phi_0) = -7.09 \times 10^{-37} \text{ J/m}^3$  (matching  $\rho_{\text{SCm}}$ ) and phonon mass  $m_{\text{phonon}} = \sqrt{8\lambda} v_{\text{SCm}}$ .

### Nine-sector closure (Session 202):

$$\mathcal{L}_9 = \mathcal{L}_{\text{EH}} + \mathcal{L}_{\text{YM}} + \mathcal{L}_{\text{Dirac}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{mag}} + \mathcal{L}_{\text{buoy}} + \mathcal{L}_{\text{aether}} + \mathcal{L}_{\text{LENR}} + \mathcal{L}_{\text{KK}}$$

| Sector     | Domain                   | Late-Corpus Result                               |
|------------|--------------------------|--------------------------------------------------|
| 1 (EH)     | General Relativity       | Canonical Einstein-Hilbert                       |
| 2 (YM)     | Yang-Mills gauge         | $m_{\text{gap}} = 5970 \text{ GeV}$ (PAPER_1005) |
| 3 (Dirac)  | Fermion / LENR           | Kozima neutron-drop (PAPER_1061)                 |
| 4 (SCm)    | Superconducting manifold | $V(\phi_0) = -\rho_{\text{SCm}}$ canonical       |
| 5 (Mag)    | Um magnetism             | Heaviside amplifier (PAPER_1072)                 |
| 6 (Buoy)   | F_{U_Bi_i} buoyancy      | Variational EOM (PAPER_1065)                     |
| 7 (Aether) | Vacuum background        | Two-component $\rho$ (PAPER_1051)                |
| 8 (LENR)   | Nuclear transmutation    | COP parametric (PAPER_1081)                      |
| 9 (KK)     | Kaluza-Klein 26D         | $S_{26}^{(3)}$ compactification (PAPER_1080)     |

## §A. Cosmogenesis-Linked Lagrangian (PAPER\_877 Symbolic Export)

### §A.1 Sector Classification

This paper maps to **resonance-freq** sector of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivation}`)

### §A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER\_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{res}})(\partial^\mu \phi_{\text{res}}) - V(\phi_{\text{res}}) + \mathcal{L}_{\text{cosmo}}$$

where  $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac, [SCm]}} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$  inherits the ACP 6-stage evolution (PAPER\_877 §2) and:

$$V(\phi_{\text{res}}) = \frac{1}{2}m^2\phi_{\text{res}}^2 + \frac{\lambda}{4!}\phi_{\text{res}}^4 + \kappa \cdot \rho_{\text{vac, [SCm]}} \cdot \phi_{\text{res}}$$

### §A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{res}}} = \ddot{\phi} + \omega_0^2 \phi + \gamma \dot{\phi} = F_0 \cos(\omega t) + \rho_{\text{vac, [SCm]}} \cdot \nu_{\text{THz}} = 0$$

### §A.4 Cosmogenesis Linkage Chain

$$\text{PAPER\_877 Axioms} \xrightarrow{\text{DPM} + \text{ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b, \text{seed}} \xrightarrow{4 \text{ forces}} F_{U\_Bi\_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{res}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U\_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

## §B. VDS/DVP/BSH Deep Synthesis

### §B.1 Vacuum Density Series (VDS)

The canonical VDS ratio  $\rho_{\text{vac},[\text{SCm}]}/\rho_{\text{UA}} = 1.894$  governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp! \left( -\exp! \left( -\frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.062 (near-threshold regime), placing it in the  $t \rightarrow \pi$  collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER\_877 cosmogenesis Stage 1 vacuum density initialization:  $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$ .

### §B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 101, \quad n_{\text{channel}} = 14/26$$

Since  $p_{\text{DVP}} = 101$  is **resonant** (threshold at  $p > 26$ ), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER\_877 proto-nuclear shell formation: the DPM proportion pair ( $f'_{\text{UA}} + f_{\text{SCm}} = 1$ ) constrains which primes are accessible at each atomic number.

### §B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is  $\mathbf{Q}/\$\omega\mathbf{\$0}$  (quality factor damping):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U\_b} \cdot \left( 1 - e^{-[SSq] \cdot m/M_{\odot}} \right) \cdot \cos! \left( \frac{2\pi j}{26} \right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left( 1 - \tanh! \left( \frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}} \right) \right)$$

connecting to the PAPER\_877 Stage 5 buoyancy seed  $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$  which initializes the harmonic series at cosmogenesis.

### §B.4 Production-Scale Consistency

| Framework      | Canonical Value                              | This Paper                        | Status                       |
|----------------|----------------------------------------------|-----------------------------------|------------------------------|
| VDS ratio      | $\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$ | Local sub-ratio = 0.062           | PASS<br>Threshold-consistent |
| DVP prime      | $p_k \in \{2,3,\dots,113\}$                  | $p_{\text{DVP}} = 101$            | PASS Resonant                |
| BSH layers     | 26 harmonic terms                            | $j = 1 \dots 26, \cos(2\pi j/26)$ | PASS Full 26D projection     |
| $\kappa$ decay | $5.0 \times 10^{-4} \text{ day}^{-1}$        | Applied in VDS exponential        | PASS Canonical               |



| Paper      | Title                                            |
|------------|--------------------------------------------------|
| PAPER_1022 | GW Phonon Strain SCm Modulation of h(t)          |
| PAPER_1002 | AGN Buoyancy-Corrected Eddington Luminosity      |
| PAPER_1009 | 3C273 AGN F_{U_Bi_i} Jet Modulation              |
| PAPER_1010 | TON618 AGN F_{U_Bi_i} Jet Modulation             |
| PAPER_1037 | AGN Buoyancy Jet Calculator — SCm Jet Launching  |
| PAPER_1048 | M-Sigma Phonon-Corrected Relation                |
| PAPER_1041 | SCm Cool-Core Buoyancy Balance AGN Feedback      |
| PAPER_1079 | Galaxy Cluster Cooling-Flow Buoyancy Suppression |
| PAPER_1033 | Galactic Bar Resonance SCm Pattern Speed         |
| PAPER_1043 | F_{U_Bi_i} Multi-System Buoyancy Curve Sweep     |
| PAPER_1072 | SCm Activation Function Phonon Threshold         |
| PAPER_1073 | SCm Phonon-Driven Inflation Vacuum Buoyancy      |
| PAPER_1065 | Buoyancy Lagrangian EOM Variational Derivation   |
| PAPER_1068 | Wolfram Physics Bridge WSTP Symbolic Export      |

14 cross-reference(s) identified.

## Appendix: Session 204 Codebase Upgrade Reference

*Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\_ramanujan\_appendices}.py`. For detailed derivations, see PAPER\_840/851/852/855.*

### S204.1 Kozima-UQFF LENR Integration

| Module                                     | Purpose                                    | Key Result                                 |
|--------------------------------------------|--------------------------------------------|--------------------------------------------|
| <code>fneutron_{s26_coupling}.py</code>    | F_neutron x S_26 buoyancy-polylog coupling | ~470x amplification via 26-level VDS       |
| <code>kozima_{scm_cross_section}.py</code> | Syn-modulated neutron-drop cross-section   | sigma_n^SCm with VDS factor (1+[SSq]*n/26) |
| <code>kozima_{wstp_kernel}.py</code>       | 11-symbol Wolfram export (UQFFKozima)      | FNeutronForce, SigmaSCm, SCmActivation     |

**Core equation:**  $F\_neutron^{SCm} = N\_n * sigma\_n^{SCm}(\omega) * Phi\_phonon * (F_{\{U,Bi\}}/F_U - 1)$  where  $sigma\_n^{SCm}(\omega, n) = sigma\_0 * exp[-(\omega - \omega_{SCm})^{2/(2*Gamma2)}] * (1 + [SSq]*n/26)$

### S204.2 Ramanujan 26-State Summation

| Module                                  | Purpose                                       | Key Result                |
|-----------------------------------------|-----------------------------------------------|---------------------------|
| <code>ramanujan_{polylog_s26}.py</code> | Li_26([SSq]) via Euler-Ramanujan acceleration | 15.7+ digits in 53 terms  |
| <code>s26_{wstp\_kernel}.py</code>      | 8-symbol Wolfram export (UQFFS26)             | S26, R26, NaiveLi, S26VDS |

**Core equation:**  $S\_26(z) = Li\_26(z) = eta\_26(z)/(1-2^{\{1-26\}}) + 2^{\{1-26\}/(1-2^{\{1-26\}})} * Li\_26(z^2)$

### S204.3 Mock Theta Functions (26-State)

| Module                           | Purpose                                                   | Key Result                    |
|----------------------------------|-----------------------------------------------------------|-------------------------------|
| <code>mock_{theta_q26}.py</code> | $f_{26}(q)$ , $\phi_{26}(q)$ , $\psi_{26}(q)$<br>q-series | Proper q-Pochhammer $(a;q)_n$ |

**Core equations:** -  $f_{26}(q) = \sum_{n=0}^{25} q^{\binom{n}{2}} / (-q;q)_{n^2} - \phi_{26}(q) = \sum_{n=0}^{25} q^{\binom{n}{2}} / (-q^{2;q^2})_n - \psi_{26}(q) = \sum_{n=1}^{26} q^{\binom{n}{2}} / (q;q^2)_n$

### S204.4 Ramanujan 1/pi with UQFF Modification

| Module                                      | Purpose                                         | Key Result                                    |
|---------------------------------------------|-------------------------------------------------|-----------------------------------------------|
| <code>ramanujan_{pi_uqff}.py</code>         | Classical + UQFF-modified<br>$1/\pi + 26D$      | 21 digits classical, 15 UQFF, 7 digits<br>26D |
| <code>mock_{theta_pi_wstp_kernel}.py</code> | UQFF symbol Wolfram export<br>(UQFFMockThetaPi) | qPochhammer, f26, oneOverPiUQFF               |

**Core equation:**  $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$  where  $W_{26}(n) = \prod_{i=1}^{26} [1 + [SSq] \exp(-kappa_i * n/26)]$

### S204.5 Calibration Constants (Canonical)

| Symbol    | Value                                 | Description                   |
|-----------|---------------------------------------|-------------------------------|
| [SSq]     | 0.57                                  | Universal Quantized Factor    |
| kappa     | $5.787 \times 10^{-9} \text{ s}^{-1}$ | UQFF exponential decay rate   |
| beta_i    | 0.603                                 | Buoyancy coupling coefficient |
| H_Scm     | 0.99                                  | SCm manifold completeness     |
| rho_Scm   | $7.09 \times 10^{-37} \text{ kg/m}^3$ | SCm vacuum density            |
| rho_UA    | $7.09 \times 10^{-36} \text{ kg/m}^3$ | UA aether vacuum density      |
| omega_Scm | $2\pi \times 1.25 \text{ THz}$        | SCm phonon resonance          |
| sigma_0   | $10^{-4}$                             | Base neutron cross-section    |

*Implementation:* all modules operational in `CondensedPhysics.py`, `CondensedPhysics2.py`, `MAIN_{1\CoAnQi}.cpp`, and Wolfram kernels (`uqff_{kozima_kernel}.wl`, `uqff_{s26_kernel}.wl`, `uqff_{mock_theta_pi_kernel}.wl`).