

r/r_screen	phi/phi_max	F_buoy (rel)	Regime
0.50	0.394	0.607	Transition
1.00	0.632	0.368	Screening onset
3.00	0.950	0.050	Screened
10.0	0.99995	0.00005	Fully screened

4. Physical Interpretation

The buoyancy Klein-Gordon equation provides a scalar field description of gravitational buoyancy. The effective mass m_{eff} encodes the buoyancy mass scale, yielding a static solution $\phi_{\text{static}}(r) = (J_{\text{buoy}}/m_{\text{eff}}^2)[1 - \exp(-m_{\text{eff}} r)]$ that screens buoyancy forces at distances beyond $1/m_{\text{eff}}$. This provides the field-theoretic foundation for $F_{\{U, Bi\}}$ calculations.

5. UQFF Integration

This calculator operates as a stateless physics calculator within the CondensedPhysics4.py (Phase 4) IPC chain. All parameters are received via the dataset dictionary from the source2.cpp principal GUI pipeline. No astronomical data is hardcoded; all system-specific values come from the APIFetch.py $\rightarrow$ bodies_*.csv data flow.

Significance: The Klein-Gordon framework elevates buoyancy from a phenomenological correction to a fundamental scalar field with well-defined propagation, mass scale, and source term – enabling quantum field theory techniques (renormalization, scattering) to be applied to UQFF gravitational buoyancy.

6. SCm Superconductivity Axiom (Session 204)

The buoyancy scalar field EOM framework is derived from the **SCm Superconductivity Axiom**: the vacuum is fundamentally composed of a superconductive condensate (SCm) embedded in undifferentiated aether (UA), with the proportion pair $(f_{\text{UA}}, f_{\text{SCm}})$ governing all interactions.

Axiom Connection

The standalone module `buoyancy_{lagrangian\_eom}.py` implements this in:

- **Engine 2 (26-State Progression):** Klein-Gordon at each quantum state n
- **Engine 3 (Cosmogenesis):** Three-assumption framework (DPM, ACP, four U_g forces)
- **Engine 4 (Lagrangian):** Klein-Gordon sector couples to the UQFF variational principle

Standalone Calculator

```
python buoyancy_{lagrangian\_eom}.py          # Full report
python buoyancy_{lagrangian\_eom}.py --json  # Machine-readable
```

7. Source Data

- **File:** Sessions 204-208 standalone module integration
- **Session:** 204 (integrated Session 209)
- **VDS/DVP/BSH:** PRESENT (Klein-Gordon with VDS vacuum density, DVP prime encoding, BSH saturation harmonics)

Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

Upgrade from PAPER_1066 (UQFF Lagrangian First Principles) and PAPER_1065 (Buoyancy Lagrangian EOM Variational Derivation).

The complete UQFF Lagrangian density, from which all sector-specific equations of motion derive:

$$\mathcal{L}_{\text{UQFF}} = \mathcal{L}_{\text{GR}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{phonon}} + \mathcal{L}_{\text{interaction}}$$

$$\mathcal{L}_{\text{SCm}} = \frac{1}{2}(\partial_\mu \phi)^2 - \lambda(\phi^2 - v_{\text{SCm}}^2)^2$$

The SCm condensate potential minimum gives $V(\phi_0) = -7.09 \times 10^{-37} \text{ J/m}^3$ (matching ρ_{SCm}) and phonon mass $m_{\text{phonon}} = \sqrt{8\lambda} v_{\text{SCm}}$.

Nine-sector closure (Session 202):

$$\mathcal{L}_9 = \mathcal{L}_{\text{EH}} + \mathcal{L}_{\text{YM}} + \mathcal{L}_{\text{Dirac}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{mag}} + \mathcal{L}_{\text{buoy}} + \mathcal{L}_{\text{aether}} + \mathcal{L}_{\text{LENR}} + \mathcal{L}_{\text{KK}}$$

Sector	Domain	Late-Corpus Result
1 (EH)	General Relativity	Canonical Einstein-Hilbert
2 (YM)	Yang-Mills gauge	$m_{\text{gap}} = 5970 \text{ GeV}$ (PAPER_1005)
3 (Dirac)	Fermion / LENR	Kozima neutron-drop (PAPER_1061)
4 (SCm)	Superconducting manifold	$V(\phi_0) = -\rho_{\text{SCm}}$ canonical
5 (Mag)	Um magnetism	Heaviside amplifier (PAPER_1072)
6 (Buoy)	F_{U_Bi_i}	Variational EOM (PAPER_1065)
	buoyancy	
7 (Aether)	Vacuum background	Two-component ρ (PAPER_1051)
8 (LENR)	Nuclear transmutation	COP parametric (PAPER_1081)
9 (KK)	Kaluza-Klein 26D	$S_{26}^{(3)}$ compactification (PAPER_1080)

A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

A.1 Sector Classification

This paper maps to **Klein-Gordon sector** of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivation}`)

A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac, [SCm]}} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac, [SCm]}} \cdot \phi_{\text{NS}}$$

A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2) \phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0$$

A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM} + \text{ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{NS}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

B. VDS/DVP/BSH Deep Synthesis

B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp! \left(-\exp! \left(-\frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.112 (near-threshold regime), placing it in the zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 5, \quad n_{\text{channel}} = 15/26$$

Since $p_{\text{DVP}} = 5$ is **sub-threshold** (threshold at $p > 26$), the system's vacuum topology inherits sub-threshold damping from the DVP lattice, producing smooth rather than resonant UQFF coupling profiles. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **10^5 yr** (scalar buoyancy field):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot \left(1 - e^{-[SSq] \cdot m/M_{\odot}} \right) \cdot \cos! \left(\frac{2\pi j}{26} \right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh! \left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}} \right) \right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.112	PASS Threshold-consistent
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\text{DVP}} = 5$	PASS Sub-threshold
BSH layers	26 harmonic terms	$j = 1 \dots 26, \cos(2\pi j/26)$	PASS Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

SM Anchors – Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	PASS Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} \text{ m}^{-2} - 2(UQFFvacuumterm) 1.14 \times 10^{-52} \text{ m}^{-2}$	Planck 2018	PASS Consistent	
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_p$ suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	PASS Consistent
UQFF buoyancy signature	$F_{\{U_Bi_i\}}$ unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections ($F_{\{U_Bi_i\}}$) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF–SM bridge.

References

1. PAPER_877 – Three-Assumption Cosmogenesis (Stage 5 buoyancy seed)
2. PAPER_880 – Positive $E(t)$ Expansion Master
3. Klein-Gordon equation: Peskin & Schroeder, Quantum Field Theory (1995)
4. Murphy, D.T. – Star Magic UQFF Framework (2024-2026)
5. UQFF Calibration: $\kappa=0.0005/\text{day}$, $[\text{SSq}]=0.57$, $\beta_i \sim 0.603$

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).

Paper	Title
PAPER_1037	AGN Buoyancy Jet Calculator – SCm Jet Launching
PAPER_1079	Galaxy Cluster Cooling-Flow Buoyancy Suppression
PAPER_1043	F_{U_Bi_i} Multi-System Buoyancy Curve Sweep
PAPER_1065	Buoyancy Lagrangian EOM Variational Derivation

4 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\_ramanujan\_appendices}.py`. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
<code>fneutron_{s26_coupling}.py</code>	F_neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
<code>kozima_{scm_cross_section}.py</code>	SCm-modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor $(1 + [\text{SSq}] * n / 26)$
<code>kozima_{wstp_kernel}.py</code>	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\text{U,Bi}} / F_{\text{U}} - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^2 / (2 * \Gamma^2)] * (1 + [\text{SSq}] * n / 26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
<code>ramanujan_{polylog_s26}.py</code>	Li_26([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
<code>s26_{wstp_kernel}.py</code>	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = \text{Li}_{26}(z) = \eta_{26}(z) / (1 - 2^{\{1-26\}}) + 2^{\{1-26\}} / (1 - 2^{\{1-26\}}) * \text{Li}_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
<code>mock_{theta_q26}.py</code>	f_26(q), phi_26(q), psi_26(q) q-series	Proper q-Pochhammer (a;q)_n

Core equations: $-f_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q;q)_n^2 - \phi_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q^2;q^2)_n - \psi_{26}(q) = \sum_{n=1}^{\{26\}} q^{\{n2\}} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
<code>ramanujan_{pi_uqff}.py</code>	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
<code>mock_{theta_pi_wstp_kernel}.py</code>	Symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2})/9801 \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$ where
 $W_{26}(n) = \text{Prod}_{\{i=1\}^{26}} [1 + [SSq] \exp(-kappa_i * n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness
rho_SCm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_SCm	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in `CondensedPhysics.py`, `CondensedPhysics2.py`,
`MAIN_{1\_CoAnQi}.cpp`, and Wolfram kernels (`uqff_{kozima\_kernel}.wl`, `uqff_{s26\_kernel}.wl`,
`uqff_{mock\_theta\_pi\_kernel}.wl`).