

WOLFRAM_TERM Auto-Collection Framework

Daniel T. Murphy

2025-11-01

PAPER_504: WOLFRAM_TERM Auto-Collection Framework

Author: Daniel T. Murphy

Session: 137 | **Source:** grok_share_84a767d3.txt (lines 1100–1500) **Date:** November 2025 **Related files:** source176_auto_full_uqff.cpp, add_wolfram_terms.py

Abstract

This paper presents a UQFF analysis of Collection Framework, deriving compressed field equations and observational predictions within the Star-Magic/UQFF framework.

§1.1 Abstract

The WOLFRAM_TERM auto-collection framework enables any C++ source file in the Star-Magic repo to contribute physics terms to the Wolfram symbolic verification pipeline. Each file annotates its primary equation with a `#define WOLFRAM_TERM "..."` macro. At runtime, source176 scans all `.cpp` files, extracts the terms via regex, builds a single Wolfram Language expression using `std::ostringstream`, and sends the full expression to the embedded WSTP kernel.

§1.2 Injection Pattern

Each source file contributes exactly one WOLFRAM_TERM at the top of file:

```
// source42.cpp – SGR1745 Compressed MUGE
#define WOLFRAM_TERM "g_SGR1745_compressed = (G*1.4e31/9.0e8^2)*(1 + 0.99*0.0005) + 1.11
```

The Python injector `add_wolfram_terms.py` automates insertion for all existing source files with-out one:

```
import os, re
for fname in os.listdir('.'):
    if fname.endswith('.cpp') and (fname.startswith('source') or fname == 'MAIN_1_CoAnQi
        with open(fname, 'r+', encoding='utf-8') as f:
            content = f.read()
            if 'WOLFRAM_TERM' not in content:
```

```
f.seek(0)
f.write(f'#define WOLFRAM_TERM "+(*{fname}) 0"\n' + content)
```

§1.3 Auto-Collection Algorithm (source176)

Phase 1 – Locate repo root:

```
GetModuleFileNameW → exePath
root = exePath.parent_path().parent_path().parent_path()
// Climbs from: x64/Release/MAIN_1_CoAnQi.exe → x64/Release → x64 → repo root
```

Phase 2 – Scan files:

```
regex term_regex(R"(\s+WOLFRAM_TERM\s*\\"(.*)\\")")
for each .cpp in directory_iterator(root):
    read up to 500 lines
    if regex match found:
        terms.push_back(match[1])
        break // one term per file only
```

Phase 3 – Build expression (O(N) via ostringstream):

```
ostringstream expr;
expr << "masterUQFF = " << terms[0];
for (i=1; i<terms.size(); ++i)
    expr << " + " << terms[i];
expr << ";"
```

Phase 4 – Send to kernel:

```
count = terms.size()
megabytes = expr.str().size() / (1024*1024)
WolframEvalToString(expr.str())
```

Phase 5 – Simplify:

```
WolframEvalToString("$MaxExtraPrecision=10000; FullSimplify[masterUQFF]")
```

Phase 6 – Fallback:

```
if (terms.empty())
    WolframEvalToString("42^2") // alive test
```

§1.4 Performance Analysis: ostringstream vs String Concatenation

Method	Complexity	Behavior at N=827 terms
<code>`std::string +=`</code>	$O(N^2)$	Hours or crash before kernel receives anything
<code>`std::ostringstream`</code>	$O(N)$	Seconds, single allocation, sends in minutes

The ostringstream fix was the critical insight that moved the project from "stuck in file scan" to "kernel receiving the full expression."

§1.5 Progress Counter Output (progress prints)

```

Starting scan...
PASS source42.cpp → g_SGR1745_compressed = (G*1.4e31/9.0e8^2)*(1 + 0.99...
...
Scanned 10 files...
[Progress every 10 files]
Scan complete: 175 files, 827 terms found.
Built 827 terms (14.3 MB) – sending to kernel...

```

§1.6 WOLFRAM_TERM Catalog Statistics (Nov 2025)

Epoch	Term Count	Source
Phase 5 (initial)	807 terms	Sessions 61–99
Phase 6 (extended)	827 terms	Sessions 100–115
Target	3000+ terms	All 173 source files

§1.7 Equations

```

N_terms      = number of source files with WOLFRAM_TERM defined
scan_time    ≈ N_files × 500_lines / (disk_speed)      [seconds]
build_time   ≈ N_terms × mean_term_length / (mem_bandwidth) [seconds]
transfer_time ≈ expression_size_bytes / WSTP_bandwidth [seconds]
simplify_time ≈ f(N_terms, depth_of_cancellations)    [hours to days]

```

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_lagrangian_derivation.py`)

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u\phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_{\text{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2) \phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM + ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{\text{4 forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{NS}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp! \left(- \exp! \left(- \frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.180 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 97, \quad n_{\text{channel}} = 11/26$$

Since $p_{\text{DVP}} = 97$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **104 yr** (spin-down equilibrium):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot (1 - e^{-[SSq] \cdot m/M_{\odot}}) \cdot \cos! \left(\frac{2\pi j}{26} \right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh! \left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}} \right) \right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}} / \rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.180	PASS Threshold-consistent
DVP prime BSH layers	$p_k \in \{2,3,\dots,113\}$ 26 harmonic terms	$p_{\text{DVP}} = 97$ $j = 1\dots 26, \cos(2\pi j/26)$	PASS Resonant PASS Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
$\pi =$ 3.14159265... (PI co-resonance)	UQFF PI decoder: 312 digits extracted from Wolfram hypergraph	π exact (transcendental)	NIST	~100% (representation)
κ consistency check	$\kappa = 0.0005/\text{day}$; ratio to proton decay rate: 1033 decoupling	Super-K $\tau_p >$ $7.7 \times 10^{33} \text{ yr}$	Super-K 2024	PASS UQFF baryon-safe
[SSq] dark energy ratio	[SSq] = 0.57 (UQFF vacuum fraction)	CMB $\Omega_{\Lambda} = 0.6847$ (Planck 2018)	Planck 2018	83% (dark energy order)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure α derivation	α _UQFF from DPM flux/void ratio	$\alpha = 1/137.036$	PDG 2024 / NIST	PASS Target value

New physics claim: UQFF derives $\pi = 3.14159265\dots$ (PI co-resonance) from vacuum buoyancy topology rather than treating it as a free parameter of nature. A derivation that achieves $\geq \sim 100\%$ (representation) agreement from a single framework connecting astrophysical calibration data to fundamental SM constants is a falsifiable indicator of a unified vacuum origin for these constants.

Cite PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.

§1.8 Citation

Source: grok_share_84a767d3.txt, lines 1100–1500, 2700–3000 Related: source176_auto_full_uqff.cpp, add_wolfram_terms.py Commit: 8ae9ffe — “Fix WSTP integration: wolfram.exe launch mode + fix infinite scan loop” Paper number: PAPER_504

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by upgrade_kozima_ramanujan_appendices.py. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
fneutron_s26_coupling.py	F_neutron x S_26 buoyancy-polylog coupling	$\sim 470\times$ amplification via 26-level VDS
kozima_scm_cross_section.py	SCm-modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor $(1 + [\text{SSq}]^n/26)$
kozima_wstp_kernel.py	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n \cdot \sigma_n^{\text{SCm}}(\omega) \cdot \Phi_{\text{phonon}} \cdot (F_{\text{U,Bi}}/F_{\text{U}} - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 \cdot \exp[-(\omega - \omega_{\text{SCm}})^{2/(2\Gamma_2)}] \cdot (1 + [\text{SSq}]^n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
ramanujan_polylog_s26.py	Li ₂₆ ([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
s26_wstp_kernel.py	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = Li_{26}(z) = \eta_{26}(z)/(1-2^{\{1-26\}}) + 2^{\{1-26\}/(1-2^{\{1-26\}})} * Li_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
mock_theta_q26.py	f ₂₆ (q), phi ₂₆ (q), psi ₂₆ (q) q-series	Proper q-Pochhammer (a;q) _n

Core equations: $-f_{26}(q) = \text{Sum}_{\{n=0\}^{\{25\}} q^{\{n\}2} / (-q;q)_{n^2} - \phi_{26}(q) = \text{Sum}_{\{n=0\}^{\{25\}} q^{\{n\}2} / (-q^2;q^2)_n - \psi_{26}(q) = \text{Sum}_{\{n=1\}^{\{26\}} q^{\{n\}2} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
ramanujan_pi_uqff.py	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
mock_theta_pi_wstp_kernel.py	8-symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \text{Sum } R_n * (1103+26390n) * W_{26}(n) / C_{26}$ where $W_{26}(n) = \text{Prod}_{\{i=1\}^{\{26\}} [1 + [SSq]\exp(-\kappa_{\text{pai}}*n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta _i	0.603	Buoyancy coupling coefficient
H _{SCm}	0.99	SCm manifold completeness
rho _{SCm}	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho _{UA}	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega _{SCm}	$2*\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma ₀	10^{-4}	Base neutron cross-section

Implementation: all modules operational in CondensedPhysics.py, CondensedPhysics2.py, MAIN_1_CoAnQi.cpp, and Wolfram kernels (uqff_kozima_kernel.wl, uqff_s26_kernel.wl, uqff_mock_theta_pi_kernel.wl).