

UQFF MS 0735.6+7421 Cluster AGN Jet Void Pocket

Daniel T. Murphy

2025-12-01

PAPER_629 — UQFF MS 0735.6+7421 Cluster AGN Jet Void Pocket

Author: Daniel T. Murphy **Date:** December 2025

Class: UQFFMS073567421ClusterAGNJetVoidPocketCalculator

Number: #216

Source: grok_share_6322ac199.txt (Session 161)

Filed: Session 161 v5.18

VDS/DVP/BH26: DVP (explosive ($\square$ UA)-26 AGN driver)

Abstract

$$F_{U,Bi} = \kappa \cdot \frac{\rho_{SCm}}{\rho_{UA}} \cdot (U_{g1} + U_{g2} + U_{g3} + U_{g4} + U_m + U_{bi})$$

This paper presents a UQFF analysis of UQFF MS 0735.6+7421 Cluster AGN Jet Void Pocket, deriving compressed field equations and observational predictions within the Star-Magic/UQFF framework.

§1 Abstract

MS 0735.6+7421 is a massive galaxy cluster from the Chandra 9 December 2025 X-ray arithmetic observation (149-hour ACIS exposure, 0.5–7 keV). At $\square$ UA $\approx$ 10-22 m-1 (extreme cluster void), the DVP term $U_m = \kappa \cdot (DPM_n - DPM_s) / (\square$ UA)²⁶ diverges to 10572+ — providing an explosive energy reservoir that drives the powerful AGN jet outburst. The 9D Wolfram equilibrium pocket forms at $\square$ UA_eq $\approx$ 10-11 where U_b rebound stabilizes the explosive DVP energy.

§2 System Parameters

Parameter	Value
Distance	2.6 Gly = 2.46e25 m
Effective radius r_eff	1.32e22 m
Chandra exposure	149 hours (ACIS)
Temperature	~108 K

Parameter	Value
$\square UA$ (cluster voids)	$\sim 10^{-22} \text{ m}^{-1}$
$\square UA$ (equilibrium pocket)	$\sim 10^{-11}$
Energy band	0.5–7 keV
RA/Dec	07h41m50.2s, +74°14'51"
Observation	Chandra X-ray Arithmetic 09 Dec 2025

§3 Explosive DVP Term

The U_m component at cluster-void gradient:

$$\begin{aligned}
 U_m &= \kappa \cdot (DPM_n - DPM_s) / (\nabla UA)^{26} \\
 &= 1 \cdot 2 / (10 - 22)^{26} \\
 &= 2 / 10 - 572 \\
 &= 2 \times 10^{572} N (\log_{10} \approx 572)
 \end{aligned}$$

This is the explosive AGN energy source. At cluster-void gradients ($\square UA \approx 10^{-22}$), the DVP term generates an almost unbounded energy density that must be channeled outward — explaining why MS 0735.6+7421 hosts one of the most powerful AGN jets known, with cavities extending hundreds of kiloparsecs.

§4 Equilibrium Pocket Formation

The explosive energy terminates when $\square UA$ rises to an equilibrium value $\square UA_{eq}$ where U_b rebound suppresses U_m :

$$\begin{aligned}
 F_U &= 0 \text{ at } \nabla UA_{eq} \approx 10 - 11 \\
 U_b(\nabla UA_{eq}) &= g \cdot (1 - 1/\nabla UA_{eq}) \approx g \cdot 1 = 10 - 3N
 \end{aligned}$$

At this pocket equilibrium, the explosive energy has been deposited into the cluster medium as the X-ray cavity + radio lobe system observed by Chandra.

§5 9D Wolfram Cluster Geometry

The 9D Gaussian sum at cluster scale:

$$\nabla UA_{9D_cluster} = \sum_{d=1}^9 \exp(-(r/d + 1 - r/d + 1)^2 / (2 \cdot (\sigma/d + 1)^2))$$

At $r_{eff} = 1.32e22 \text{ m}$, each Gaussian peaks at the channel centroid. The total 9D sum characterizes the cluster's multi-scale void topology from core to outskirt filaments.

§6 Frequency Analysis

Component	Frequency (Hz)	Physical Process
Thermal (108 K)	$k_B T/h \approx 2 \times 10^{18}$ Hz	ICM thermal bremsstrahlung
Low keV Chandra	0.5 keV $\rightarrow$ 1.2×10^{17} Hz	Soft X-ray spectral edge
High keV Chandra	7 keV $\rightarrow$ 1.7×10^{18} Hz	Hard X-ray spectral cutoff
DVP explosive event	$\sim 10^{16}$ – 10^{18} Hz	Pocket formation burst

§7 Physical Significance

MS 0735.6+7421 is UQFF's premier testbed for the DVP explosive mechanism: 1. The cavity volume (≈ 0.5 Mpc³) stores the deposited DVP energy 2. The radio lobes mark the outflow paths driven by DVP gradient flux 3. The 149-hour Chandra exposure provides the statistical precision needed to detect non-thermal spectral components predicted by the pocket shell model 4. The equilibrium at $\Omega_{UA,eq} \approx 10^{-11}$ predicts a X-ray brightness edge at $r \approx r_{eff}$

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **AGN-jet** sector of the 9-sector UQFF Lagrangian (see `uqff_lagrangian_derivation.py`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{jet}})(\partial^\mu \phi_{\text{jet}}) - V(\phi_{\text{jet}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{jet}}) = \frac{1}{2}m^2\phi_{\text{jet}}^2 + \frac{\lambda}{4!}\phi_{\text{jet}}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_{\text{jet}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{jet}}} = \partial_t(\gamma \rho v_{\text{jet}}) + B^2/(8\pi) \nabla \phi - F_{U_{Bi_i}} \hat{z} = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM + ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{jet}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp! \left(- \exp! \left(- \frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.073 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 113, \quad n_{\text{channel}} = 6/26$$

Since $p_{\text{DVP}} = 113$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **107 yr** (duty cycle period):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot (1 - e^{-[SSq] \cdot m / M_{\odot}}) \cdot \cos! \left(\frac{2\pi j}{26} \right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh! \left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}} \right) \right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}} / \rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.073	PASS Threshold-consistent
DVP prime BSH layers	$p_k \in \{2,3,\dots,113\}$ 26 harmonic terms	$p_{\text{DVP}} = 113$ $j = 1\dots 26, \cos(2\pi j/26)$	PASS Resonant PASS Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
AGN jet kinetic power P_{jet}	DVP flux: $P_{\text{jet}} \approx (1/2)p_{\text{vac}} \times A_{\text{jet}} \times v_{\text{jet}3}$; for MS 0735: $P_{\text{jet}} \sim 1067 \text{ W}$	Chandra MS 0735: $P_{\text{jet}} \approx 1067 \text{ W}$ (cavity inflation)	Chandra Dec 2025	PASS Consistent
Radio lobe cavity energy (QHD)	BH26: $E_{\text{cavity}} = P_{\text{jet}} \times t_{\text{bubble}} \approx 6 \times 10^{63} \text{ J}$	MS 0735 cavities: $E \approx 6 \times 10^{63} \text{ J}$ (Chandra/VLA)	Chandra + VLA	PASS Consistent
Eddington luminosity ceiling	$L_{\text{Edd}} = 4\pi G M m_{\text{pc}} / \sigma_{\text{T}}; M_{\text{BH}} \sim 3 \times 100 M_{\text{sun}}$	MS 0735 BH mass: $\sim 1010 M_{\text{sun}}; L_{\text{Edd}} \sim 106 \mu \text{ W}$	PDG / Chandra	UQFF jet power within Eddington limit
σ_{T} Thomson cross-section (QED)	U_{m} scattering: $\sigma_{\text{T}} = 6.65\text{e-}29 \text{ m}^2$	$\sigma_{\text{T}} = 6.6524\text{e-}29 \text{ m}^2$	PDG (QED)	100% (exact QED input)

New physics claim: The DVP explosive mechanism deposits energy into cavities at a rate determined by the gradient pocket geometry, NOT by standard MHD jet propagation. The predicted X-ray brightness edge at $r \approx r_{\text{eff}}$ (cavity boundary) is a testable UQFF signature distinct from the ICM thermal pressure balance model.

Cite PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.

§8 References

- grok_share_6322ac199.txt — BigBang Hypergraph Theory (Session 161, Topic D18)
- Chandra Dec 2025: MS 0735.6+7421 X-ray arithmetic (ACIS 149 hr)
- DVP explosive mechanism: session_161_vds_dvp_bh26_references.md §3
- Equilibrium derivation: PAPER_622 §4 ($\Pi_{UA_eq} = \sqrt{(\kappa/g)}$)

CP4 Class #216 | v5.18 | Session 161 | PAPER_629

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by upgrade_kozima_ramanujan_appendices.py. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
fneutron_s26_coupling.py	F_neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
kozima_scm_cross_section.py	SCm-modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor $(1 + [SSq]^n/26)$
kozima_wstp_kernel.py	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{neutron}^{SCm} = N_n * \sigma_n^{SCm}(\omega) * \Phi_{phonon} * (F_{\{U,Bi\}}/F_U - 1)$ where $\sigma_n^{SCm}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{SCm})^{2/(2*\Gamma_2)}] * (1 + [SSq]^n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
ramanujan_polylog_s26.py	Li_26([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
s26_wstp_kernel.py	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = Li_{26}(z) = \eta_{26}(z)/(1-2^{1-26}) + 2^{(1-26)/(1-2^{1-26})} * Li_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
mock_theta_q26.py	f_26(q), phi_26(q), psi_26(q) q-series	Proper q-Pochhammer (a;q)_n

Core equations: $-f_{26}(q) = \sum_{n=0}^{25} q^{\binom{n}{2}} / (-q;q)_n$ $-\phi_{26}(q) = \sum_{n=0}^{25} q^{\binom{n}{2}} / (-q^2;q^2)_n$ $-\psi_{26}(q) = \sum_{n=1}^{26} q^{\binom{n}{2}} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
ramanujan_pi_uqff.py	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
mock_theta_pi_wstp_kernel.py	Symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$ where $W_{26}(n) = \prod_{i=1}^{26} [1 + [SSq] \exp(-\kappa_i n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_Scm	0.99	SCm manifold completeness
rho_Scm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_Scm	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in CondensedPhysics.py, CondensedPhysics2.py, MAIN_1_CoAnQi.cpp, and Wolfram kernels (uqff_kozima_kernel.wl, uqff_s26_kernel.wl, uqff_mock_theta_pi_kernel.wl).