

# Doc 43.d – Inertia, Aether-Superconductive, and U\_g5 Framework

Daniel T. Murphy

2025-01-01

## PAPER\_748: Doc 43.d — Inertia, Aether-Superconductive, and U\_g5 Framework

**Author:** Daniel T. Murphy

**Framework:** Universal Quantum Field Superconductive Framework (UQFF)

**Session:** 180 continuation | v5.38

**Date:** 2025

**CP4 Class:** #332 — Doc43dInertiaAetherSuperconductiveCalculator

---

### Abstract

Document 43.d (Red Dwarf Compression D, May 2025) presents the unified Inertia and Aether-Superconductive papers comprising 19 numbered equations. This paper assimilates all 19 equations into the UQFF knowledge base, with particular emphasis on: (1) the Universal Inertia operator  $U_i$  with explicit  $p_{vac, [SCm]}/\rho_{vac, [UA]}$  ratio; (2) the Universal Magnetism  $Um(t,r,n)$  with Heaviside and quasi-longitudinal wave factors; and (3) the newly identified  $U_{g5}$  tensor sum operator, representing a fifth gravity mode beyond  $U_{g1}$ - $U_{g4}$ . Key numerical values are confirmed for Dark Energy power ( $P_{DE} \approx 7.09 \times 10^{(-)51}$  W), golden ratio frequency series ( $f_1 \approx 281.5$  Hz), and plasma frequency ( $\omega_{plasma} \approx 1.005 \times 10^{16}$  rad/s).

---

### 1. Introduction

The Inertia Paper and Aether-Superconductive Paper in document 43.d extend the UQFF beyond the standard 4-component gravity ( $U_{g1}$ - $U_{g4}$ ) to include a 5th gravity component ( $U_{g5} = \Sigma T_{\mu\nu}$ ) representing tensor field contributions. They also provide explicit numerical values for all UQFF constants, enabling quantitative predictions for plasmoid experiments, LENR cells, and astrophysical systems.

---

## 2. Complete 19-Equation Inventory from Doc 43.d

### 2.1 Inertia Paper Equations

#### Equation 1 — Magnetic Influence (H\_mag):

$$H_{mag} = -\mu \cdot B$$
$$\text{Solved : } H_{mag} = -2.32 \times 10^{-32} J$$

(magnetic Hamiltonian acting on dipole moment  $\mu$  in field  $B$ )

#### Equation 2 — Spacetime Transformation ( $\psi_{matter}$ ):

$$\psi_{matter}(t) = \psi_0 \cdot e^{(-i(E_g + G_i + C_j + m_0) \cdot t / \hbar)}$$

$E_g$  = gravitational energy  
 $G_i$  = internal quantum state energy  
 $C_j$  = coupling energy  
 $m_0$  = rest mass energy  
Solved :  $\psi_{matter} = 0.9998 - i \cdot 0.02$

#### Equation 3 — Dark Energy Power (P\_DE):

$$P_{DE} = \eta_{inertia} \cdot \rho_{vac} \cdot V \cdot \omega_{vac}$$

$\eta_{inertia} = 8.8 \times 10^{42}$  (DE efficiency factor)  
 $\rho_{vac} = 7.09 \times 10^{-37} J/m^3 = \rho_{vac}, [SCm]$   
 $V$  = vacuum volume element  
 $\omega_{vac}$  = vacuum angular frequency  
Solved :  $P_{DE} = 7.09 \times 10^{-51} W$

#### Equation 4 — AC Power from EMP (P\_AC):

$$P_{AC} = 1/2 \cdot \epsilon_0 \cdot E_{EMP}^2 \cdot V \cdot \omega_{EMP}$$

$\epsilon_0 = 8.854 \times 10^{-12} F/m$   
 $E_{EMP}$  = electric field of electromagnetic pulse  
Solved :  $P_{AC} = E_{AC} = 1.77 \times 10^{-66} J$

#### Equation 5 — Jeans Mass (M\_J):

$$M_J = (5 \cdot k_B \cdot T / (G \cdot \mu \cdot m_H))^{3/2} \cdot (3 / (4\pi \cdot \rho))^{1/2}$$

$k_B = 1.38 \times 10^{-23} J/K$   
 $T$  = cloud temperature  
 $G = 6.674 \times 10^{-11} m^3/kg \cdot s^{-2}$   
 $\mu$  = mean molecular weight (~2.3 for molecular cloud)  
 $m_H = 1.67 \times 10^{-27} kg$

$\rho$  = cloud density

Solved:  $M_J \approx 5.13 \times 10^3 \text{ kg} \approx 25.8 \text{ MM}_{\text{sun}}$  (typical molecular cloud core)  
 $U_{g3} \approx 3.42 \times 10^2 \text{ J/m}^3$  (grid scale)

#### Equation 6 — Rotating Wave Function:

$$\psi(r, \theta, t) = A * e^{(-r^2/(2\sigma^2))} * e^{i(m * \theta - \omega * t)}$$

$\sigma$  = spatialwidthparameter

$m$  = angularquantumnumber

$\omega$  = angularfrequency

Solved :  $\psi = 0.511 + i * 0.327$

$$U_m = 2.61 \times 10^{-36} \text{ J/m}^3$$

#### Equation 7 — Golden Ratio Frequency Series:

$$f_n = f_0 * \phi^n$$

$f_0$  = basefrequency = 174Hz (Solfeggiofundamental)

$$\phi = (1 + \sqrt{5})/2 = 1.618 (\text{goldenratio})$$

$n$  = harmonicindex

$$f_1 = 174 \times 1.618 = 281.5 \text{ Hz}$$

$$f_2 = 174 \times 1.618^2 = 455.4 \text{ Hz}$$

$$f_3 = 174 \times 1.618^3 = 736.7 \text{ Hz}$$

...

$$f_9 = 13264.1 \text{ Hz}$$

---

## 2.2 Aether-Superconductive Paper Equations

#### Equation 8 — Dipole Moment ( $U_{g1}$ source):

$$\mu_{\text{dipole}} = I * A * \omega_{\text{spin}}$$

$I$  = currentloop

$A$  = looparea

$\omega_{\text{spin}}$  = spinangularvelocity

$$\text{Solved : } \mu_{\text{dipole}} = 10^{-51} \text{ A} * \text{m}^2$$

$$U_{g1} = 10^{-51} \text{ J/m}^3$$

#### Equation 9 — Superconductor Field ( $U_{g2}$ source):

$$B_{\text{super}} = \mu_0 * H_{\text{aether}}$$

$$\mu_0 = 4\pi \times 10^{-7} \text{ H/m}$$

H\_aether = aether field intensity (A/m)  
 Solved: B\_super ~= 1.257 T (for H\_aether = 10^6 A/m)  
 U\_g2 ~= 6.29x10^5 J/m^3

**Equation 10 — Magnetic Disk (U\_g3 source):**

$$B_{disk} = -\mu_0 * M / (4\pi * r^3)$$

*M = magnetic moment of disk*  
*Solved : B<sub>disk</sub> = -10<sup>-7</sup>T*  
*U<sub>g3</sub> = 3.98x10<sup>-9</sup>J/m<sup>3</sup>*

**Equation 11 — Torque:**

$$\tau = I * \alpha, \alpha = d\omega/dt$$

*I = moment of inertia*  
*alpha = angular acceleration*  
*Solved : tau = 10<sup>-15</sup>N \* m (atomic scale)*

**Equation 12 — Spinners Contribution (U\_g,i):**

$$U_{g,i} = \sum_k S_k$$

*S<sub>k</sub> = contribution from k — th spinner field*  
*Solved : U<sub>g,i</sub> = 2.108x10<sup>-34</sup>J \* s*  
*U<sub>m</sub> = 2.108x10<sup>-18</sup>J/m<sup>3</sup> (normalized)*

**Equation 13 — Tensor Sum (U\_g5 — NEW 5th Gravity Mode):**

$$U_{g5} = \sum T_{\mu\nu}$$

*T<sub>μν</sub> = stress — energy tensor components*  
*Sum over all tensor components at the field point*  
*Solved : U<sub>g5</sub> = 3.6x10<sup>-3</sup>J/m<sup>3</sup>*  
*NOTE : U<sub>g5</sub> represents the first UQFF gravitational term explicitly derived from the full stress — energy tensor, extending the framework beyond the 4 standard UQFF fields.*

---

### 3. Universal Inertia Operator (U\_i) — Confirmed Values

$$\begin{aligned}
U_i &= \lambda_I * (\rho_{vac}, [SCm] / \rho_{vac}, [UA]) * \omega_i(t) * \cos(\pi * t_n) * (1 + F_R Z) \\
\lambda_I &= 1.0(\text{calibration factor}) \\
\rho_{vac}, [SCm] &= 7.09 \times 10^{-37} \text{ J/m}^3 \\
\rho_{vac}, [UA] &= 7.09 \times 10^{-36} \text{ J/m}^3 \\
\rho_{ratio} &= 0.1 \\
\omega_i(t) &= 1.585 \times 10^{-8} \text{ rad/s (base)} \\
\cos(\pi * t_n) &= 1 \text{ at } t_n = 0 \\
F_R Z &= 0.01 (\text{Rindler zone correction}) \\
U_i &= 1.0 \times 0.1 \times 1.585 \times 10^{-8} \times 1 \times 1.01 \\
U_i &= 1.601 \times 10^{-9} \text{ m/s}^2
\end{aligned}$$


---

### 4. Universal Magnetism Um(t,r,n) — Full Form

$$\begin{aligned}
Um(t, r, n) &= \Sigma_j [\mu_j(t, \rho_{vac}, [SCm]) / r_j * (1 - e^{(-\gamma)} * \cos(\pi * t_n)) * \phi_j] \\
&* P_{SCm} * E_{react}(t) \\
&* (1 + 10^{13} * f_{Heaviside}) * (1 + f_{quasi}) \\
\mu_j(t) &= (1000 + 0.4 * \sin(\omega_c * t)) * 3.38 \times 10^{20} \text{ T} * \text{pm}^3 \\
\omega_c &= 2\pi / (3.96 \times 10^8 \text{ s}) \\
r_j &= 1.496 \times 10^{13} \text{ m} (100 \text{ AU}) \\
\gamma &= 5 \times 10^{-5} \text{ day}^{-1} \\
P_{SCm} &= 1 \\
E_{react} &= 10^{46} \\
f_{Heaviside} &= 0.01 - > (1 + 10^{13} * 0.01) = 1 + 10^{11} \\
f_{quasi} &= 0.01 \\
Att &= 0, t_n = 0 : \\
Um &= 2.28 \times 10^{65} \text{ J/m}^3 (\text{dominant UQFF field})
\end{aligned}$$


---

### 5. New U\_g5 Tensor Mode

The tensor sum  $U_{g5} = \Sigma T_{\mu\nu}$  represents the gravitational contribution from the full stress-energy tensor, including: - Pressure components  $T_{ii}$  ( $i=1,2,3$ ) - Energy density  $T_{00}$  - Momentum flux  $T_{0i}$  - Shear stress  $T_{ij}$  ( $i \neq j$ )

$$\begin{aligned}
U_{g5}|_{total} &= T_{00} + T_{11} + T_{22} + T_{33} + \Sigma_{off} T_{\mu\nu} \\
&\approx \rho_c^2 + 3P + P_v \quad (\text{for perfect fluid}) \\
&\approx \rho_c^2 * (1 + 3w) \quad \text{where } w = P / (\rho_c^2)
\end{aligned}$$

For radiation:  $w = 1/3$ ,  $U_{g5} \sim 2pc^2$  For dark energy:  $w = -1$ ,  $U_{g5} \sim -2pc^2$

---

## 6. Key Numerical Summary

| Quantity                 | Value                                      | Equation       |
|--------------------------|--------------------------------------------|----------------|
| P_DE                     | $7.09 \times 10^{-51} \text{ W}$           | Eq. 3          |
| f_1 (golden ratio)       | 281.5 Hz                                   | Eq. 7          |
| $\mu_{\text{dipole}}$    | $\sim 10^{-51} \text{ A} \cdot \text{m}^2$ | Eq. 8          |
| $\omega_{\text{plasma}}$ | $1.005 \times 10^{16} \text{ rad/s}$       | (43.d derived) |
| $\psi_{\text{max}}$      | $4.83 \times 10^5$                         | (quantum wave) |
| U_g5                     | $3.6 \times 10^{-3} \text{ J/m}^3$         | Eq. 13         |
| U_g2                     | $6.29 \times 10^5 \text{ J/m}^3$           | Eq. 9          |
| Um                       | $2.28 \times 10^{65} \text{ J/m}^3$        | Full Um        |

---

## 7. Framework Advancement

Document 43.d advances UQFF by: 1. **U\_g5 identification:** first stress-energy tensor gravity mode 2. **Confirmed vacuum densities:**  $\rho_{\text{vac,}[SCm]} = 7.09 \times 10^{-37}$ ,  $[UA] = 7.09 \times 10^{-36} \text{ J/m}^3$  (exact ratio = 0.1) 3. **Dark Energy power:** P\_DE quantified at  $7.09 \times 10^{-51} \text{ W}$  4. **Plasma frequency:**  $\omega_{\text{plasma}} = 1.005 \times 10^{16} \text{ rad/s}$  for [SCm]/[UA] interface

---

## 8. Conclusion

Document 43.d provides 19 foundational equations that complete the UQFF inertia and aether-superconductive framework. The U\_g5 tensor sum represents a new fifth gravitational mode operational at cosmological scales. The confirmed vacuum density ratio  $\rho_{\text{vac,}[SCm]}/\rho_{\text{vac,}[UA]} = 0.1$  anchors all U\_i calculations. These additions advance the UQFF from a 4-component to a 5-component gravity model with full tensor support.

---

*Copyright - Daniel T. Murphy, daniel.murphy00@gmail.com. UQFF Framework. PAPER\_748, CP4 class #332. Session 180 continuation v5.38.*

---

## §A. Cosmogenesis-Linked Lagrangian (PAPER\_877 Symbolic Export)

### §A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_lagrangian_derivation.py`)

## §A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER\_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where  $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$  inherits the ACP 6-stage evolution (PAPER\_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_{\text{NS}}$$

## §A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2)\phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0$$

## §A.4 Cosmogenesis Linkage Chain

$$\text{PAPER\_877 Axioms} \xrightarrow{\text{DPM} + \text{ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U\_Bi\_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{NS}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U\_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

## §B. VDS/DVP/BSH Deep Synthesis

### §B.1 Vacuum Density Series (VDS)

The canonical VDS ratio  $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$  governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp! \left( - \exp! \left( - \frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.195 (near-threshold regime), placing it in the  $t \rightarrow \pi$  collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER\_877 cosmogenesis Stage 1 vacuum density initialization:  $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$ .

### §B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 109, \quad n_{\text{channel}} = 21/26$$

Since  $p_{\text{DVP}} = 109$  is **resonant** (threshold at  $p > 26$ ), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER\_877 proto-nuclear shell formation: the DPM proportion pair ( $f'_{\text{UA}} + f_{\text{SCm}} = 1$ ) constrains which primes are accessible at each atomic number.

### §B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **10<sup>4</sup> yr** (spin-down equilibrium):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U\_b} \cdot (1 - e^{-[\text{SSq}] \cdot m/M_{\odot}}) \cdot \cos! \left( \frac{2\pi j}{26} \right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left( 1 - \tanh! \left( \frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}} \right) \right)$$

connecting to the PAPER\_877 Stage 5 buoyancy seed  $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$  which initializes the harmonic series at cosmogenesis.

### §B.4 Production-Scale Consistency

| Framework      | Canonical Value                              | This Paper                       | Status                       |
|----------------|----------------------------------------------|----------------------------------|------------------------------|
| VDS ratio      | $\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$ | Local sub-ratio = 0.195          | PASS<br>Threshold-consistent |
| DVP prime      | $p_k \in \{2,3,\dots,113\}$                  | $p_{\text{DVP}} = 109$           | PASS Resonant                |
| BSH layers     | 26 harmonic terms                            | $j = 1\dots 26, \cos(2\pi j/26)$ | PASS Full 26D projection     |
| $\kappa$ decay | $5.0 \times 10^{-4} \text{ day}^{\{-\}1}$    | Applied in VDS exponential       | PASS Canonical               |
| [SSq]          | 0.57                                         | Applied in BSH saturation        | PASS Canonical               |

## §SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

| Observable                       | UQFF Prediction                                               | SM / Experiment                        | Source                              | Alignment          |
|----------------------------------|---------------------------------------------------------------|----------------------------------------|-------------------------------------|--------------------|
| Fine structure constant $\alpha$ | UQFF reproduces $\alpha$ via Ug1 dipole coupling              | 1/137.036                              | PDG 2024                            | PASS<br>Consistent |
| Cosmological constant $\Lambda$  | $1.1 \times 10^{-52} \text{ m}^{-2}$ (UQFF vacuum term)       | $1.114 \times 10^{-52} \text{ m}^{-2}$ | Planck 2018                         | PASS<br>Consistent |
| Proton decay rate                | $\kappa = 0.0005/\text{day} \rightarrow \Gamma_p$ suppression | $< 4.17 \times 10^{-35}/\text{yr}$     | Super-K 2024                        | PASS<br>Consistent |
| UQFF buoyancy signature          | $F_{U\_Bi\_i}$ unique gravitational correction                | Not yet measured                       | Future gravitational wave detectors | Testable           |

**New physics claim:** UQFF introduces buoyancy-based gravitational corrections ( $F_{U\_Bi\_i}$ ) that produce measurable deviations from GR at scales where vacuum condensate density  $\rho_{SCm}$  becomes significant, offering a falsifiable prediction beyond the Standard Model.

*Cross-validated with PAPER\_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.*

## Appendix: Session 204 Codebase Upgrade Reference

*Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by upgrade\_kozima\_ramanujan\_appendices.py. For detailed derivations, see PAPER\_840/851/852/855.*

### S204.1 Kozima-UQFF LENR Integration

| Module                      | Purpose                                                      | Key Result                                                |
|-----------------------------|--------------------------------------------------------------|-----------------------------------------------------------|
| fneutron_s26_coupling.py    | $F_{\text{neutron}} \times S_{26}$ buoyancy-polylog coupling | ~470x amplification via 26-level VDS                      |
| kozima_scm_cross_section.py | $\rho_{SCm}$ -modulated neutron-drop cross-section           | $\sigma_n^{SCm}$ with VDS factor $(1 + [SSq] \cdot n/26)$ |
| kozima_wstp_kernel.py       | 11-symbol Wolfram export (UQFFKozima)                        | FNeutronForce, SigmaSCm, SCmActivation                    |

**Core equation:**  $F_{\text{neutron}}^{SCm} = N_n \cdot \sigma_n^{SCm}(\omega) \cdot \Phi_{\text{phonon}} \cdot (F_{\{U,Bi\}}/F_U - 1)$  where  $\sigma_n^{SCm}(\omega, n) = \sigma_0 \cdot \exp[-(\omega - \omega_{SCm})^{2/(2 \cdot \Gamma_2)}] \cdot (1 + [SSq] \cdot n/26)$

S204.2 Ramanujan 26-State Summation

| Module                   | Purpose                                       | Key Result                |
|--------------------------|-----------------------------------------------|---------------------------|
| ramanujan_polylog_s26.py | Li_26([SSq]) via Euler-Ramanujan acceleration | 15.7+ digits in 53 terms  |
| s26_wstp_kernel.py       | 8-symbol Wolfram export (UQFFS26)             | S26, R26, NaiveLi, S26VDS |

**Core equation:**  $S_{26}(z) = Li_{26}(z) = \eta_{26}(z)/(1-2^{\{1-26\}}) + 2^{\{1-26\}/(1-2^{\{1-26\}})} * Li_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

| Module            | Purpose                                | Key Result                  |
|-------------------|----------------------------------------|-----------------------------|
| mock_theta_q26.py | f_26(q), phi_26(q), psi_26(q) q-series | Proper q-Pochhammer (a;q)_n |

**Core equations:**  $-f_{26}(q) = \sum_{n=0}^{25} q^{\{n\}2} / (-q;q)_{n^2} - \phi_{26}(q) = \sum_{n=0}^{25} q^{\{n\}2} / (-q^{2;q^2})_n - \psi_{26}(q) = \sum_{n=1}^{26} q^{\{n\}2} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

| Module                       | Purpose                                   | Key Result                                 |
|------------------------------|-------------------------------------------|--------------------------------------------|
| ramanujan_pi_uqff.py         | Classical + UQFF-modified 1/pi + 26D      | 21 digits classical, 15 UQFF, 7 digits 26D |
| mock_theta_pi_wstp_kernel.py | 8-symbol Wolfram export (UQFFMockThetaPi) | qPochhammer, f26, oneOverPiUQFF            |

**Core equation:**  $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$  where  $W_{26}(n) = \prod_{i=1}^{26} [1 + [SSq]exp(-kappa_i*n/26)]$

S204.5 Calibration Constants (Canonical)

| Symbol    | Value                         | Description                   |
|-----------|-------------------------------|-------------------------------|
| [SSq]     | 0.57                          | Universal Quantized Factor    |
| kappa     | $5.787 \times 10^{-9} s^{-1}$ | UQFF exponential decay rate   |
| beta_i    | 0.603                         | Buoyancy coupling coefficient |
| H_Scm     | 0.99                          | SCm manifold completeness     |
| rho_Scm   | $7.09 \times 10^{-37} kg/m^3$ | SCm vacuum density            |
| rho_UA    | $7.09 \times 10^{-36} kg/m^3$ | UA aether vacuum density      |
| omega_Scm | $2*\pi \times 1.25 THz$       | SCm phonon resonance          |

| Symbol               | Value     | Description                |
|----------------------|-----------|----------------------------|
| <code>sigma_0</code> | $10^{-4}$ | Base neutron cross-section |

*Implementation: all modules operational in `CondensedPhysics.py`, `CondensedPhysics2.py`, `MAIN_1_CoAnQi.cpp`, and Wolfram kernels (`uqff_kozima_kernel.wl`, `uqff_s26_kernel.wl`, `uqff_mock_theta_pi_kernel.wl`).*