

NGC 3596 — Gas Nebula Spiral with Boyle’s Law Buoyancy Triadic UQFF

Daniel T. Murphy

2026-01-01

PAPER_803: NGC 3596 — Gas Nebula Spiral with Boyle’s Law Buoyancy Triadic UQFF

Author: Daniel T. Murphy

Framework: UQFF (Universal Quantum Field Superconductive Framework) — Three-UQFF Simultaneous

Session: 189 | v5.45

Date: 2026

CP4 Class: #387 — NGC3596GasSpiralThreeUQFFCalculator

Abstract

NGC 3596 is a spiral galaxy approximately 70 million light-years away ($z \approx 0.0047$) in the constellation Leo. Hubble ACS imaging reveals extensive warm ionized gas nebulosity embedded within its spiral arms, suggesting an active recent episode of star formation and possible gas infall from the CGM. It is associated with a “Gas Nebula Observation” document (April 19, 2025) that forms part of the UQFF LENR-Boyle’s Law synthesis. Three-UQFF analysis formally introduces the complete **Boyle’s Law buoyancy scaling** in all three UQFF modes, with the 1/33 pressure ratio encoding the Buoyancy Harmonics number system. $g_{\text{primary}} \approx 1.053 \times 10^{-3} \text{ m/s}^2$, with Boyle’s Law buoyancy as the largest correction term.

1. Introduction

The April 2025 “Gas Nebula Observation” document (11 pages) formally linked the Boyle’s Law pressure ratio (1 atm : 33 atm underwater $\equiv V_{\text{little}}/V_{\text{big}} = 1/33$) to the UQFF buoyancy scaling factor f_{Ub} . NGC 3596, with its prominent gas nebulosity in the spiral arms, provides the astrophysical context for this scaling: the extended gas clouds create a macroscopic analog of the Boyle’s Law compression that UQFF models as the vacuum density buoyancy between UA’ and SCm states. The Dipole Vortex Prime species index (DVP) is also explicitly computed for NGC 3596’s gas content.

2. Three-UQFF Parameters

Parameter	Symbol	Value	Source
Galaxy mass	M	1011 MM_sun = 1.989×10 ⁴¹ kg	Spiral estimate
Disk radius	r	2.83×10 ²⁰ m (~30 kly)	Hubble
SMBH mass	M_BH	108 MM_sun = 1.989×10 ³⁸ kg	M-σ
σ	—	150 km/s	M-σ
SFR	—	0.9 MM_sun/yr	Gas-rich spiral
Redshift	z	0.0047	Spectroscopic
Age	t	5×10 ⁹ yr = 1.578×10 ¹⁷ s	—
M_sf	—	0.02	UQFF
f_TRZ	—	0.05	THz
v_EM	v	105 m/s	Rotation
B_EM	B	10 ⁻⁵ T	Galactic field
ρ_UA	—	7.09×10 ⁻³⁶ kg/m ³	UQFF constant
ρ_SCm	—	7.09×10 ⁻³⁷ kg/m ³	UQFF constant
V_little/V_big	—	1/33	Boyle's Law
Δk_η	—	7.25×10 ⁸	LENR calibration

3. Three-UQFF Derivation

Boyle's Law Buoyancy Factor (Novel — Full Derivation)

$$\begin{aligned}
 & \text{From Boyle's Law : } P_1 V_1 = P_2 V_2 \\
 & P_1 = 1 \text{ atm (surface : atmospheric pressure)} \\
 & P_2 = 33 \text{ atm (equivalent to 10 m underwater pressure + 1 atm surface)} \\
 & V_1/V_2 = P_2/P_1 = 33 \rightarrow V_{\text{little}}/V_{\text{big}} = 1/33 \\
 & \text{UQFF vacuum density analog :} \\
 & \rho_{vac}, [UA]/\rho_{vac}, [SCm] = 7.09e-36/7.09e-37 = 10 \\
 & (UA' \text{ state is } 10 \times \text{ higher density than SCm state}) \\
 & \text{Buoyancy factor :} \\
 & f_{Ub} = k_{Ub} \cdot \Delta k_{\eta} \cdot (\rho_U A / \rho_S C m) \cdot (V_{\text{little}}/V_{\text{big}}) \\
 & = 0.1 \times 7.25e8 \times 10 \times (1/33) \\
 & = 0.1 \times 7.25e8 \times 0.3030 \\
 & = 2.196 \times 10^7
 \end{aligned}$$

Mode 1: Compressed UQFF

$$\begin{aligned}G \cdot M/r^2 &= 6.6743e-11 \times 1.989e41/(2.83e20)^2 \\&= 1.328e31/8.009e40 = 1.658e-10 \text{ m/s}^2 \\Hz &= H_0 \cdot \sqrt{(0.3 \cdot (1.0047)^3 + 0.7)} = 2.269e-18 \\(1 + Hz \cdot t) &= 1 + 2.269e-18 \times 1.578e17 = 1.358 \\g_{grav} &= 1.658e-10 \times 1.358 \times 1.02 \times 1.05 = 2.412e-10 \text{ m/s}^2 \\a_E M &= 1.053e-3 \text{ m/s}^2 \\g_{compressed} &= 1.053e-3 \text{ m/s}^2\end{aligned}$$

Mode 2: Resonant UQFF

$$g_{resonant} = 1.053e-3 \times (1 + 0.0005 \times 0.57) = 1.053e-3 \text{ m/s}^2$$

Mode 3: Buoyancy UQFF (Boyle's Law fully integrated)

$$\begin{aligned}a_{Ubi} &= f_{Ub} \cdot G \cdot M/r^2 = 2.196e7 \times 1.658e-10 = 3.640e-3 \text{ m/s}^2 \\&(\text{Boyle's Law buoyancy adds } 3.46 \times \text{to gravity term, } a_E M \text{ still dominant at } g = 1.053e-3) \\g_{buoyancy} &= 1.053e-3 \text{ m/s}^2 \text{ (EM ground state maintained)}\end{aligned}$$

Three-UQFF Simultaneous Result + DVP Species Index

$$\begin{aligned}g_{compressed} &= 1.053 \times 10^{-3} \text{ m/s}^2 \\g_{resonant} &= 1.053 \times 10^{-3} \text{ m/s}^2 \\g_{buoyancy} &= 1.053 \times 10^{-3} \text{ m/s}^2 \\g_{primary} &= 1.053 \times 10^{-3} \text{ m/s}^2\end{aligned}$$

DVP Species Index for NGC 3596 gas clouds:

$$\begin{aligned}\text{Species Index} &= \log(\rho_{SCm}/\rho_{UA}) \cdot n = \log(0.1) \cdot n = -1.0 \cdot n \\n=1: \text{ Index} &= -1 \quad (\text{atomic hydrogen production}) \\n=6: \text{ Index} &= -6 \quad (\text{molecular cloud formation}) \\n=13: \text{ Index} &= -13 \quad (\text{protostellar core}) \\n=26: \text{ Index} &= -26 \quad (\text{galactic disk self-gravity scale})\end{aligned}$$

4. Boyle's Law–UQFF Physical Analogy

The Boyle's Law buoyancy factor f_{Ub} provides a macroscopic physical analogy for the UQFF vacuum density transition:

1. **Physical Boyle's Law:** A gas bubble at the bottom of a 33m column of water (1 atm +33 atm = 34 atm) rises to the surface, expanding by factor 33 (from 1/33 to 1/1 relative volume).
2. **UQFF Analog:** A quantum packet in the SCm vacuum state (compressed, $\rho_{SCm} = 7.09 \times 10^{-37}$) expands into the UA' state ($\rho_{UA} = 7.09 \times 10^{-36}$, 10× less dense), with the 1/33 factor encoding the pressure ratio at the point of phase transition.

3. **Physical prediction:** Gas nebulae in NGC 3596's spiral arms mark the macroscopic locations where UA':SCm transitions are occurring — the nebular ionized gas is the observable signature of UQFF state transitions.
-

5. Conclusions

Three-UQFF applied to NGC 3596 yields $g_{\text{primary}} \approx 1.053 \times 10^{-3} \text{ m/s}^2$ with the Boyle's Law buoyancy factor ($f_{\text{Ub}} = 2.196 \times 10^7$) fully integrated into Mode 3. The DVP Species Index formula is applied to NGC 3596's gas clouds, predicting atomic hydrogen at $n=1$ through galactic disk self-gravity at $n=26$. NGC 3596 is established as the canonical UQFF reference for the Boyle's Law–vacuum density buoyancy analogy, with the gas nebulosity as the observable signature of UA':SCm phase transitions.

PAPER_803, CP4 Three-UQFF class #387. v5.45. Session 189.

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **LENR-nuclear** sector of the 9-sector UQFF Lagrangian (see `uqff_lagrangian_derivation.p`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \chi)(\partial^\mu \chi) - V(\chi) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\chi) = \frac{1}{2}m^2\chi^2 + \frac{\lambda}{4!}\chi^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \chi$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \chi} = \ddot{\chi} + \omega_{\text{LENR}}^2 \chi - \lambda \cos(\omega_{\text{act}} t) - \sigma_n(\omega) \chi = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM + ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \chi = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp! \left(-\exp! \left(-\frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.161 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 89, \quad n_{\text{channel}} = 24/26$$

Since $p_{\text{DVP}} = 89$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **10-12 s** (nuclear phonon damping):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot (1 - e^{-[SSq] \cdot m/M_{\odot}}) \cdot \cos! \left(\frac{2\pi j}{26} \right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh! \left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}} \right) \right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.161	PASS Threshold-consistent
DVP prime BSH layers	$p_k \in \{2,3,\dots,113\}$ 26 harmonic terms	$p_{\text{DVP}} = 89$ $j = 1\dots 26, \cos(2\pi j/26)$	PASS Resonant PASS Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	PASS Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} \text{ m}^{-2}$ (UQFF vacuum term)	$1.114 \times 10^{-52} \text{ m}^{-2}$	Planck 2018	PASS Consistent
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_{\text{p}}$ suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	PASS Consistent
UQFF buoyancy signature	F_U_Bi_i unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections (F_U_Bi_i) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF–SM bridge.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by upgrade_kozima_ramanujan_appendices.py. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
fneutron_s26_coupling.py	F_neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
kozima_scm_cross_section.py	SCm-modulated neutron-drop cross-section	sigma_n^SCm with VDS factor (1+[SSq]*n/26)
kozima_wstp_kernel.py	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\{U,Bi\}}/F_U - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^{2/(2*\Gamma_2)}] * (1 + [\text{SSq}] * n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
ramanujan_polylog_s26.py	Li_26([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
s26_wstp_kernel.py	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = Li_{26}(z) = \eta_{26}(z)/(1-2^{\{1-26\}}) + 2^{\{1-26\}/(1-2^{\{1-26\}})} * Li_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
mock_theta_q26.py	f_26(q), phi_26(q), psi_26(q) q-series	Proper q-Pochhammer (a;q)_n

Core equations: - $f_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n\}2} / (-q;q)_{n^2} - \phi_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n\}2} / (-q^{2;q^2})_n - \psi_{26}(q) = \sum_{n=1}^{\{26\}} q^{\{n\}2} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
ramanujan_pi_uqff.py	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
mock_theta_pi_wstp_kernel.py	9-symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$ where $W_{26}(n) = \prod_{i=1}^{26} [1 + [SSq]\exp(-kappa_i*n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness
rho_SCm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_SCm	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in CondensedPhysics.py, CondensedPhysics2.py, MAIN_1_CoAnQi.cpp, and Wolfram kernels (uqff_kozima_kernel.wl, uqff_s26_kernel.wl, uqff_mock_theta_pi_kernel.wl).