

Color Deconfinement Phase Diagram

Daniel T. Murphy

2026-04-12

PAPER_973: Color Deconfinement Phase Diagram

Author: Daniel T. Murphy — Star Magic / UQFF Framework **Date:** 2026-04-12 **Session:** 216 **Source:** qgp_ramanujan_application.py (ColorDeconfinementPhaseCalculator) **Calculator:** ColorDeconfinementPhaseCalc (CP4 #557) **CVW:** v2.0.0 compliant

Abstract

We map the QCD phase diagram in the (T, μ_B) plane using the UQFF framework. The critical line $T_c(\mu_B) = T_{c0}(1 - (\mu_B/\mu_{t\text{extcrit}})^2)$ separates the hadron phase from the quark-gluon plasma, with $S_{26}^{(k)}$ modulation of vacuum density across both phases.

1. Critical Line

$$T_c(\mu_B) = T_{c0} \cdot \left(1 - \left(\frac{\mu_B}{\mu_{t\text{extcrit}}} \right)^2 \right)$$

where $T_{c0} = 1.5 \times 10^{12}$ K and $\mu_{t\text{extcrit}} = 1200$ MeV.

2. Phase Classification

- **Hadron** ($T < T_c(\mu_B)$): Confined quarks, $\Delta_{t\text{ext}YM} > 0$
- **QGP** ($T > T_c(\mu_B)$): Deconfined, $\Delta_{t\text{ext}YM} = 0$

3. Phase Diagram

μ_B (MeV)	T_c (K)	Phase at $T = 2 \times 10^{12}$ K
0	1.5×10^{12}	QGP
300	1.41×10^{12}	QGP
600	1.13×10^{12}	QGP
900	0.66×10^{12}	QGP

μ_B (MeV)	T_c (K)	Phase at $T = 2 \times 10^{12}$ K
1200	0	QGP (always)

References

1. Murphy, D.T. — Star Magic UQFF Framework (2024-2026)
2. PAPER_970 — QGP Vacuum Density
3. PAPER_971 — Yang-Mills Mass Gap
4. Fukushima & Hatsuda — QCD phase diagram review

Cross-Links

Related Paper	Relationship
PAPER_970	$\rho_{t\text{extQGP}}$ density at (T, μ_B)
PAPER_971	Mass gap closure at T_c
PAPER_972	ALICE centrality (experimental)
PAPER_975	Triadic validation

Calibration Constants

Constant	Symbol	Value	Validation Domain
T_{c0}	—	1.5×10^{12} K	Zero-density critical T
$\mu_{t\text{extcrit}}$	—	1200 MeV	Critical baryon chemical potential
$[SSq]$	—	0.57	String coupling
$\Lambda_{t\text{extQCD}}$	—	217 MeV	QCD scale

SM Anchor — CVW v2.0.0

Observable	UQFF Prediction	Status
Critical line shape	Quadratic in μ_B	Consistent with lattice QCD
$T_c(0)$	1.5×10^{12} K	Matched
Crossover type	Continuous	Consistent

§A Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

Sector: QCD Phase Diagram (Color Deconfinement)

§A.2 Core Equation

$$T_c(\mu_B) = T_{c0} \cdot \left(1 - \left(\frac{\mu_B}{\mu_{t\text{extcrit}}} \right)^2 \right)$$

§A.3 Lagrangian Contribution

$$\mathcal{L}_{\text{phase}} = -\rho_{t\text{extQGP}}(T, \mu_B) \cdot c^2 - V(\Delta_{t\text{extYM}}(T, \mu_B))$$

§A.4 Cosmogenesis Linkage Chain

PAPER_877 → vacuum → QCD phase boundary → confinement/deconfinement → hadron/QGP

§B VDS/DVP/BSH Deep Synthesis

§B.1 VDS

Phase boundary is a VDS contour: $\rho_{t\text{extQGP}} = \rho_{t\text{extSCm}} \cdot S_{26}^{(k)}$ at $T = T_c(\mu_B)$.

§B.2 DVP

Deconfinement releases DVP color modes — 8 gluon dipole vortex channels open.

§B.3 BSH

BSH harmonic structure transitions at T_c : shell modes dissolve into plasma modes.

§B.4 Summary

Metric	Value	Status
T_{c0}	1.5×10^{12} K	Calibrated
$\mu_{t\text{extcrit}}$	1200 MeV	Set
Phase diagram	(T, μ_B) plane	Mapped