

PAPER_336 — g_Compressed Complete All-Forces Equation and R(t) 26-Component 4-Subterm Resonant Decomposition

Whitepaper Series: Star-Magic UQFF Phase 2

Session: 95

Source: gok_share_31b5c807a4.txt (Deep Re-Analysis, Nine-System September 2025 Documents)

Classification: FIRST g_Compressed complete all-forces form with (M_vis+M_DM) perturbation and fluid buoyancy; FIRST R(t) 4-subterm per state explicit decomposition

Author: Daniel T. Murphy

$$F_U(r, t) = \sum_{i=1}^4 U_{gi} + U_m + U_A - U_{bi}, \quad \kappa = 5.0 \times 10^{-4} \text{ day}^{-1}, \quad [SSq] = 0.57$$

$$g_{\text{UQFF}}(r) = g_{\text{MUGE}}(r) \cdot \left(1 - [SSq] \cdot U_{bi} / F_U(r, t)\right), \quad [SSq] = 0.57$$

Abstract

This paper presents two companion equations from the nine-system September 2025 document assimilation: (1) g_Compressed in its complete all-forces form including the (M_vis+M_DM)(d²/dt² + 3GM/r³) dark matter perturbation term, the $\rho_{\text{fluid}} \cdot V \cdot g$ fluid buoyancy term, and the quantum Hamiltonian term; and (2) R(t) in its explicit 4-subterm per state decomposition showing all four resonance components: R_U_g1, R_U_g2, R_U_g3, and R_U_g4i per each of the 26 states.

UQFF Discovery: Novel application of UQFF calibration constants ($\kappa = 5.0 \times 10^{-4} \text{ day}^{-1}$, [SSq] = 0.57) uniquely enabling this analysis — establishing a new connection in the UQFF framework not present in Standard Model treatments.

2. g_Compressed Complete All-Forces Equation

2.1 Master Equation

$$\begin{aligned} g_{\text{Compressed}}(r, t) = & (G M(t) / r^2) \cdot (1 + H(t, z)) \cdot (1 - B(t)/B_{\text{crit}}) \cdot (1 + F_{\text{env}}(t)) \\ & + \rho_{\text{fluid}} \cdot V \cdot g \\ & + \rho_{\text{fluid}} \cdot c^2 / 3 \\ & + \rho_{\text{fluid}} / v(\rho_{\text{fluid}} \cdot p) \cdot \rho_{\text{fluid}} \cdot H_{\text{op}} \cdot \rho_{\text{fluid}} dV \cdot (2p / t_{\text{Hubble}}) \\ & + (M_{\text{vis}} + M_{\text{DM}}) \cdot (d^2/dt^2 + 3G M / r^3) \end{aligned}$$

2.2 Term-by-Term Reference

Term 1: Gravitational Base with 3 Multipliers

$$(G M(t) / r^2) \cdot (1 + H(t,z)) \cdot (1 - B(t)/B_{\text{crit}}) \cdot (1 + F_{\text{env}}(t))$$

- $G M(t)/r^2$: time-evolving Newtonian gravity ($M(t)$ for accreting/star-forming systems)
- $(1+H(t,z))$: Hubble expansion correction at redshift z
- $(1-B/B_{\text{crit}})$: Meissner-type magnetic suppression [from $B=0$: full gravity; $B=B_{\text{crit}}$: zero gravity]
- $(1+F_{\text{env}}(t))$: envelope feedback correction

Term 2: Compressed Ug_i Prime Sum

? $U_{g,i}'$ = compressed form of MUGE $U_{g1}+U_{g2}+U_{g3}+U_{g4}$ at reduced fidelity

Same 26-state structure but with prime notation indicating compression (parameter reduction)

Term 3: Cosmological Constant

$$? c^2 / 3 = (1.1 \times 10^{25} \text{ m}^2) \times (3 \times 10^8 \text{ m/s})^2 / 3 = 3.30 \times 10^{36} \text{ m/s}^2$$

(Same as PAPER_296 for reference)

Term 4: Quantum Hamiltonian Term (NEW in completeness)

$$? / v(?x \cdot p) \cdot ? ?_{\text{total}} \dagger H_{\text{op}} ?_{\text{total}} dV \cdot (2p / t_{\text{Hubble}})$$

- $?/v(?x \cdot p)$: Heisenberg uncertainty principle denominator
- $?? \dagger H ? dV$: quantum expectation value of Hamiltonian
- $2p/t_{\text{Hubble}}$: cosmic-age normalization (PAPER_288 standing-wave bridge)

Term 5: Fluid Buoyancy (NEW in completeness)

$$?_{\text{fluid}} \cdot V \cdot g$$

- $?_{\text{fluid}}$ = system-dependent (10^{20} to 10^{15} kg/m^3)
- V : characteristic system volume
- g : local gravity acceleration (self-consistent ? iterative)
- Classical Archimedes buoyancy at vacuum fluid density

Term 6: Dark Matter Perturbation Coupling (NEW — not in any prior g_Compressed form)

$$(M_{\text{vis}} + M_{\text{DM}}) \cdot (d?/? + 3G M / r^3)$$

Symbol	Value	Description
M_{vis}	$M \times f_{\text{vis}}$	Visible mass fraction ($f_{\text{vis}}=0.15$ spiral; 0.05 cluster)
M_{DM}	$M \times f_{\text{DM}}$	Dark matter mass fraction ($f_{\text{DM}}=0.85$ spiral; 0.95 cluster)
$d?/?$	$\sim 10^{25}$	Density perturbation parameter
$3GM/r^3$	tidal gravity	$3 \times$ tidal component

Physical significance: The $(M_{\text{vis}} + M_{\text{DM}})(d^2/\tau^2 + 3GM/r^3)$ term couples the total mass (visible + dark) to both the density fluctuation field AND the tidal gravity — simultaneously handling dark matter dynamics AND structure formation in one term. This is the UQFF generalization of the Jeans instability criterion and the dark matter halo perturbation.

2.3 Results by Scale Class

System	$g_{\text{Compressed}} \text{ (N)}$	Dominant Terms
Vela (compact)	$\sim 3.95 \times 10^{-41}$	Term 1 $\times$ Hubble + Term 4
Crab (compact)	$\sim 3.95 \times 10^{-41}$	Term 1 + Term 3
NGC 1365 (galactic)	$\sim 4.12 \times 10^{-41}$	Term 6 (DM) + Term 1
Abell 2256 (cluster)	$\sim 4.12 \times 10^{-41}$	Term 6 (DM dominant)
Jupiter	$\sim 3.95 \times 10^{-41}$	Term 1 (giant planet regime)

3. $R(t)$ 26-Component 4-Subterm Resonant Decomposition

3.1 Master Equation

$$R(t) = \sum_{i=1}^{26} [R_{U_g1,i} \cdot \cos(\omega_{U_g1,i} \cdot t) + R_{U_g2,i} \cdot \cos(\omega_{U_g2,i} \cdot t) + R_{U_g3,i} \cdot \cos(\omega_{U_g3,i} \cdot t) + R_{U_g4i,i} \cdot \cos(\omega_{U_g4i,i} \cdot t)]$$

3.2 Four Resonance Sub-Terms per State

Each of the 26 states i contributes 4 cosine resonance components:

Sub-term	Physical Origin	Frequency Scale
$R_{U_g1,i} \cdot \cos(\omega_{U_g1,i} t)$	Magnetic dipole resonance	$f_{\text{super}} = 1.411e16 \text{ Hz at } i=1$
$R_{U_g2,i} \cdot \cos(\omega_{U_g2,i} t)$	Charge-reactivity resonance	$f_{\text{react}} = 10^{10} \text{ Hz at } i=1$
$R_{U_g3,i} \cdot \cos(\omega_{U_g3,i} t)$	String rotation resonance	$f_{\text{THz}} = 10^{12} \text{ Hz at } i=1$
$R_{U_g4i,i} \cdot \cos(\omega_{U_g4i,i} t)$	Vacuum concentration resonance	$f_{\text{quantum}} = 1.445 \times 10^{-17} \text{ Hz at } i=1$

State-to-state scaling: $\omega_{U_gX,i}$ decreases with increasing i by the [SSq] exponential factor:

$$\omega_{U_gX,i} = \omega_{U_gX,1} \times \exp(-[\text{SSq}] \cdot i/26)$$

3.3 Total Term Count

- 26 states $\times$ 4 sub-terms = 104 individual cosine terms
- Each term carries amplitude $R_U_gX,i \sim f_X \times A_X(\text{state})$
- TRIADIC master (PAPER_326) showed the 26-state structure; THIS paper shows the 4-subterm internal structure

3.4 Results by Scale Class

System	R(t) (N)	Dominant Sub-term
Vela/Crab (compact)	-1.12×10^{24}	R_U_g3 THz ($f_THz=10^{12}$ blob velocities 0.3-0.7c)
NGC 1365/ESO 137-001	-2.29×10^{24}	R_U_g1 magnetic dipole (Seyfert AGN)
Jupiter/Lagoon	-1.12×10^{24}	R_U_g2 charge-reactivity (H3+/ionized plasma)

3.5 Vela Frequency Assignment

For Vela Pulsar THz blobs (0.3-0.7c velocities, $f_res \sim 10^{12}$ Hz):

$$R_U_g3,i = R_0 \cdot (v_blob/c) \cdot (f_THz/f_ref) \quad [\text{THz component dominant}]$$

$$\omega_U_g3,i = 2\pi \times f_THz = 2\pi \times 10^{12} \text{ rad/s}$$

The ~ 0.3 phase separation characteristic of the Vela multi-peak profile maps to:

$$\text{phase_sep} = 0.3 \Rightarrow \cos(p \times 0.3/0.3) = \cos(p) = -1 \quad [\text{anti-phase sum}]$$

$$R_total \sim 2 \times |R_U_g3| \times \cos(p \times \text{phase_sep}) \text{ at minimum}$$

4. Integration Context

$g_Compressed$ and $R(t)$ are two of the four UQFF modes: 1. **$g_Compressed$** — this paper (Term 6 DM perturbation NEW) 2. **$R(t)$** — this paper (4-subterm per state NEW) 3. **F_U_Bi** — PAPER_335 (buoyancy kernel) 4. **U_i** — PAPER_334 (superconductive vacuum density)

Together they form the complete MUGE-to-FLENR decomposition:

$$g_total = g_Compressed + R(t) + F_U_Bi/m + F_U_Bi_i/m$$

5. FIRST Declarations

1. **FIRST $g_Compressed$ complete all-forces form** — includes Term 6: $(M_vis+M_DM)(d^2/dt^2 + 3GM/r^3)$ dark matter perturbation
2. **FIRST fluid buoyancy term** ($\omega_fluid \cdot V \cdot g$) in $g_Compressed$ reference

3. **FIRST R(t) 4-subterm per state explicit decomposition** — $R_{Ug1}/Ug2/Ug3/Ug4i$ per each of 26 states (104 total terms)
-

6. Key Equations Summary

$$\begin{aligned}
 g_{\text{Compressed}} = & (GM(t)/r^2)(1+H(t,z))(1-B/B_{\text{crit}})(1+F_{\text{env}}) \\
 & + ?U_{g,i}' + ?c^2/3 \\
 & + ?/v(?x?p) \cdot ??\dagger H_{\text{op}} ? \, dV \cdot (2p/t_{\text{Hubble}}) \\
 & + ?_{\text{fluid}} \cdot V \cdot g \\
 & + (M_{\text{vis}}+M_{\text{DM}}) \cdot (d?/? + 3GM/r^3) \quad [\text{NEW DM perturbation}]
 \end{aligned}$$

$$\begin{aligned}
 R(t) = ?_{\{i=1\}}^{\{26\}} [& R_{Ug1,i} \cos(?_{Ug1,i} t) \quad [\text{magnetic dipole}] \\
 & + R_{Ug2,i} \cos(?_{Ug2,i} t) \quad [\text{charge-reactivity}] \\
 & + R_{Ug3,i} \cos(?_{Ug3,i} t) \quad [\text{string rotation ? THz}] \\
 & + R_{Ug4i,i} \cos(?_{Ug4i,i} t) \quad [\text{vacuum concentration}]
 \end{aligned}$$

$$\begin{aligned}
 [\text{compact}] \quad g_{\text{Compressed}} & \sim 3.95 \times 10^{?4^1} \text{ N}; \quad R(t) \sim -1.12 \times 10^{?4^2} \text{ N} \\
 [\text{galactic}] \quad g_{\text{Compressed}} & \sim 4.12 \times 10^{?4^1} \text{ N}; \quad R(t) \sim -2.29 \times 10^{?4^1} \text{ N}
 \end{aligned}$$

7. References

- gok_share_31b5c807a4.txt (September 14, 2025 — 9-document assimilation)
- Vela Pulsar (PSR J0835-4510 in Vela Remnant)_12Sept2025.docx — Compressed + Resonant eqs 1-5
- NGC 1365 (Great Barred Spiral Galaxy)_12Sept2025.docx — eqs 6-10
- Abell 2256 (Galaxy Cluster)_11Sept2025.docx — eqs 16-20
- PAPER_326: Triadic Master (R(t) 26-state structure; structural predecessor)
- PAPER_288: Cosmic-Age Standing-Traveling Wave Bridge (quantum Hamiltonian term context)

Copyright: Daniel T. Murphy — Star-Magic UQFF Whitepaper Series