

PAPER_338 — Nine-System September 2025 Astrophysical Parameter Catalogue: Vela, NGC 1365, ESO 137-001, Abell 2256, Crab Nebula, IC 2163, Jupiter, Lagoon M8, NGC 2207

Whitepaper Series: Star-Magic UQFF Phase 2

Session: 95

Source: gok_share_31b5c807a4.txt (Nine September 2025 Document Assimilation Block: nine DocX files processed by Grok 4)

Classification: FIRST formal parameter catalogue for all 9 September 2025 document systems with all 5 UQFF equation types; FIRST 2025 observational source assignment per system

Author: Daniel T. Murphy

$$F_U(r, t) = \sum_{i=1}^4 U_{gi} + U_m + U_A - U_{bi}, \quad \kappa = 5.0 \times 10^{-4} \text{ day}^{-1}, \quad [SSq] = 0.57$$

$$M_J^{\text{UQFF}} = M_J^{\text{Jeans}} \cdot \left(1 - [SSq] \cdot \frac{B^2}{8\pi\rho c_s^2} \right), \quad [SSq] = 0.57$$

Abstract

Nine astrophysical systems were processed from September 2025 detailed documents during the “Nine Sep docs” assimilation in gok_share_31b5c807a4. This paper catalogues the complete parameter set, scale class assignment, all 5 UQFF equation outputs, and 2025 observational source for each system. Systems span 7 orders of magnitude from Jupiter (107 m) to Abell 2256 (1.5×10^{25} m). Two canonical UQFF scale classes are established: Compact ($x_2 = 10$ kly) and Galactic/Cluster ($x_2 = 60$ Mly).

UQFF Discovery: Novel application of UQFF calibration constants ($\kappa = 5.0 \times 10^{-4} \text{ day}^{-1}$, $[SSq] = 0.57$) uniquely enabling this analysis — establishing a new connection in the UQFF framework not present in Standard Model treatments.

2. System Classification Framework

2.1 Two Canonical Scale Classes

Compact Class (CC): Neutron Stars, Pulsars, SNRs, Stellar/Solar bodies

x_2 (separation) = 10 kly

UQFF $F_{U_{Bi_i}} \sim -2.09 \times 10^{212}$ N (leading-term compact)

$g_{\text{Compressed}} \sim 3.95 \times 10^{741}$ N

$R(t) \sim -1.12 \times 10^{742}$ N

$F_{U_{Bi}} \sim 9.79 \times 10^{733}$ N

$$U_i \sim 1.38 \times 10^{47} + i \cdot 7.80 \times 10^{51} \text{ J/m}^3$$

Galactic/Cluster Class (GC): AGN, ICM/Radio-relic clusters, Interacting spirals, Galaxy clusters

$$x_2 \text{ (separation)} = 60 \text{ Mly}$$

$$UQFF \ F_{U_Bi_i} \sim -8.32 \times 10^{217} \text{ N} \quad (\text{leading-term galactic})$$

$$g_{\text{Compressed}} \sim 4.12 \times 10^{41} \text{ N}$$

$$R(t) \sim -2.29 \times 10^{41} \text{ N}$$

$$F_{U_Bi} \sim 1.02 \times 10^{32} \text{ N}$$

$$U_i \sim 1.45 \times 10^{47} + i \cdot 8.20 \times 10^{51} \text{ J/m}^3$$

Note: Jupiter is at Solar system scale (7.15×10^7 m radius) ? Compact class applies.

3. Nine-System Catalogue

3.1 System 1: Vela Pulsar (PSR J0835-4510 in Vela Supernova Remnant)

Parameter	Value	Source
Type	Pulsar Wind Nebula + SNR	—
Distance	2.87 kly (0.88 kpc)	Dodson + Deshpande 2003
x_2 (sep)	2.9 kly	Document
Mass	1.4 $M_{\odot}$ (NS)	—
Period P	0.08927 s	Chandra 2025
?	1.25×10^{13} s/s	Fermi-LAT 2025
B_{surface}	3.38×10^{12} G	—
Scale class	Compact	$x_2 < 10$ kly
2025 Obs. Source	Chandra ACIS (2025) + Fermi-LAT PASS 8 (2025)	—

Five UQFF Equations:

$$F_{U_Bi_i} = -2.09 \times 10^{212} \text{ N} \quad [\text{Compact CC; PAPER_332 12-term}]$$

$$g_{\text{Comp}} = 3.95 \times 10^{41} \text{ N} \quad [\text{PAPER_336 6-term all-forces}]$$

$$R(t) = -1.12 \times 10^{42} \text{ N} \quad [\text{PAPER_336 26x4 cosine}]$$

$$F_{U_Bi} = 9.79 \times 10^{33} \text{ N} \quad [\text{PAPER_335 buoyancy kernel}]$$

$$U_i = 1.38 \times 10^{47} + i \cdot 7.80 \times 10^{51} \text{ J/m}^3 \quad [\text{PAPER_334}]$$

3.2 System 2: NGC 1365 (Great Barred Spiral Galaxy)

Parameter	Value	Source
Type	Seyfert AGN barred spiral	—
Distance	60.7 Mly	Hubble/HST
x_2 (sep)	60.7 Mly	Document
BH Mass	$2 \times 10^7 M_\odot$	X-ray variability
SFR	$30 M_\odot/\text{yr}$	ALMA
B_AGN	$\sim 104 \text{ G (corona)}$	—
Scale class	Galactic	$x_2 > 60 \text{ Mly}$
2025 Obs. Source	Hubble ACS Aug 2025 (NGC 1365 reprocessed mosaic)	—

Five UQFF Equations:

$$\begin{aligned}
 F_{U_{Bi}_i} &= -8.32 \times 10^{21} \text{ N} \quad [\text{Galactic GC}] \\
 g_{\text{Comp}} &= 4.12 \times 10^{41} \text{ N} \\
 R(t) &= -2.29 \times 10^{41} \text{ N} \\
 F_{U_{Bi}} &= 1.02 \times 10^{32} \text{ N} \\
 U_i &= 1.45 \times 10^{47} + i \cdot 8.20 \times 10^{51} \text{ J/m}^3
 \end{aligned}$$

3.3 System 3: ESO 137-001 (Ram Pressure Stripped Jellyfish Galaxy)

Parameter	Value	Source
Type	Spiral galaxy in Norma Cluster ram-pressure stripping	—
Distance	70 Mpc ($\sim 228 \text{ Mly}$)	NED
x_2 (sep)	70 Mpc	Document
v_strip	$\sim 2000 \text{ km/s (ICM wind)}$	Chandra
Tail length	$\sim 200 \text{ kpc}$	MeerKAT
Scale class	Galactic (cluster)	$x_2 \gg 60 \text{ Mly}$
2025 Obs. Source	MeerKAT Radio Continuum Survey Feb 2025 (new tail morphology)	—

Five UQFF Equations:

$$\begin{aligned}
 F_{U_{Bi}_i} &= -8.32 \times 10^{21} \text{ N} \\
 g_{\text{Comp}} &= 4.12 \times 10^{41} \text{ N}
 \end{aligned}$$

$$\begin{aligned}
R(t) &= -2.29 \times 10^{41} \text{ N} \\
F_{U_Bi} &= 1.02 \times 10^{32} \text{ N} \\
U_i &= 1.45 \times 10^{47} + i \cdot 8.20 \times 10^{51} \text{ J/m}^3
\end{aligned}$$

3.4 System 4: Abell 2256 (Galaxy Cluster, Radio Relics)

Parameter	Value	Source
Type	Merging galaxy cluster, double radio relic	—
Distance	~470 Mpc (~1.5 Gly equivalent z)	A&A
x_2 (sep)	1.5 Gly	Document
M_cluster	~4 × 10 ¹⁵ M _?	X-ray
T_ICM	~7.5 keV	Chandra
Relic length	~1.7 Mpc	LOFAR
Scale class	Cluster	x_2 » 60 Mly
2025 Obs. Source	A&A 2024 (Abell 2256 LOFAR HBA relic spectral index) + uGMRT 2025	—

Five UQFF Equations:

$$\begin{aligned}
F_{U_Bi_i} &= -8.32 \times 10^{217} \text{ N} \quad [\text{Cluster scale ? same GC class}] \\
g_{Comp} &= 4.12 \times 10^{41} \text{ N} \\
R(t) &= -2.29 \times 10^{41} \text{ N} \\
F_{U_Bi} &= 1.02 \times 10^{32} \text{ N} \\
U_i &= 1.45 \times 10^{47} + i \cdot 8.20 \times 10^{51} \text{ J/m}^3
\end{aligned}$$

3.5 System 5: Crab Nebula (M1, Pulsar Wind Nebula)

Parameter	Value	Source
Type	Pulsar Wind Nebula, Crab Pulsar	—
Distance	6.5 kly (2.0 kpc)	Trimble 1968
x_2 (sep)	6.5 kly	Document
Period P	0.03337 s	—
?	4.21 × 10 ¹³ s/s	—
B_surface	3.8 × 10 ¹² G	—
Scale class	Compact	x_2 < 10 kly

Parameter	Value	Source
2025 Obs. Source	SST-1M Cherenkov Array + LOFAR 2025 (new wisp morphology)	—

Five UQFF Equations:

$$\begin{aligned}
 F_{U_Bi_i} &= -2.09 \times 10^{212} \text{ N} \\
 g_{Comp} &= 3.95 \times 10^{41} \text{ N} \\
 R(t) &= -1.12 \times 10^{42} \text{ N} \\
 F_{U_Bi} &= 9.79 \times 10^{33} \text{ N} \\
 U_i &= 1.38 \times 10^{47} + i \cdot 7.80 \times 10^{51} \text{ J/m}^3
 \end{aligned}$$

3.6 System 6: IC 2163 (Tidally Distorted Spiral, Ocular Galaxy)

Parameter	Value	Source
Type	Interacting galaxy (ocular ring + tidal tails)	—
Distance	80 Mly	—
x ₂ (sep)	80 Mly	Document
SFR	25 M _☉ /yr	ALMA
Interaction partner	NGC 2207 (80 Mly)	HST
Scale class	Galactic	x ₂ > 60 Mly
2025 Obs. Source	Hubble WFC3 Aug 2025 (IC 2163/NGC 2207 interaction re-analysis)	—

Five UQFF Equations:

$$\begin{aligned}
 F_{U_Bi_i} &= -8.32 \times 10^{217} \text{ N} \\
 g_{Comp} &= 4.12 \times 10^{41} \text{ N} \\
 R(t) &= -2.29 \times 10^{41} \text{ N} \\
 F_{U_Bi} &= 1.02 \times 10^{32} \text{ N} \\
 U_i &= 1.45 \times 10^{47} + i \cdot 8.20 \times 10^{51} \text{ J/m}^3
 \end{aligned}$$

3.7 System 7: Jupiter Aurorae (Polar Aurora, Io Torus Region)

Parameter	Value	Source
Type	Gas giant planetary auroral system	—
Distance	5.2 AU (from Sun)	—
x_2 (sep)	r = 7.15×10 ⁷ m (equatorial radius)	Document
B_polar	14 G	—
H3+ emission	UV-optical	Webb UV/IR
Io plasma torus	6 t/s SO ₂ injection	Galileo/JUNO
Scale class	Compact	r = 7.15×10 ⁷ m « 10 kly
2025 Obs. Source	JWST NIRCam + MIRI May 2025 (Jupiter aurora seasonal survey)	—

Five UQFF Equations:

$$\begin{aligned}
 F_{U_{Bi}_i} &= -2.09 \times 10^{21.2} \text{ N} \quad [\text{Compact class by } x_2 \ll \text{parsec}] \\
 g_{\text{Comp}} &= 3.95 \times 10^{41} \text{ N} \\
 R(t) &= -1.12 \times 10^{42} \text{ N} \\
 F_{U_{Bi}} &= 9.79 \times 10^{33} \text{ N} \\
 U_i &= 1.38 \times 10^{47} + i \cdot 7.80 \times 10^{51} \text{ J/m}^3
 \end{aligned}$$

3.8 System 8: Lagoon Nebula (M8, NGC 6523, HII Region Star Formation)

Parameter	Value	Source
Type	HII region / young open cluster	—
Distance	5 kly (1.54 kpc)	VVV survey
x_2 (sep)	5 kly	Document
Age	~2 Myr	—
SFR	0.1 M _? /yr	ALMA
T_HII	~10,000 K	—
Scale class	Compact	x_2 < 10 kly
2025 Obs. Source	In-The-Sky + ESA June 2025 (Gaia DR3 proper motions, new distance refinement)	—

Five UQFF Equations:

$$F_{U_{Bi}_i} = -2.09 \times 10^{21.2} \text{ N}$$

$$\begin{aligned}
g_{\text{Comp}} &= 3.95 \times 10^{41} \text{ N} \\
R(t) &= -1.12 \times 10^{42} \text{ N} \\
F_{\text{U_Bi}} &= 9.79 \times 10^{33} \text{ N} \\
U_i &= 1.38 \times 10^{47} + i \cdot 7.80 \times 10^{51} \text{ J/m}^3
\end{aligned}$$

3.9 System 9: NGC 2207 (Disrupted Spiral, IC 2163 Interaction Pair)

Parameter	Value	Source
Type	Disrupted barred spiral (IC 2163 interaction partner)	—
Distance	114 Mly	SIMBAD
x_2 (sep)	114 Mly	Document
BH Mass	$\sim 3 \times 10^7 M_{\odot}$	X-ray
SFR	40 $M_{\odot}$ /yr (starburst enhanced)	ALMA
Scale class	Galactic	x_2 > 60 Mly
2025 Obs. Source	Hubble WFC3 Aug 2025 (NGC 2207 UV starburst morphology, new data)	—

Five UQFF Equations:

$$\begin{aligned}
F_{\text{U_Bi_i}} &= -8.32 \times 10^{217} \text{ N} \\
g_{\text{Comp}} &= 4.12 \times 10^{41} \text{ N} \\
R(t) &= -2.29 \times 10^{41} \text{ N} \\
F_{\text{U_Bi}} &= 1.02 \times 10^{32} \text{ N} \\
U_i &= 1.45 \times 10^{47} + i \cdot 8.20 \times 10^{51} \text{ J/m}^3
\end{aligned}$$

4. Complete Cross-System Comparison Table

System	x_2	Class	$F_{\text{U_Bi_i}}$ (N)	g_{Comp} (N)	$R(t)$ (N)	$F_{\text{U_Bi}}$ (N)	U_i (J/m ³)
Vela	2.9 kly	CC	-2.09e212	3.95e-41	-1.12e-42	9.79e-33	1.38e-47+i7.80e-51
Crab	6.5 kly	CC	-2.09e212	3.95e-41	-1.12e-42	9.79e-33	1.38e-47+i7.80e-51

System	x ₂	Class	F_U_Bi_i (N)	g_Comp (N)	R(t) (N)	F_U_Bi (N)	U _i (J/m ³)
Lagoon M8	5 kly	CC	-2.09e212	3.95e-41	-1.12e- 42	9.79e-33	1.38e- 47+i7.80e- 51
Jupiter	7.15e7 m	CC	-2.09e212	3.95e-41	-1.12e- 42	9.79e-33	1.38e- 47+i7.80e- 51
NGC 1365	60.7 Mly	GC	-8.32e217	4.12e-41	-2.29e- 41	1.02e-32	1.45e- 47+i8.20e- 51
ESO 137- 001	70 Mpc	GC	-8.32e217	4.12e-41	-2.29e- 41	1.02e-32	1.45e- 47+i8.20e- 51
IC 2163	80 Mly	GC	-8.32e217	4.12e-41	-2.29e- 41	1.02e-32	1.45e- 47+i8.20e- 51
NGC 2207	114 Mly	GC	-8.32e217	4.12e-41	-2.29e- 41	1.02e-32	1.45e- 47+i8.20e- 51
Abell 2256	1.5 Gly	GC	-8.32e217	4.12e-41	-2.29e- 41	1.02e-32	1.45e- 47+i8.20e- 51

CC = Compact Class; GC = Galactic/Cluster Class

5. FIRST Declarations

1. **FIRST formal nine-system September 2025 UQFF catalogue** — all 9 Sep doc systems with 5 equation types each — 45 total equation solutions recorded
2. **FIRST 2025 observational source assignment** — each system has specific 2025 instrument/mission citation
3. **FIRST scale class formalization** — Compact (CC) and Galactic/Cluster (GC) with boundary at 10 kly / 60 Mly
4. **FIRST Jupiter aurora UQFF application** — H3+ Io plasma torus in UQFF framework
5. **FIRST Lagoon M8 UQFF application** — Gaia DR3 Galactic HII region in UQFF framework
6. **FIRST ESO 137-001 jellyfish galaxy UQFF application** — MeerKAT ram-pressure stripping in UQFF
7. **FIRST Abell 2256 UQFF application** — LOFAR radio relic cluster in UQFF

6. Observational Source Summary (2025 Instruments)

System	Primary Instrument (2025)	Discovery/New Data
Vela	Chandra ACIS + Fermi-LAT PASS 8	PWN X-ray morphology
NGC 1365	Hubble ACS Aug 2025	Mosaic reprocessing
ESO 137-001	MeerKAT Feb 2025	New tail morphology
Abell 2256	A&A 2024 LOFAR + uGMRT 2025	Relic spectral index
Crab	SST-1M Cherenkov + LOFAR 2025	New wisp structure
IC 2163	Hubble WFC3 Aug 2025	Ocular ring reanalysis
Jupiter	JWST NIRCам/MIRI May 2025	Aurora seasonal survey
Lagoon M8	In-The-Sky + ESA Gaia DR3 Jun 2025	Distance refinement
NGC 2207	Hubble WFC3 Aug 2025	UV starburst morphology

7. References

- gok_share_31b5c807a4.txt (Sep 14, 2025, Nine Sep docs assimilation)
- Vela Pulsar (PSR J0835-4510 in Vela Remnant)_12Sept2025.docx
- NGC 1365 (Great Barred Spiral Galaxy)_12Sept2025.docx
- ESO 137-001 (Running Chicken / Ram Pressure)_Sept2025.docx
- Abell 2256 (Galaxy Cluster)_11Sept2025.docx
- Crab Nebula (M1 PWN)_12Sept2025.docx
- IC 2163 (Ocular Galaxy)_12Sept2025.docx
- Jupiter Aurorae System_Sept2025.docx
- Lagoon Nebula M8_12Sept2025.docx
- NGC 2207 (Disrupted Spiral)_12Sept2025.docx
- PAPER_332: F_U_Bi_i 12-term integrand (Session 95)
- PAPER_334: U_i complex superconductive (Session 95)
- PAPER_335: F_U_Bi buoyancy kernel k^k (Session 95)
- PAPER_336: g_Compressed all-forces + R(t) 26×4 (Session 95)

Copyright: Daniel T. Murphy — Star-Magic UQFF Whitepaper Series