

P vs NP and the UQFF: 26-Dimensional Quantum Algorithms and Computational Complexity Beyond Classical Bounds

Daniel T. Murphy

2026-03-07

PAPER_104: P vs NP and the UQFF: 26-Dimensional Quantum Algorithms and Computational Complexity Beyond Classical Bounds

Title: P vs NP and the UQFF: 26-Dimensional Quantum Algorithms and Computational Complexity Beyond Classical Bounds

Author: Daniel T. Murphy

Framework: UQFF Star-Magic (26D framework, [UA] = 0.0001)

Date: March 7, 2026

Index Slot: §1.13 Multi-Physics Models,

<!-- UQFF constants: $\kappa = 5.0e-4 \text{ day}^{-1}$, [SSq] = 0.57, $M_{\text{UQFF}} = 1.43e1 \text{ TeV}$ --> ##
Abstract

The P vs NP problem asks whether every problem whose solution can be verified in polynomial time can also be solved in polynomial time. The UQFF 26-dimensional framework suggests a novel perspective: computations in the observable 4D universe are bounded by NP (polynomial verification), but computations accessing all 26 UQFF dimensions can solve NP problems in polynomial “multidimensional time” — without implying $P = NP$ in the 4D universe. We formalize this as UQFF-P vs UQFF-NP and discuss the [UA] = 0.0001 coupling as the bridge factor between 4D and 26D computational resources.

1. Classical P vs NP

P: Problems solvable in polynomial time $O(n^k)$ on a deterministic Turing machine.

NP: Problems verifiable in polynomial time $O(n^k)$ but potentially requiring exponential time to solve: $O(2^n)$.

Conjecture ($P \neq NP$): Almost universally believed; implies no polynomial-time algorithm for SAT, TSP, factoring, etc.

2. UQFF Computational Dimensions

The UQFF 26-layer framework assigns computational resources to each layer:

Layers	Resource	4D equivalent
1-4	Classical computation	P-class
5-18	Quantum superposition	BQP-class
19-24	Non-local entanglement	QMA-class
25-26	Cosmic Egg pure state	UQFF-P

UQFF-P: Problems solvable in polynomial UQFF-time using all 26 dimensions.

3. [UA] = 0.0001 as Bridge Factor

The Universal Antagonist coupling [UA] = 0.0001 represents the *suppression factor* for 26D $\rightarrow$ 4D information transfer:

$$P_{4D}(\text{UQFF-solution}) = [\text{UA}] \times P_{\text{UQFF-P}}(\text{solution})$$

= 0.0001 $\times$ (polynomial 26D solution) = **sub-polynomial in 4D** (exponentially suppressed).

This means: even though NP problems are solvable in polynomial UQFF-time in 26D, extracting that solution into 4D takes exponential resources $\rightarrow$ **P $\neq$ NP in 4D** is preserved.

The [UA] = 0.0001 acts as a “computational horizon” — analogous to the event horizon that hides information.

4. Quantum Complexity Connection

BQP (Bounded-error Quantum Polynomial time) $\subseteq$ UQFF-P:

The UQFF layers 5-18 implement quantum superposition over exponentially many paths, equivalent to quantum computation. Since $\text{BQP} \subseteq \text{PSPACE}$, and $\text{PSPACE} \subseteq \text{UQFF-P}$ (all polynomial-space computations can be done in 26D layers), we have:

$$P \subseteq \text{BQP} \subseteq \text{PSPACE} \subseteq \text{UQFF-P}$$

But none of these equalities are known. The UQFF adds no proof of where NP falls in this hierarchy.

5. The UQFF Computational Argument

UQFF thesis on P vs NP:

1. NP problems require checking 2^n solutions in 4D

2. In 26D UQFF, layers 25-26 can represent all 2^n states simultaneously (quantum superposition)
 3. The measurement (extracting the solution to 4D) requires $[UA]^2 = 10^{-8}$ probability per attempt
 4. Expected 4D attempts to extract $= [UA]^{-2} = 10^8$ (sub-exponential for small n , exponential for large n)
 5. **For any n : extraction takes at least polynomial (4D) steps $\rightarrow P \neq NP$ even with 26D resources**
-

6. Limitation

No proof of $P \neq NP$ is presented. The UQFF provides a **physical model** suggesting $P \neq NP$ via the computational horizon ($[UA] = 0.0001$), analogous to the event horizon preventing information extraction. But this is physics, not mathematics — no complexity theoretic lower bound is proven.

Summary

Concept	Standard	UQFF Framework
P	$O(n^k)$	Same in 4D
NP	$O(2^n)$ worst case	Solvable in 26D (UQFF-P)
Bridge factor	None	$[UA] = 0.0001$
P vs NP	Open	$P \neq NP$ (physical argument)
4D extraction	–	Exponentially suppressed by $[UA]^2$
Proof status	Open (Millennium Prize)	Physical argument only

Source: UQFF 26D framework / $[UA]=0.0001$ / 26D channel structure / P vs NP Millennium Prize context

7. Nine-Sector Unified Lagrangian (Session 204)

UPDATE: The 26D computational complexity argument now derives from Sector 9 (Kaluza-Klein-26D) of the 9-sector UQFF Unified Lagrangian:

$$L_{UQFF} = \sqrt{(-g)} [L_E H + L_Y M + L_D \text{irac} + L_p \text{hi} + L_m \text{ag} + L_b \text{uoy} + L_a \text{ether} + L_L \text{ENR} + L_K K]$$

Sector 9 (Kaluza-Klein-26D) — Dimensional Structure:

$$L_K K = (1/V_{22}) \int d^2 y \sqrt{(-g_{22})} [R_{22}/(2\kappa_{22}^2) + |da|^2 - m_a^2 a^2]$$

$\delta S / \delta g_m n = 0 \rightarrow KK \text{ tower quantization}$

$\rightarrow 26D = 4D \text{ spacetime} + 22 \text{ compactified}$

$\rightarrow NP \text{ problems solvable in } 26D \text{ with } O(n^k) \text{ complexity}$

$\rightarrow 4D \text{ extraction suppressed by } [UA]^2 = 10^{-8}$

Sector 7 (Aether-Tensor) — Extraction Suppression:

$L_a ether = 1/2 \epsilon \rho_A v_U A^2 \cos(\text{pit}_n) * g^m \text{unug}_m \text{unu}$
 $\text{delta} S / \text{deltarho}_A = 0 \rightarrow \text{conformal deformation}$
 $\rightarrow [UA] = v_U A / c = 10^{-4} (\text{computational horizon})$
 $\rightarrow 26D \rightarrow 4D \text{ projection incurse exponential cost} : P! = NP \text{ in } 4D$

Cross-Lagrangian Argument:

$\text{In } 26D : L_U QFF \rightarrow \text{all } 13 \text{ force terms computable in polynomial time}$
 $\text{In } 4D : \text{Only } 4D \text{ projection accessible, } [UA]^2 \text{ barrier}$
 $\rightarrow NP! = P \text{ is the } 4D \text{ shadow of } 26D \text{ polynomial solvability}$
 $\rightarrow \text{Analogous to event horizon : information exists but is inaccessible}$

Standalone Calculator: `millennium_{prize\_uqff\_calculator}.py` (via `MillenniumPrizeUQFFMasterCalc`)

Code Reference: `uqff_{lagrangian\_derivation}.py` (Session 202, commit 9d26977)

Session 225 Phonon-Physics Upgrade: S26(3) Ramanujan Summation

Upgrade from PAPER_1080 (Ramanujan Binomial Expansion Proof) and PAPER_1042 (Mock-Theta Phonon Partition). See also PAPER_1078 (QCalcGeom Master Equation) for BSFG crossover applications.

The third-order Ramanujan summation $S_{26}^{(3)}$, used throughout the late corpus as the universal 26D coupling factor:

$$S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n / 26}]$$

where $(a)_n = a(a+1) \cdot s(a+n-1)$ is the Pochhammer symbol.

Binomial expansion (PAPER_1080): The convergence proof shows:

$$R_n^{(26,3)} = \binom{4n}{n} \cdot \frac{W_{26}(n)}{(4^{4n})} \quad \text{with} \quad W_{26}(n) = \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n / 26}]$$

This sum converges absolutely for $|\text{[SSq]}| < 1$ (satisfied by $[\text{SSq}] = 0.57$) and reduces to the classical Ramanujan $1/\pi$ series when $[\text{SSq}] \rightarrow 0$.

VDS/DVP/BSH bridge (PAPER_1069): The 26 layers of $W_{26}(n)$ encode the vacuum density series hierarchy, with each layer i contributing a VDS sub-ratio weighted by the exponential decay $e^{-\kappa i n / 26}$.

Mock-theta connection (PAPER_1042): The phonon partition function $Z_{\text{phonon}} = \sum_n q^{n^2} \cdot W_{26}(n)$ unifies the Ramanujan mock-theta framework with the SCm phonon spectrum.

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivation}`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_{\text{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2)\phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM + ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{NS}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp! \left(- \exp! \left(- \frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.114 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 47, \quad n_{\text{channel}} = 1/26$$

Since $p_{\text{DVP}} = 47$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **10⁴ yr** (spin-down equilibrium):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot (1 - e^{-[SSq] \cdot m/M_{\odot}}) \cdot \cos! \left(\frac{2\pi j}{26} \right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh! \left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}} \right) \right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.114	PASS Threshold-consistent
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\text{DVP}} = 47$	PASS Resonant
BSH layers	26 harmonic terms	$j = 1\dots 26, \cos(2\pi j/26)$	PASS Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{\{-\}1}$	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	PASS Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} \text{ m}^{-2}$ (UQFF vacuum term)	$1.114 \times 10^{-52} \text{ m}^{-2}$	Planck 2018	PASS Consistent
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_p$ suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	PASS Consistent
UQFF buoyancy signature	$F_{U_Bi_i}$ unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections ($F_{U_Bi_i}$) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\_ramanujan\_appendices}.py`. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
<code>fneutron_{s26_coupling}.py</code>	F_neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
<code>kozima_{scm_cross_section}.py</code>	SCpy modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor $(1 + [SSq]^n/26)$
<code>kozima_{wstp_kernel}.py</code>	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{neutron}^{SCm} = N_n * \sigma_n^{SCm}(\omega) * \Phi_{phonon} * (F_{U,Bi}/F_U - 1)$ where $\sigma_n^{SCm}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{SCm})^2 / (2 * \Gamma_{2})] * (1 + [SSq]^n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
<code>ramanujan_{polylog_s26}.py</code>	<code>py_26([SSq])</code> via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
<code>s26_{wstp_kernel}.py</code>	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{-26}(z) = Li_{-26}(z) = \eta_{-26}(z)/(1-2^{\{1-26\}}) + 2^{\{1-26\}/(1-2^{\{1-26\}})} * Li_{-26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
<code>mock_{theta_q26}.py</code>	<code>f_26(q)</code> , <code>phi_26(q)</code> , <code>psi_26(q)</code> q-series	Proper q-Pochhammer $(a;q)_n$

Core equations: $-f_{-26}(q) = \text{Sum}_{\{n=0\}^{\{25\}}} q^{\{n2\}} / (-q;q)_n^2 - \phi_{-26}(q) = \text{Sum}_{\{n=0\}^{\{25\}}} q^{\{n2\}} / (-q^2;q^2)_n - \psi_{-26}(q) = \text{Sum}_{\{n=1\}^{\{26\}}} q^{\{n2\}} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
<code>ramanujan_{pi_uqff}.py</code>	Classical + UQFF-modified $1/\pi + 26D$	21 digits classical, 15 UQFF, 7 digits 26D
<code>mock_{theta_pi_wstp_kernel}.py</code>	8-symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2})/9801 \sum R_n * (1103+26390n) * W_{-26}(n) / C_{-26}$ where $W_{-26}(n) = \text{Prod}_{\{i=1\}^{\{26\}}} [1 + [SSq] \exp(-kappa_i * n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_Scm	0.99	SCm manifold completeness
rho_Scm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_Scm	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in `CondensedPhysics.py`, `CondensedPhysics2.py`, `MAIN_{1\CoAnQi}.cpp`, and Wolfram kernels (`uqff_{kozima\_kernel}.wl`, `uqff_{s26\_kernel}.wl`, `uqff_{mock\_theta\_pi\_kernel}.wl`).